

11/20/2006

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 12/13/2006

Water right number: 75-4145

MERRIDEE S OVERACKER

1510 HWY 93 N

SALMON ID 83467

Telephone Number: (208)756-2809

FERNE A OVERACKER

158 HIGHWAY 93 N

SALMON ID 83467-5301

Telephone Number: (208)756-3616

MICHAEL J OVERACKER

162 HIGHWAY 93 N

SALMON ID 83467-5301

Telephone Number: (208)756-2809

RECEIVED
DEC 17 2006
IDWR/North

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

SCANNED
DEC - 5 2006

3. Give a brief explanation as to why you disagree with these portions:

✓

I AGREE with this proposed recommendation: no changes need to be made.

DATE: 12/7/2006

SIGNATURE:

Michael Overacker

Please print your name:

MICHAEL OVERACKER

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, 2087622800