

RECEIVED
11/21/2006 DEC 17 7 7
DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 12/13/2006

Water right number: 37-21178

SYLVIA WOOD
22 ROPES END RD
BELLEVUE ID 83313
Telephone Number: (208)788-3659

EMER WOOD
22 ROPES END RD
BELLEVUE ID 83313
Telephone Number: (208)788-3659

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 12/5/06 SIGNATURE: Emer Wood Sylvia Wood
Please print your name: Emer Wood Sylvia Wood

IDWR Regional Office, 322 E Front St
PO Box 83720, Boise, ID 83720-0098, 2082874800