

11/14/2006

NOTICE OF ERROR
REPLY

RECEIVED

DEC 13 2006

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: December 8, 2006

Water right number: 67-260A

ETHEL J PEARSON
2982 CUTLER RD
CAMBRIDGE ID 83610-5166
Telephone Number: (208)257-3541

ROBIN L THORSEN
~~PO BOX 205~~ 2982 Cutler Rd.
CAMBRIDGE ID 83610
Telephone Number: (208)257-2541 3541

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 12-6-06

SIGNATURE:

Ethel J. Pearson

Please print your name:

Ethel J. Pearson

IDWR Regional Office, 322 E Front St
PO Box 83720, Boise, ID 83720-0098, 2082874800