

11/20/2006

**NOTICE OF ERROR  
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

**YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 12/13/2006**

Water right number: 75-10415

A YVONNE JAKICH  
118 S SAINT CHARLES RD  
SALMON ID 83467-5224  
Telephone Number: (208)756-3352

LEONARD JAKICH  
118 S SAINT CHARLES RD  
SALMON ID 83467-5224  
Telephone Number: (208)756-3352

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation; no changes need to be made.

DATE: 12/11/06 SIGNATURE: Leonard Jakich

Please print your name: Leonard Jakich

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, 2087622800

SCANNED  
DEC 12 2006

RECEIVED  
DEC 11 2006  
IDWR/North