

NOTICE OF ERROR

REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 12/13/2006

Water right number: 75-14263

O JERRY HARRIS
4649 NOUNAN RD
MONTPELIER ID 83254
Telephone Number: (208)221-2368
801-760-2071
cell

MYRNA R HARRIS
4649 NOUNAN RD
MONTPELIER ID 83254
Telephone Number: (208)221-2368
cell

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 12/3/06
SIGNATURE: Myrna R Harris
Please print your name: Myrna R Harris

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D'Alene, ID 83815, 20876222800

The paper work looks correct.
We are not in Salmon so we won't
be to one of your meetings.

RECEIVED
DEC 11 2006
IDWR/North

SCANNED
DEC 12 2006