

11/20/2006

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 12/13/2006

Water right number: 75-4180

MARTIN W HALPERN
PO BOX 32
ARGYLE TX 76226
Telephone Number: (214) 957-6189

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

THE STATUTORY CLAIM QUANTITY WAS 1.3 ; IT IS BEING REDUCED TO 0.360

2. Describe the changes you wish to make in the proposed recommendation:

NAT CRACK DIVERSION WATER provides the most efficient source of irrigation H₂O i.e. gravity. Keep the original C.F.S. amount of 1.3

3. Give a brief explanation as to why you disagree with these portions:

My only PRACTICAL source of Gravity fed water is NAT CRACK; 0.360 C.F.S. is Not enough to irrigate 40 Acres
I AGREE with this proposed recommendation: no changes need to be made.

DATE: 11/22/06

SIGNATURE:

Martin W. Halpern

Please print your name:

MARTIN W. HALPERN

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, 2087622800

SCANNED

DEC 12 2006