

11/14/2006

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: December 8, 2006

Water right number: 67-363F

KURI SMITH
11877 GOLDENROD AVE
BOISE ID 83713

DIANE SMITH
11877 GOLDENROD AVE
BOISE ID 83713

1. Describe the portion of the proposed recommendation with which you disagree (e.g., priority date, period of use, source):

11 → .095 AMOUNT OF WATER

2. Describe the changes you wish to make in the proposed recommendation:

CHANGE AMOUNT FROM 0.095" TO 0.1"

3. Give a brief explanation as to why you disagree with these portions:

0.1" WAS THE ORIGINAL AMOUNT REQUEST AND
REFLECTS WHAT HISTORICALLY WAS USED.

I AGREE with this proposed recommendation: no changes need to be made.

DATE: 12-8-06

SIGNATURE:

Kurt B. Smith

Please print your name:

KURT B. SMITH

IDWR Regional Office, 322 E Front St
PO Box 83720, Boise, ID 83720-0098, 2082874800