

12/05/2006

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: December 13, 2006

Water right number: 67-14638

CHARLENE P HOLT
10516 NARROWS DR
ANDERSON ISLAND WA 98303
Telephone Number: (253)884-1740

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: Dec 13, 06 SIGNATURE: Charlene P Holt
Please print your name: Charlene P. Holt

IDWR Regional Office, 322 E Front St
PO Box 83720, Boise, ID 83720-0098, 2082874800

I want my geothermal well. Appreciated as well,
on 120 Acres near sand pit in corner

12/12/06

Received this notice today as I have
been in Tennessee with my 90 yr old father
who was hospitalized since Dec 2-

Charlene P Holt m.