

11/26/2006

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 22-500C

GLEENDA SUE TAYLOR

PO BOX 11

WILSON WY 83014

Telephone Number: (307)733-3166

JAMES MICHAEL TAYLOR

PO BOX 11

WILSON WY 83014

Telephone Number: (307)733-3166

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

reducing our diversion rate from 1.600 CFS to 0.660 CFS

2. Describe the changes you wish to make in the proposed recommendation:

Leave our Diversion rate at 1.600 CFS

3. Give a brief explanation as to why you disagree with these portions:

*The proposed recommendation would cut our diversion rate .940 cfs
And there would not be enough flow to sustain property
enclosed are copies of Parrant water rights*

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: _____

Please print your name: _____

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

*KMJ
12/11*