

11/20/2006

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 12/13/2006

Water right number: 75-4094

DONALD LEWIS VAUGHT
306 COLUMBIA ST
NEWPORT BEACH CA 92663
Telephone Number: (714)650-6720

VIRGINIA K BROWN
PO BOX 366
SALMON ID 83467
Telephone Number: (208)756-2308

MERRILL M BROWN
PO BOX 366
SALMON ID 83467
Telephone Number: (208)756-2308

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation: no changes need to be made.

DATE: 12-4-06 SIGNATURE: Virginia K. Brown

Please print your name: _____

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, 2087622800

RECEIVED
DEC 13 2006
IDWR/North