

11/21/2006

RECEIVED

DEC 18 2006

DEPARTMENT OF
WATER RESOURCES

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 12/13/2006

Water right number: 37-4D

MARY ANN KNIGHT
PO BOX 217
BELLEVUE ID 83313
Telephone Number: (208)788-2722

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

(SEE ATTACHMENT)

2. Describe the changes you wish to make in the proposed recommendation:

(SEE ATTACHMENT)

3. Give a brief explanation as to why you disagree with these portions:

(SEE ATTACHMENT)

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: 12-12-06

SIGNATURE: Mary Ann Knight

Please print your name: MARY ANN KNIGHT

IDWR Regional Office, 322 E Front St.
PO Box 83720, Boise, ID 83720-0098, 2082874800

FAX 287-6700

TO: IDWR

FROM: MARY ANN KNIGHT

DATE: 12-13-06

1. The original source rate based on the conversion from miners inches of the transferred water and the loss rates in the Hiawatha Canal, Big Wood River and the District Canal. The domestic well on the said place of use for the ground water is not included. The water transferred has an additional 416 shares of the Upper Wood River Water User's Association that has not been addressed.
2. The 29.5 miners inches should covert to 0.59cfs instead of 0.51cfs as shown in the summary of Right Number: 37-4D at 1.2cfm for each miner inch. Reduce the combined losses between the Hiawatha Canal, Big Wood River and the District Canal to total an overall loss of 15% to 20% instead of the 90% to 95% as summarized, therefore a delivery rate at the property head gate of .51cfs. Add the availability of the 416 shares of the Upper Wood River Water User's Association and add the domestic well rights if typically included with the surface water right report.
3. The losses appear to be applied to both the removal of water from one canal and to the assistance of transferring more water down stream. The rate of losses does not appear to be consistent with canal size or distance of transfer, therefore opening the question to "what is the loss calculation or formula"? Additionally, the 29.5 miner inches "greened" approximately 40 acres of the original family farm and the use for the transferred water is to maintain the traditional use of surface water for agriculture and livestock. The identified property for delivery is approximately 34 acres and currently used as dry land pasture. The land itself requires more water for successful production due to the gravel and river rock content.

Confirmation Report-Memory Send

Time : Dec-13-2006 08:56am
Tel line 1 : 2087880525
Name : POWER ENGRS LINE DEPT

Job number : 659
Date : Dec-13 08:54am
To : 912082876700
Document Pages : 002
Start time : Dec-13 08:54am
End time : Dec-13 08:56am
Pages sent : 002
Status : OK

Job number : 659 *** SEND SUCCESSFUL ***

11/21/2006

NOTICE OF ERROR REPLY

Please type or print clearly. Fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 12/13/2006

Water right number: 37-4D
MARY ANN KNIGHT
PO BOX 217
BELLEVUE ID 83313
Telephone Number: (208)788-2722

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
(SEE ATTACHMENT)

2. Describe the changes you wish to make in the proposed recommendation:
(SEE ATTACHMENT)

3. Give a brief explanation as to why you disagree with these portions:
(SEE ATTACHMENT)

I AGREE with this proposed recommendation; no changes need to be made.

DATE: 12-12-06 SIGNATURE: Mary Ann Knight
Please print your name: MARY ANN KNIGHT

IDWR Regional Office, 322 E Front St
PO Box 83720, Boise, ID 83720-0098, 2082874800

FAX 208-6700

TO: IDWR
FROM: MARY ANN KNIGHT
DATE: 12-13-06