

12/11/2006

NOTICE OF ERROR
REPLY

RECEIVED

JAN 04 2007

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 01/05/2007

Water right number: 37-2682

WILLIAM L SHERBINE
C/O ROCKY SHERBINE
200 BASELINE RD
BELLEVUE ID 83313
Telephone Number: (208)788-4846

TERRI SHERBINE
200 BASELINE RD
BELLEVUE ID 83313
Telephone Number: (208)788-4846

WILLIAM T "ROCKY" SHERBINE
200 BASELINE RD
BELLEVUE ID 83313
Telephone Number: (208)788-4846

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 12-26-06 SIGNATURE: William T Rocky Sherbine
Please print your name: William T. Rocky Sherbine

IDWR Regional Office, 322 E Front St
PO Box 83720, Boise, ID 83720-0098, 2082874800