

12/11/2006

NOTICE OF ERROR
REPLY

RECEIVED

JAN 04 2007

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 01/05/2007

Water right number: 37-8011A

MICHAEL P BORDENKIRCHER

87 BASELINE RD

BELLEVUE ID 83313

Telephone Number: (208)720-3150

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

Place of Use

2. Describe the changes you wish to make in the proposed recommendation:

I would like the "Place of Use" to shift to the west property line as I've already installed station valves + underground piping in a more concentrated area immediately on the west property line

3. Give a brief explanation as to why you disagree with these portions:

Don't necessarily disagree with it into irrigation layout to have "place of use" shifted to west property line.

☐ I AGREE with this proposed recommendation; no changes need to be made.

DATE: 30 Dec 06

SIGNATURE:

M P B

Please print your name:

MICHAEL P. BORDENKIRCHER

IDWR Regional Office, 322 E Front St
PO Box 83720, Boise, ID 83720-0098, 2082874800

