

12/22/2006

NOTICE OF ERROR  
REPLY

RECEIVED  
JAN 12 2007

DEPARTMENT OF  
WATER RESOURCES

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 01/05/2007

Water right number: 37-158A

ECCLES WINDOW ROCK RANCH LLC

PO BOX 3028

SALT LAKE CITY UT 84110

Telephone Number: (801) 246-5329

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

POINT OF DIVERSION, PLACE OF USE INACCURATE

2. Describe the changes you wish to make in the proposed recommendation:

SEE ATTACHED AERIAL PHOTO


3. Give a brief explanation as to why you disagree with these portions:

INACCURATE

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 1/5/07

SIGNATURE:




Please print your name

JASON HELMS (BROCKWAY ENGINEERING)  
ON BEHALF OF ECCLES' WINDOW ROCK RANCH

IDWR Regional Office, 322 E Front St  
PO Box 83720, Boise, ID 83720-0098, 2082874800

**Eccles Window Rock Ranch  
(37-158A, 37-577A Historical POU)  
TWP. 1N, RNG. 18E, Section 1**



2006 NAIP Aerial Photo



-  Place of Use (37-8080)
-  POD (37-8080)

-  Place of Use (37-158A, 577A)
-  POD (37-158A, 577A)
-  PLSS Section Lines
-  40's

