



BROCKWAY
ENGINEERING
P.L.L.C.

Hydraulics

Hydrology

Water Resources

RECEIVED

JAN 29 2007

DEPARTMENT OF
WATER RESOURCES

January 23, 2007

Craig Saxton
Idaho Department of Water Resources
322 E. Front Street
P.O. Box 83702
Boise, ID 83702-0098

Re: The Valley Club Inc Amended Preliminary Recommendations

Dear Mr. Saxton:

I am writing you in regards to the Valley Club Inc preliminary recommendations 37-494, 37-495, 37-577BU, 37-577BV, 37-833K, and 37-2623. After reviewing your amended recommendations, I want to thank you for your prompt help. It seems you have cleared up the conflict between 37-577T and 37-577V, and after reviewing your recommendations, we see no need to submit changes. A change of ownership will need to be made in the Water Master's Decree Book and they will need to be conveyed to the Water Master himself. Thank you again for your prompt help on this matter and feel free to give our office a call should you have comments or questions.

Sincerely,

Charles E. Brockway, P.E. PhD

CHARLES E.
BROCKWAY,
PH.D., P.E.

CHARLES G.
BROCKWAY,
PH.D., P.E.

2016 NORTH
WASHINGTON
STREET • SUITE 4

TWIN FALLS,
IDAHO 83301

208•736•8543

FAX: 736•8506

cc: Doug Rhymes