

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA

Case No. 39576

Water Right: 37-2128, 37-2471
37-2472, 37-20709 and 37-20710

NOTICE OF COMPLETED
ADMINISTRATIVE
PROCEEDING

IDWR has completed the following administrative proceeding:


- ☐ Address change
- ☒ Substitution of Party
- ☐ Split of water right ☒ Change in ownership
- ☐ IC § 42-222
- ☐ Point of diversion ☐ Place of use
- ☐ Period of use ☐ Nature of use
- ☐ Split of water right ☐ Change in ownership

☒ Other: **Due to the change of ownership, additional conditions under the Quantity element were added clarifying the ownership of the quantity of water. The change of ownership also split claims 02-2032, 02-4000 and 02-4001 into A and B portions, which were reported in the Basin 02 Director's Report filed on December 29, 2006. Paragraphs 1, 2 and 5 under "Other provisions necessary for definition or administration of this water right" have been modified to replace 02-2032, 02-4000 and 02-4001 with 02-2032A, 02-2032B, 02-4000A, 02-4000B, 02-4001A and 02-4001B.**

IDWR certifies that it has completed its investigation into the changes to the elements of the water right(s) listed above as set forth in the attached *Amended Director's Report(s)* for said water right(s). No other changes have been made to the elements of these water right(s) except as set forth above.

IDWR has served copies of the *Notice of Completed Administrative Proceeding* and *Amended Director's Report(s)* on the claimant(s), prior claimant(s) and all parties in the subcases affected, if any, as reflected on the attached certificate of mailing.

DATED: 2-14-07


Signature of IDWR Representative

CERTIFICATE OF MAILING

I certify that on February 15 2007, I delivered the original and copies of this form, including all attachments, to the following persons, postage prepaid if required and addressed as follows:

1. Original to:

Clerk of the District Court
Snake River Basin Adjudication
P.O. Box 2707
Twin Falls, ID 83303-2707

2. Copies to:

Clive Strong
Office of the Attorney General
P.O. Box 44449
Boise, ID 83711-4449

United States Dept of Justice
Environment & Natural Resource Div
550 W. Fort St. MSC 033
Boise, ID 83724

3. Copies to all parties to the subcase:


State of Idaho
Statehouse
P.O. Box 83720
Boise, ID 83720

Idaho Power Co.
James C. Tucker
P.O. Box 70
Boise, ID 83707

John K. Simpson
Barker Rosholt & Simpson LLP
1010 W Jefferson Ste. 102
P.O. Box 2139
Boise, ID 83701-2139

Idaho Power Co.
Adam T. Devoe
James S. Lochhead
Brownstein Hyatt & Farber, P.C.
410 17th St., 22nd Floor
Denver, CO 80202

City of Pocatello
Gary & Helen DeMoss
Josephine P. Beeman
409 W. Jefferson St.
Boise, ID 83702



Signature of person mailing this document

1

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

1. Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710 entitle the Company to unsubordinated average daily flows of 3900 CFS from April 1 to October 31, and 5600 CFS from November 1 to March 31, both to be measured at the Murphy U.S.G.S. gauging station immediately below Swan Falls. These flows are not subject to depletion by junior water right holders. (Exceptions to the Company's unsubordinated average daily flows are listed below in paragraphs 2 through 5.) The Murphy gauging station is located at latitude 43° 17' 31", Longitude 116° 25' 12", in T01S, R01W, S35, NWNESE, Boise Meridian, Ada County Hydrologic Unit 17050103, on the right bank 4.2 miles downstream from Swan Falls Power plant, 7.5 miles NE of Murphy, at river mile 453.5.
2. Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710, when used in combination in amounts specified above shall be subordinate to subsequent beneficial upstream uses upon approval of such uses by the Idaho Department of Water Resources in accordance with State law unless the depletion violates the flows set forth in paragraph 1. Average daily flow, as used herein, shall be based upon actual flow conditions; thus, any fluctuations resulting from the operation of Company facilities shall not be considered in the calculation of the minimum daily stream flows set forth herein.
3. The rights listed in paragraphs 1 and 2 above are subordinate to the water rights of those persons dismissed from Idaho Power Co. v State of Idaho, Case No. 81375 (Fourth Judicial Dist. Feb. 16, 1990) pursuant to the contract executed between the State and Company implementing the terms of I.C. §§ 61-539 and 61-540.
4. The rights listed in paragraphs 1 and 2 above are subordinate to those water rights with a priority date prior to October 1, 1984.
5. The portion of Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710, in excess of the amounts set forth in paragraph 1 are held in trust by the state of Idaho, by and through the governor, for the use and benefit of the users of water for power purposes and of the people of the state of Idaho as provided for in the contract entered into by the governor and the Idaho Power Company on October 25, 1985 and ratified by the Idaho Legislature by Idaho Code §42-203B(5).

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

Power generation is at the Lower Malad Gorge Power Plant.

1

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

1. Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710 entitle the Company to unsubordinated average daily flows of 3900 CFS from April 1 to October 31, and 5600 CFS from November 1 to March 31, both to be measured at the Murphy U.S.G.S. gauging station immediately below Swan Falls. These flows are not subject to depletion by junior water right holders. (Exceptions to the Company's unsubordinated average daily flows are listed below in paragraphs 2 through 5.) The Murphy gauging station is located at latitude 43° 17' 31", Longitude 116° 25' 12", in T01S, R01W, S35, NWNESE, Boise Meridian, Ada County Hydrologic Unit 17050103, on the right bank 4.2 miles downstream from Swan Falls Power plant, 7.5 miles NE of Murphy, at river mile 453.5.

2. Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710, when used in combination in amounts specified above shall be subordinate to subsequent beneficial upstream uses upon approval of such uses by the Idaho Department of Water Resources in accordance with State law unless the depletion violates the flows set forth in paragraph 1. Average daily flow, as used herein, shall be based upon actual flow conditions; thus, any fluctuations resulting from the operation of Company facilities shall not be considered in the calculation of the minimum daily stream flows set forth herein.

3. The rights listed in paragraphs 1 and 2 above are subordinate to the water rights of those persons dismissed from Idaho Power Co. v State of Idaho, Case No. 81375 (Fourth Judicial Dist. Feb. 16, 1990) pursuant to the contract executed between the State and Company implementing the terms of I.C. §§ 61-539 and 61-540.

4. The rights listed in paragraphs 1 and 2 above are subordinate to those water rights with a priority date prior to October 1, 1984.

5. The portion of Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710, in excess of the amounts set forth in paragraph 1 are held in trust by the state of Idaho, by and through the governor, for the use and benefit of the users of water for power purposes and of the people of the state of Idaho as provided for in the contract entered into by the governor and the Idaho Power Company on October 25, 1985 and ratified by the Idaho Legislature by Idaho Code §42-203B(5).

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

Power generation is at the Upper Malad Gorge Power Plant.

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 37-2472

NAME AND ADDRESS: Legal Title
STATE OF IDAHO
STATEHOUSE
PO BOX 83720
BOISE ID 83720

Although the name of the State of Idaho appears in the Name and Address section of this partial decree, legal title is held in trust by the State of Idaho, for the use and benefit of the user of the water, Idaho Power Company, for power purposes and the people of the State of Idaho, pursuant to the Swan Falls Agreement and Idaho Code §42-203B.

Equitable title
IDAHO POWER CO
PO BOX 70
BOISE ID 83707

Equitable title
STATE OF IDAHO, in and for the people of the State of Idaho
STATEHOUSE
PO BOX 83720
BOISE ID 83720

SOURCE: MALAD RIVER

TRIBUTARY: SNAKE RIVER

QUANTITY: 650.000 CFS

650 CFS is held in trust for the use and benefit of the user of the water for power purposes, and of the people of the State of Idaho.

The quantity of this right is further defined below in "Other Provisions Necessary for Definition or Administration of this Water Right."

PRIORITY DATE: 05/14/1946

POINT OF DIVERSION:

T06S R13E S35 NENW Within ELMORE County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
POWER	1/01 12/31	650.000 CFS

PLACE OF USE: POWER in ELMORE County

T06S R13E S27 Lot 2 SWSW

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

1. Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710 entitle the Company to unsubordinated average daily flows of 3900 CFS from April 1 to October 31, and 5600 CFS from November 1 to March 31, both to be measured at the Murphy U.S.G.S. gauging station immediately below Swan Falls. These flows are not subject to depletion by junior water right holders. (Exceptions to the Company's unsubordinated average daily flows are listed below in paragraphs 2 through 5.) The Murphy gauging station is located at latitude 43° 17' 31", Longitude 116° 25' 12", in T01S, R01W, S35, NWNESE, Boise Meridian, Ada County Hydrologic Unit 17050103, on the right bank 4.2 miles downstream from Swan Falls Power plant, 7.5 miles NE of Murphy, at river mile 453.5.
2. Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710, when used in combination in amounts specified above shall be subordinate to subsequent beneficial upstream uses upon approval of such uses by the Idaho Department of Water Resources in accordance with State law unless the depletion violates the flows set forth in paragraph 1. Average daily flow, as used herein, shall be based upon actual flow conditions; thus, any fluctuations resulting from the operation of Company facilities shall not be considered in the calculation of the minimum daily stream flows set forth herein.
3. The rights listed in paragraphs 1 and 2 above are subordinate to the water rights of those persons dismissed from Idaho Power Co. v State of Idaho, Case No. 81375 (Fourth Judicial Dist. Feb. 16, 1990) pursuant to the contract executed between the State and Company implementing the terms of I.C. §§ 61-539 and 61-540.
4. The rights listed in paragraphs 1 and 2 above are subordinate to those water rights with a priority date prior to October 1, 1984.
5. The portion of Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710, in excess of the amounts set forth in paragraph 1 are held in trust by the state of Idaho, by and through the governor, for the use and benefit of the users of water for power purposes and of the people of the state of Idaho as provided for in the contract entered into by the governor and the Idaho Power Company on October 25, 1985 and ratified by the Idaho Legislature by Idaho Code §42-203B(5).

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

Power generation is at the Lower Malad Gorge Power Plant.

1

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

1. Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710 entitle the Company to unsubordinated average daily flows of 3900 CFS from April 1 to October 31, and 5600 CFS from November 1 to March 31, both to be measured at the Murphy U.S.G.S. gauging station immediately below Swan Falls. These flows are not subject to depletion by junior water right holders. (Exceptions to the Company's unsubordinated average daily flows are listed below in paragraphs 2 through 5.) The Murphy gauging station is located at latitude 43° 17' 31", Longitude 116° 25' 12", in T01S, R01W, S35, NWNESE, Boise Meridian, Ada County Hydrologic Unit 17050103, on the right bank 4.2 miles downstream from Swan Falls Power plant, 7.5 miles NE of Murphy, at river mile 453.5.
2. Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710, when used in combination in amounts specified above shall be subordinate to subsequent beneficial upstream uses upon approval of such uses by the Idaho Department of Water Resources in accordance with State law unless the depletion violates the flows set forth in paragraph 1. Average daily flow, as used herein, shall be based upon actual flow conditions; thus, any fluctuations resulting from the operation of Company facilities shall not be considered in the calculation of the minimum daily stream flows set forth herein.
3. The rights listed in paragraphs 1 and 2 above are subordinate to the water rights of those persons dismissed from Idaho Power Co. v State of Idaho, Case No. 81375 (Fourth Judicial Dist. Feb. 16, 1990) pursuant to the contract executed between the State and Company implementing the terms of I.C. §§ 61-539 and 61-540.
4. The rights listed in paragraphs 1 and 2 above are subordinate to those water rights with a priority date prior to October 1, 1984.
5. The portion of Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710, in excess of the amounts set forth in paragraph 1 are held in trust by the state of Idaho, by and through the governor, for the use and benefit of the users of water for power purposes and of the people of the state of Idaho as provided for in the contract entered into by the governor and the Idaho Power Company on October 25, 1985 and ratified by the Idaho Legislature by Idaho Code §42-203B(5).

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

Power generation is at the Upper Malad Gorge Power Plant.

1

IDAHO DEPARTMENT OF WATER RESOURCES
RECOMMENDED WATER RIGHTS ACQUIRED UNDER STATE LAW

1. Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710 entitle the Company to unsubordinated average daily flows of 3900 CFS from April 1 to October 31, and 5600 CFS from November 1 to March 31, both to be measured at the Murphy U.S.G.S. gauging station immediately below Swan Falls. These flows are not subject to depletion by junior water right holders. (Exceptions to the Company's unsubordinated average daily flows are listed below in paragraphs 2 through 5.) The Murphy gauging station is located at latitude 43° 17' 31", Longitude 116° 25' 12", in T01S, R01W, S35, NWNESE, Boise Meridian, Ada County Hydrologic Unit 17050103, on the right bank 4.2 miles downstream from Swan Falls Power plant, 7.5 miles NE of Murphy, at river mile 453.5.
2. Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710, when used in combination in amounts specified above shall be subordinate to subsequent beneficial upstream uses upon approval of such uses by the Idaho Department of Water Resources in accordance with State law unless the depletion violates the flows set forth in paragraph 1. Average daily flow, as used herein, shall be based upon actual flow conditions; thus, any fluctuations resulting from the operation of Company facilities shall not be considered in the calculation of the minimum daily stream flows set forth herein.
3. The rights listed in paragraphs 1 and 2 above are subordinate to the water rights of those persons dismissed from Idaho Power Co. v State of Idaho, Case No. 81375 (Fourth Judicial Dist. Feb. 16, 1990) pursuant to the contract executed between the State and Company implementing the terms of I.C. §§ 61-539 and 61-540.
4. The rights listed in paragraphs 1 and 2 above are subordinate to those water rights with a priority date prior to October 1, 1984.
5. The portion of Right Nos. 02-0100, 02-2001A, 02-2001B, 02-2032A, 02-2032B, 02-2036, 02-2056, 02-2057, 02-2059, 02-2060, 02-2064, 02-2065, 02-4000A, 02-4000B, 02-4001A, 02-4001B, 02-10135, 36-2013, 36-2018, 36-2026, 37-2128, 37-2471, 37-2472, 37-20709, and 37-20710, in excess of the amounts set forth in paragraph 1 are held in trust by the state of Idaho, by and through the governor, for the use and benefit of the users of water for power purposes and of the people of the state of Idaho as provided for in the contract entered into by the governor and the Idaho Power Company on October 25, 1985 and ratified by the Idaho Legislature by Idaho Code §42-203B(5).

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

Power generation is at the Lower Malad Gorge Power Plant.