

11/22/2006

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 22-276B

H D DUNN & SON LTD PARTNERSHIP
326 N 300 W
TETONIA ID 83452
Telephone Number: (208)456-2215

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

PLACE of USE

2. Describe the changes you wish to make in the proposed recommendation:

IN ADDITION TO ACREAGE LISTED, THE following should be
ADDED: TOSH R45E S08 N2 NE NE 20 ACRES


3. Give a brief explanation as to why you disagree with these portions:

THIS HAS BEEN IRRIGATED for years by S LEIGH WATER

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: 12/8/06

SIGNATURE:



Please print your name:

Ken Dunn

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

Land described not included in decreed
POV. And it was not claimed.

12-16-06 TG

KMD
12/14

ka