

01/06/2006

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 22-7287

DAVID V SCHWENDIMAN
2573 N 15000 E HWY 33
NEWDALE ID 83436
Telephone Number: (208)458-4224

VAL E SCHWENDIMAN
9633 E HWY 33
NEWDALE ID 83436
Telephone Number: (208)458-4261

MELANIE SCHWENDIMAN
2573 N 15000 E HWY 33
NEWDALE ID 83436
Telephone Number: (208)458-4224

312-7550

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):
2. Describe the changes you wish to make in the proposed recommendation:
3. Give a brief explanation as to why you disagree with these portions:

☒ I AGREE with this proposed recommendation: no changes need to be made.

DATE: Jan 12 - 06

SIGNATURE:

Val Schwendiman Pres.

Please print your name:

Val Schwendiman

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161

RECEIVED

JAN 12 2006

Department of Water Resources
Eastern Region

KMO
1/13