

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT
To appropriate the public waters of the State of Idaho

APPROVED

Phone 358-6362

1. Name of applicant Carl Wilcox
- Post office address Box 120, Burdett, Idaho 83412
which is a tributary of Snake River.
2. Source of water supply underground
County, additional points of diversion if any: Snake River
Township 4N
3. Location of point of diversion is 2E 1st NW
County, additional points of diversion if any: Madison
Range 39E B.M. Madison

4. Water will be used for the following purposes:

Amount <u>1.5</u> for <u>Irrigation</u>	purposes from <u>April 1</u> to <u>Nov. 1</u>	(both dates inclusive)
for <u>acre-feet per annum</u>	to	(both dates inclusive)
Amount <u>1.5</u> for <u>Irrigation</u>	purposes from	(both dates inclusive)
for <u>acre-feet per annum</u>	to	(both dates inclusive)
Amount <u>1.5</u> for <u>Irrigation</u>	purposes from	(both dates inclusive)
for <u>acre-feet per annum</u>	to	(both dates inclusive)
Amount <u>1.5</u> for <u>Irrigation</u>	purposes from	(both dates inclusive)
for <u>acre-feet per annum</u>	to	(both dates inclusive)
5. Total quantity to be appropriated:
1.5 cubic feet per second and/or 1.5 acre-feet per annum.

6. Proposed diverting works:
 a. Description of ditches, flumes, pumps, headgates, etc. Pump and pipeline
- b. Height of storage dam 1.5 feet, active reservoir capacity 1.5 acre-feet; total reservoir capacity 1.5 acre-feet, materials used in storage dam: 1.5 inclusive.
 Period of year when water will be diverted to storage March 1 to March 1 inclusive.
 Proposed well diameter is 1.5 inches; proposed depth of well is 1.5 feet.
7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1.5 years (minimum 1 year - maximum 5 years).
8. Description of proposed uses:
 a. If water is not for irrigation: 1.5 % of Section 1.5 Township 1.5

42 7311

9. a.
b.
c.

10.

1. Water will be used for the following purposes:

Amount 1.5 for irrigation (both dates inclusive)
 (acre-feet per annum)
 Amount 1.5 for irrigation (both dates inclusive)
 (acre-feet per annum)
 Amount 1.5 for irrigation (both dates inclusive)
 (acre-feet per annum)
 Amount 1.5 for irrigation (both dates inclusive)
 (acre-feet per annum)

5. Total quantity to be appropriated

a. 1.5 cubic feet per second and or b. 1.5 acre-feet per annum.

6. Proposed diverting works.

a. Description of ditches, flumes, pumps, headgates, etc. 1.5 and 1.5 pipeline

b. Height of storage dam 1.5 feet, active reservoir capacity 1.5 acre-feet; total reservoir capacity 1.5 acre-feet, materials used in storage dam: 1.5 inclusive.

Period of year when water will be diverted to storage 1.5 to 1.5 inclusive.

c. Proposed well diameter is 1.5 inches; proposed depth of well is 1.5 feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial use is 1.5 years (minimum 1 year - maximum 5 years).

8. Description of proposed user:

a. If water is not for irrigation:

(1) Give the place of use of water: 1.5 % of 1.5 % of Section 1.5 Township 1.5 feet of head.

Range 1.5 B.M. 1.5 horsepower under 1.5 feet of head.

(2) Amount of power to be generated: 1.5 horsepower under 1.5 feet of head.

(3) List number of each kind of livestock to be watered: 1.5 or number of families to be

(4) Name of municipality to be served: 1.5 supplied with domestic water 1.5

(5) If water is to be used for other purposes describe: 1.5

1.5

1.5

1.5

1.5

1.5

1.5

1.5

1.5

1.5

10. Remarks

three

high

does

[illegible]

Total number of acres to be irrigated 75

Water has been used on

... .. 1951 by law Board. Claim supporting this earlier priority

Library prepared

Applicant	Point of diversion
1. 1125	at the point of diversion


What cause the hind to be irritated or place of use
 applicant

b. Who owns the land to be acquired?

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing.

10. Remarks - Because of a headgate installed by the Corps of Engineers, water flows through the slough on which the point of diversion is located during periods of high water. During the remainder of the year, subwater arises in the slough but does not reach the river.

A hand-drawn graph on a grid. The graph is titled "R 312" in the top left corner. The vertical axis is labeled "T H N" and the horizontal axis is labeled "11". There are two curves plotted: curve 1 is a dashed line starting at (0, 0) and ending at (11, 11); curve 2 is a solid line starting at (0, 0) and ending at (11, 11). A vertical line is drawn at x=11, labeled "11".



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Carl Fisher
(Applicant)

Pay and Permit 12/26/79 Received by GD Date 12/26/79 Time 10:30
Preliminary check by GD Fee \$ 154.01 545.00
Received by GD Date 12/26/79
Publication prepared by GD Date 1/3/80
Published in Standard Journal
Publication dates 1/10 & 1/17/80
Publication approved GD Date 2/5/80
Permits filed by: _____

Copies of permits forwarded by _____ Date _____
Hearing held by _____ Date _____
Recommended for approval denied by GD

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7311, and said application is hereby APPROVED

Approval of said application is subject to the following limitations and conditions:

- a. **SUBJECT TO ALL PRIOR WATER RIGHTS.**
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before February 1, 1985.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: (1) Use of water under this permit is subject to control by the water-
master of State Water District # 01, Snake River. (2) A measuring device of a
type approved by the Department shall be permanently installed and maintained
by the permit holder must obtain adequate

Publication approved _____ Date _____
Protests filed by: _____

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by LLC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 22-7311, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

a. SUBJECT TO ALL PRIOR WATER RIGHTS.

b. Proof of construction of works and application of water to beneficial use shall be submitted on or before

for February 1, 1925.

c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.

d. Other: (1) Use of water under this permit is subject to control by the water-

master of State Water District # 01, Snake River. (2) A measuring device of a

type approved by the Department shall be permanently installed and maintained

as part of the diverting works. (3) The permit holder must obtain a separate

supplemental water for the irrigation season that natural flow is not available

(4) The applicant is entitled to use water from the proposed source when it is

not tributary to the Snake River. When water from the slough is tributary

the applicant must replace water diverted with purchased storage water.

Witness my hand this 22nd day of February, 1925.

J. Allen Gayton
Chief, Operations Bureau

STATE of _____
County of _____
I, _____, being
that I _____
publish _____
County _____
that the _____
a copy _____
hereof _____
the _____
any _____
confer _____
ing be _____
and the _____
on _____
Furt _____
genera _____
is a le _____
specific _____
it has _____
scribes _____
flown a _____
uninte _____
a perm _____
prior _____
ice _____
SEA _____
My _____

**The REXBURG STANDARD and
The REXBURG JOURNAL**
REXBURG, IDAHO

Affidavit of Publication

STATE OF IDAHO
County of Madison

I, Bruce Porter, being first duly sworn, depose and say, that I am the printer of THE REXBURG Journal, a newspaper printed and published weekly at Rexburg, Madison County, Idaho, and I do solemnly swear that the

RESEARCHER'S NOTE

NOTICE OF APPOINTMENT
A copy of which notice appears attached
hereto, was published in the regular and
entire issue of said newspaper, and not in
any supplement issue thereof for two
consecutive issues, the first publication hav-
ing been made on January 10, 1930.

on January 17, 1980. Further, the said newspaper is one of general circulation in said country and is a legal newspaper, conforming to legal specifications under the Indian Statutes, that it has at least two hundred bona fide subscribers living within the country of publication, and that it has been continuously and uninterrupted published in said country during a period of seventy-eight consecutive weeks prior to the first publication of the said not-

THE UNIVERSITY OF CHICAGO

January 18, 1961

Doni, Thomas

22

Life Insurance

NOTICE OF APPLICATION
 1953-1954[illegible]

Applicant No. **22-7311**
 Applicant: **WILSON, LUC**
 160, HESPERUS, ID 83445
 Business: **UNIONED CLOUTIER VENTURE**
BRIDGE STATE

DATE FILED 12/28/1979
ACROSS 1 50 CFS
DIVISION POST NEWARK NJ 07102-1300
WASH DC

LINE 1000 1041 50 CPM 1000 1001

FLOOD IS THE FIRST MAJOR HURRICANE
 WARNING SINCE 1970 IN THE POKA-ACKO
 DISTRICT. MAJOR FLOOD AND STORM

Designed for middle secondary school science and mathematics, the program is available in English and Spanish.

THE UNIVERSITY OF CHICAGO PRESS

C. STEINER

1991



WATERMASTER COMMENTS

I have reviewed application for permit No. 22-7311 and have

✓ (1) no objections to the approval of this permit.

 (2) the following objections to the approval of this permit:

It does not appear that the water
diverted from this slough is
normally tributary to the river
during the irrigation season.

1/31/80

DATE



RONALD D. CARLSON - WATERMASTER

WATER DISTRICT # 01

State of Idaho
Department of Water Resources

APPLICATION FOR PERMIT ANALYSIS SHEET

72-7311

INITIAL REVIEW BY: jc

APPLICATION NUMBER: 72-7311

CHECK

- ☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

Field check by: _____
Date: _____
Comments: _____

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

SEND COPIES TO:

- ☐ Idaho State Health Department. Copies sent by: _____ Date: _____
☐ Idaho Fish and Game Department.
☐ Idaho Department of Lands.
☐ U.S. Bureau of Land Management.
☐ U.S. Forest Service.
☐ Other VOI 3/80

PROCESSING:

- ☒ Yes ☐ No Platted by: gc Map No. X-44
☐ Yes ☒ No Other rights on same place of use.
☒ Yes ☐ No In form for advertising.
☐ Yes ☒ No Final date for protests: 1/28/80
☐ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

- ☒ Affidavit of publication received. Date: 7/1/80
☒ Application published correctly. If not, record action taken:
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☐ Yes ☒ No Access point required.



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Storehouse
Boise, Idaho 83720
(208) 334-4440

February 22, 1980

Earl Wilcox
Rt. # 3 Box 190
Rexburg, Idaho 83440

Dear Mr. Wilcox,

RE: Permit No. 22-7311

Enclosed is a copy of your approved Application for Permit. We direct your attention to the conditions of approval as listed on the fourth page.

Be sure to note the special condition requiring you to install and maintain a measuring device at your point of diversion prior to submitting proof of beneficial use of water. We have enclosed a letter describing the different types of measuring devices accepted by this office.

Sincerely,

David R. Tuttle

DAVID R. TUTTLE, JR.
Supervisor, Water Allocations Section

DRT:mr

Enclosure

Field check required. ☒ No ☐ Yes
Critical groundwater area. ☒ No ☐ Yes
Request dam safety information. Sent by: ☒ No ☐ Yes
In form to receipt. ☐ No ☐ Yes

U.S. of America. Number will have to be assigned.

400 N. Riverside - Bridge and Ave. 1st & 2nd week

Copies sent by: _____ Date: _____

☐ Idaho State Health Department, _____
☐ Idaho Fish and Game Department, _____
☐ Idaho Department of Lands, _____
☐ U.S. Bureau of Land Management, _____
☐ U.S. Forest Service, _____
☐ Other: Walt Brown

Planted by:	Map No.
Planted by: <u>GC</u>	Map No. <u>X-44</u>
Other rights on this place of use	
☐ Yes	☐ No
☐ Yes	☐ No

In form for advertising.
Final date for pretests
1/25/80
Insert information on 4th page of application.

☒ Affiant of publication received. Date: 7/1/76
☒ Application published correctly. If not, record action taken:
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☐ No Measuring device required.
☒ Yes ☐ No Access port required.
☒ Yes ☐ No Will water be delivered by watermaster? If yes, what district? 21
7/1/76 Date of entry recommended.
 Special modification of application to cover letter.

[illegible]

By: Paul Carson Date: 10/30
STATE OFFICE REVIEW: 0501 Space Punc 01 11 16 (Case about senasm)

☐ See attached sheet for more information.

22-2111

WILCOX, EARL

ROUTE 3, BOX 190, RENO, ID 83440

Source: UNNAMED SLOUGH tributary to SNAKE RIVER

Date Filed: 12/26/1979

Amount: 1.50 CFS

Diversion Point: SENNA Sec 01 T 04N R 39E, MADISON Co.

Use: IRRIGATION

(1.50 CFS) from 04/01 to 11/01

Place of Use: SNAKE NEWM NARM SENNA MSE Sec 01 T 04N R 39E FOR

Diversion Means: PUMP AND PIPELINE.

75 ACRES

BEFORE THE DEPARTMENT OF WATER RESOURCES

OF THE

STATE OF IDAHO

IN THE MATTER OF CHANGING THE MEASURING

DEVICE REQUIREMENT FOR PERMIT NO. 22-7311

ORDER

WHEREAS, the above numbered permit was approved with the condition that a measuring device of a type approved by the Department be permanently installed and maintained as part of the diverting works; and,

WHEREAS, on July 1, 1978, the Department adopted a new water measurement condition which states: "An access port or other device as specified by the Department shall be installed by the permit holder to provide for the installation of measuring equipment and the determination of the rate of diversion by the Department"; and,

WHEREAS, the former condition required the permit holder to purchase and install a measuring device or hire a professional engineer to certify the rate of diversion; and,

WHEREAS, the measuring device condition effective July 1, 1978, requires less capital expenditure by the permit holder; and,

WHEREAS, to be equitable to holders of permits issued prior to July 1, 1978, the new condition should be retroactive;

NOW THEREFORE, it is hereby ordered that the condition of approval of this permit related to water measurement is hereby changed as follows:

"The permit holder shall either install a measuring device or provide a certified measurement by a professional engineer or install an access port or other device as specified by the Department".

Dated this 15 day of June 1981.

A. Glen Saxton

GLEN SAXTON
Chief, Operations Bureau



State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JAN V. EVANS

General

A. KENNETH DUMAS

Deputy

Mailing address
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 28, 1981

Dear Wateruser:

The enclosed Order changes the measuring device condition of approval on your water right permit.

The changed condition is less restrictive and provides you the option to install an access port or have your system measured and certified by a professional engineer. Instructions for access port installation are also enclosed.

If you have questions regarding this matter, please contact the regional office nearest to you.

Sincerely,

David R. Tattell
DAVID R. TATTELL JR., P. E.
Supervisor, Water Allocations Section

DE:lg

Enclosures

NORTHERN REGION OFFICE

Route 45, Box 203, Government Way
Coeur d'Alene, Idaho 83814
Telephone 667-6484

SOUTHERN REGION OFFICE

1041 Blue Lake Boulevard North
Twin Falls, Idaho 83301
Telephone 734-3578

EASTERN REGION OFFICE

150 Shoup Avenue
Idaho Falls, Idaho 83401
Telephone 325-7161

WESTERN REGION OFFICE

92 South Cole Road
Boise, Idaho 83709
Telephone 334-2190

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

STATEHOUSE
BOISE, IDAHO 83720
(208) 334-4440
CERTIFIED MAIL

138455

WILCOX, EARL
P.O. BOX 190
REXRURG, ID 83440

PROOF DUE NOTICE

NOVEMBER 30, 1984

DEAR PERMIT HOLDER:

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT NO. 22-7311 WAS THAT PROOF OF THE EXTENT OF YOUR BENEFICIAL USE MUST BE SUBMITTED TO THIS OFFICE ON OR BEFORE FEBRUARY 01, 1985. (SEE LAST PAGE OF YOUR APPROVED PERMIT OR YOUR LAST APPROVED EXTENSION REQUEST). ENCLOSED IS A POSTCARD WHICH MAY BE USED TO SUBMIT THE REQUIRED PROOF.

IF YOU HAVE NOT YET COMPLETED YOUR PROJECT, AND YOU OR A PREVIOUS OWNER OF THIS PERMIT HAVE NOT RECEIVED A PRIOR EXTENSION OF TIME, YOU MAY REQUEST AN EXTENSION OF TIME IF THE DELAY IS FOR REASONABLE CAUSE AS PROVIDED IN SECTION 42-204, IDAHO CODE. IF YOU HAVE BEEN PREVENTED FROM PROCEEDING BY A GOVERNMENTAL AGENCY OR BY LITIGATION MORE THAN ONE EXTENSION OF TIME CAN BE GRANTED. AN EXTENSION OF TIME REQUEST FORM IS ENCLOSED FOR YOUR CONVENIENCE.

EITHER THE BENEFICIAL USE POSTCARD OR A REQUEST FOR AN EXTENSION OF TIME MUST BE RECEIVED BY THIS DEPARTMENT ON OR BEFORE THE ABOVE DESCRIBED PROOF DUE DATE. IF NEITHER IS RECEIVED, THE DEPARTMENT WILL SEND YOU A LAPSE NOTICE. WITHIN SIXTY (60) DAYS OF THE MAILING OF THE LAPSE NOTICE, THE PERMIT WILL NO LONGER BE OF ANY FORCE OR EFFECT.

SINCERELY,

RITA FLECK
SECRETARY/RECORDS MANAGER

ENCLOSURES

PLACE
3 CENT
STAMP
HERE



RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES
STATEHOUSE
BOISE, IDAHO 83720

DEC 27 1964

Department of Water Resources

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a permit that the permit holder(s) has come, and development to the extent shown below of the permit. 22-7311

Name(s) of Permit Holder: EARL WILCOX

Post Office Address: RT 3 Box 190

REXBURG, ID 83440 Idaho 356 8960

County: Blaine Slough

Number of acres: 20

DEC 17 1964

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox

Signature of Permit Holder: Earl Wilcox