

11/20/2006

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 12/13/2006

Water right number: 75-13942

CLYDE L PHILLIPS
12 HUSSEY LN
SALMON ID 83467
Telephone Number: (208) 894-2224

JANELLE D PHILLIPS
12 HUSSEY LANE
SALMON ID 83467
Telephone Number: (208) 894-2224

RECEIVED
DEC 13 2006
SALMON ID 83467
(208) 894-2224

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source): I disagree with the quantity of water and the total acres. Your diversion point is also wrong.

2. Describe the changes you wish to make in the proposed recommendation:
The water needs restored to the 200 it has always been and the acres needs changed to reflect actual irrigation (acres outlined in red).

3. Give a brief explanation as to why you disagree with these portions:
you have not allowed enough water to irrigate the total acres because you have underestimated the acres irrigated. The diversion point is incorrect.

☐ I AGREE with this proposed recommendation: no changes need to be made.

DATE: _____ SIGNATURE: _____

Please print your name: _____

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, 2087622800