

1882
75-10062A

11/20/2006

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: 12/13/2006

Water right number: 75-10062A

JOHN E BURNS
PO BOX 264
CARMEN ID 83462
Telephone Number: (208)756-3645

RUTH C BURNS
PO BOX 264
CARMEN ID 83462
Telephone Number: (208)756-3645

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

DIVERSION RATE CALCULATION

2. Describe the changes you wish to make in the proposed recommendation:

USING IDWR ACREAGE, DIVERSION RATE SHOULD BE 0.026, NOT 0.016.

3. Give a brief explanation as to why you disagree with these portions:

THE 0.016 FIGURE IS AN ANOMOLY AND DOES NOT COMPUTE WITH DEPT'S FIGURES. OBVIOUSLY A TYPO OR MATH ERROR. *SEE BELOW.

I AGREE with this proposed recommendation; no changes need to be made.

DATE:

12/7/06

SIGNATURE:

[Signature]

Please print your name:

IDWR Regional Office, 7600 Mineral Drive, Suite 100, Coeur D' Alene, ID 83815, 2087622800

* ADJACENT PROPERTIES w/ ACREAGES ABOUT SAME!

	30"	15"	20"	30"
RIGHT	61 A	62 A	69 A	70 A
	31.6%	15.7%	21.1%	31.6%
MAT	.045	.024	.032	.044
HUP	.049	.026	.035	.048
BURNS	.052	^{error} [.016] V .026 or .027 should be	.038	.051