



State of Idaho

DEPARTMENT OF WATER RESOURCES

900 N. Skyline Dr., Suite A • Idaho Falls, Idaho 83402-1718

Phone: (208) 525-7161 • Fax: (208) 525-7177 • Web Site: www.idwr.idaho.gov

EASTERN REGION

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

March 14, 2008

Memorandum for File

Re: Wrong Director's Report attached to NCAP

On March 7, 2008, several NCAP's were mailed out but 75-00028D had the incorrect Director's Report (DR) attached to the NCAP. The court called on 3/12/2008 to notify me of the mistake. I faxed the proper DR to the court and had them attach it to the NCAP and disregarded the DR for 75-00037D.

The NCAP was scanned/profiled into the file with the incorrect DR (75-00037D) included. The correct DR was scanned/profiled into the file as a separate document.

The following names have received the correct DR and the mistake has been corrected:

Clerk of the District Court
Snake River Basin Adjudication
PO Box 2707
Twin Falls ID 83303-2707

Chief Natural Resources Division
Office of the Attorney General
PO Box 44449
Boise ID 83711-4449

United States Dept of Justice
Environment & Natural Resource Div
550 West Fort Street MSC 033
Boise ID 83724

Dawayne Hamilton
Linda Hamilton
5 Dance Lane
Salmon, Idaho 83467

Denise Kidman

Water Resource Agent
Eastern Regional Office
(208) 525-7161
(208) 525-7177 (Fax)