




System
Diagram

Creek

NESE

Creek

X64 TOPO
T02N, R07E
SEC 01

RUBY



Photo 1. FX Sept 21, 2001. Photos by RDH. Photo of point of diversion, T02N, R07E, S01, SENE. Rock, earth plastic dam. 63-4153.





Photo 2. Photos by RDH. Photo of 14-inch culvert used when pool is backed up from POD then flows into ditch.



Photo 3. Small culvert used at property line below POD $\frac{1}{4}$ $\frac{1}{4}$ line to prevent washouts.

Photo 4. Photos by RDH. Photo of X section. T02N, R07E, S01, NESE





1964
TOPO
X 64

Idaho Department of Water Resources

T02N R07E
S01

Claim: 63-4153
Updated: 21 Sep 01
By: Ron Howerton

 Place of use

 POD


 SECTION

 1/4 1/4

4.0 Acres



1987 NAPP



0 0.1 0.2 0.3 0.4 0.5 Mile

Idaho Department of Water Resources

T02N R07E
S01


Claim: 63-4153
Updated: 21 Sep 01
By: Ron Howerton

 Place of use

 POD


 SECTION

 1/4 1/4



1987 NAPP

0 0.1 0.2 0.3 0.4 0.5 Mil.



I Certify that Strawberry
Creek has been diverted for
stock, domestic and irrigation
use, since September 1928
for use on NE 1/4 of SE 1/4, Sec 1, Twp 2N
Range 7E. Trib. To Smith Creek Elmore County
Idaho

Les W. Thompson
Yale Dick

Witness John Warner

63 4153

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

RECEIVED

DEC 4 1989

Ident. Number: A63-04153
Date Received: 12-4-89
Receipt No: C013163
Received By: D.K.
CJ

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**

Department of Water Resources

1. Name: JOHN L. GARRETT
Address: 1209 N. ROOSEVELT
BOISE, ID

208-344-8179

83706

2. Date of Priority: SEP 01, 1928

3. Source: STRAWBERRY CREEK Trib. to: SMITH CREEK

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
02N	07E	1	NE	SE			ELMORE

5. Description of diverting works:
EARTH AND ROCK DAM, 1/4 MILE OF DITCH

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	04/01	09/15	0.520		
STOCKWATER	03/01	10/31	0.020		
DOMESTIC	01/01	12/31	0.020		

7. Total Quantity Appropriated is:
0.560 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 65.0 Acre Feet Per Annum.

9. Non-irrigation uses:
S/16 RANGE, D/1 HOME.

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
02N	07E	1	NE	SE		IRR	26.0

A63-04153

Page 1

Date: 11/27/89

MICROFILMED
AUG 20 1992

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
02N	07E	1	NE NE	SE SE	DOMEST STOCK	
Section Acres						26.0
Total Acres						26.0

11. Place of use in counties: ELMORE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
63-04152

14. Remarks:

15. Basis of Claim: STATUTORY CLAIM

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.


Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s):  Date: 12-4-89
_____ Date: _____

State of Idaho)
County of Ada) SS.

Subscribed and sworn (or affirmed) before me this 4th day
of Dec 19 89 
Notary Public

Seal

Residing at Danni Smith, Notary Public
Residing at Boise, Idaho
My Commission Expires December 5, 1994
My Commission Expires _____

Elmore



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720 -(208) 327-7900

CECIL D. ANDRUS

GOVERNOR

R. KEITH HIGGINSON

DIRECTOR

November 28, 1989

John L. Garrett
1209 N. Roosevelt
Boise, ID 83706

RE: Notices of Claim to a Water Right in the Snake River Basin
Adjudication for Water Right No. A63-04152 & A63-04153

Advisory
Dear Mr. Garrett:

Please find enclosed computer-generated Notices of Claim to a Water Right based on the information we have on record for the above-referenced water right. Please review the claims for accuracy. If the claims are satisfactory, please sign the forms, have your signature notarized, and return them to this office with the proper filing fees.

Also enclosed are blank claim forms with instructions. These forms can be used if you wish to claim the water right in a manner that is different than what appears on the computer-generated forms.

If you have any questions or need assistance, please contact this office.

Sincerely,

Carter Fritschle
Senior Water Resource Agent
Adjudication Bureau

CF:sf

Enclosures:

- Computer-generated claim forms
- 1 long claim form w/instructions
- 1 short claim form w/instructions

MICROFILMED

AUG 20 1992

IDAHO DEPARTMENT OF WATER RESOURCES 01/03/2002
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

NAME AND ADDRESS: JOHN L GARRETT
1209 N ROOSEVELT
BOISE ID 83706

SOURCE: STRAWBERRY CREEK TRIBUTARY: SMITH CREEK
QUANTITY: 0.14 CFS

THE QUANTITY OF WATER UNDER THIS RIGHT FOR STOCKWATER USE SHALL NOT EXCEED 13,000 GALLONS PER DAY.

PRIORITY DATE: 09/01/1928

POINT OF DIVERSION:

T02N R07E S1 SWSENE Within ELMORE County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	04/01 10/31	0.120 CFS
STOCKWATER	01/01 12/31	0.020 CFS

PLACE OF USE: IRRIGATION Within ELMORE County
T02N R07E S01 NESE 4.0
STOCKWATER same as IRRIGATION

4 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE. THE QUANTITY OF WATER DECREED FOR THIS WATER RIGHT FOR STOCKWATER USE IS NOT A DETERMINATION OF HISTORICAL BENEFICIAL USE.

EXPLANATORY MATERIAL: Beneficial Use
STOCKWATER, 16 RANGE CATTLE.

MET with Rick GARRETT - SON OF CLAIMANT - JOHN GARRETT

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION ADJUDICATION SECTION
CLAIM VERIFICATION FIELD EXAM SHEET
(Use with the ECVR)

CLAIM NO(s). 63-4153

1. ☒ No Change NAME IS SAME
☐ NEW OWNER: _____
☐ No Change ADDRESS
☐ NEW ADDRESS: _____

2. ☒ No Change - DATE OF PRIORITY: Completed evidence submitted
☐ Incomplete - Claimant should be asked during the exam when was water first used and submit proof of date of priority.

Priority date, per claimant, is: _____
(If the priority date, based on your exam, seems questionable, explain below.)

OLD AFFIDAVIT IN STATUTORY CLAIM FILE BY YALE
DICK SAYS Sept 1928. Chg. IDWR MICROFILM
other documents suggest less w/o than original 26

3. ☒ No Change — SAME SOURCE ACRES CLAIMED. — FIELD
☐ Source is different than that claimed: Exam showed only 4 ACRES
Source found: _____

4. ☐ No Change — POINT OF DIVERSION NOT ALLOWING CHANGE FOR BLM
☒ Point of diversion is different than the claim and/or new P/D's: CLAIM - NOT A
PROVEN P/D.
by IDWR
This location
was GPSed
at my FX,
9-21-01,
REL

Township 2N Range 7E Section 01 1/4 SW 1/4 SE 1/4 NE
Township _____ Range _____ Section _____ 1/4 1/4 1/4

5. ☐ No Change - DESCRIPTION OF DIVERTING WORKS
☒ Incomplete description, list below:

Rock, EARTH PLASTIC DAM with 14 inch culvert
used with backed-up diversion pool - SEE
PHOTOS IN FILE.

CLAIMED 26 only found
POSSIBLE 4 ACRES.

6. ☐ No Change - WATER USES

☒ Different uses, (list uses found):

Use irrig From 4-1 To 10-31 Amount .12 CFS AFA
Use STE From 01-01 To 12-31 Amount .02 CFS AFA
Use From To Amount CFS AFA

7. ☐ No Change - TOTAL VOLUME

LACK OF PROOF OF
ANY MORE ACRES — ONLY
(4 ACRES) (.03 CFS) =

☐ Incomplete on claim, the total is, Amount CFS AFA .12 CFS

☒ Changes found, the new total is, Amount .14 CFS AFA

8. ☐ No Change - NON-IRRIGATION USES:

☒ Changes Exam found:

• SEE ATTACHED
MAINTENANCE MEAS -
OF BFF DITCH
X-SECTION

Domestic # of homes: Stock # 15 List types: RANGE CATTLE

Additional comments: NO-DOMESTIC USES FOUND

9. ☐ No Change — PLACE OF USE: (If changed, list below.)

Use: Township Range Section 1/4 1/4
Use: Township Range Section 1/4 1/4
Use: Township Range Section 1/4 1/4
Use: Township Range Section 1/4 1/4

Remarks: (Comments pertinent to field examination) See additional attachment

- Ditches are present but in a state of repair.
- FILE AT IDWR SHOWS AFFIDAVIT OF USE by YALE DICK
SINCE 1928. — other affidavits state that NO irrig
or little as 1.4 ACRES were irrigated out of 26 claimed.

☒ SYSTEM DIAGRAM INCLUDED ☐ NA

☐ Shown on GIS Layout

☐ CK IF IN OFFICE EXAM

DATE EXAM CONDUCTED: 9-21-01

FIELD EXAMINER: RON HOWERTON

Print Name

Ron Howerton
Signature

I found that
the most possible
irrigated acres
out of 26 claimed
was 4.0 Acres
PER FIELD EXAM.

4-1 to 10-31 Standard Sou

DATE: 01/03/02
PAGE: 1

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT

AJ5809NP
No. A63-04153

OWNER CODE: C
NAME & ADDRESS: JOHN L GARRETT
1209 N ROOSEVELT
BOISE ID 83706
(208) 344-8179

PRIORITY DATE: 09/01/1928

WATER USE: IRRIGATION
STOCKWATER
DOMESTIC

USE PERIOD FROM TO: 04-01-09-15
03-01-10-31
04-01-12-31

DIVERSION RATE: 0.520 CFS
0.020 CFS
0.020 CFS

DIVERSION VOLUME: 12 CFS

WATERING MEASUREMENT

TOTAL DIVERSION: 0.560 CFS
CONSUMPTIVE USE: 65.00-AFA

Water Source: STRAWBERRY CREEK
Tributary to: SMITH CREEK
Point(s) of Diversion: T02N R07E S01
Place of use Legal Description for: IRRIGATION

SWSENE

		NW		SW		SE			
NAME	SWNE	SENE	SENE	SENE	SENE	SENE	SENE	SENE	SENE
T R S	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac
02N 07E 1	:	:	:	:	:	:	:	:	:
		NESE		SWSE		SWSE		SWSE	
		Lt Ac		Lt Ac		Lt Ac		Lt Ac	
		:		:		:		:	
		SUM		SUM		SUM		SUM	
		:		:		:		:	
		26.0		26.0		26.0		26.0	
		4		4		4		4	

		NW		SW		SE			
NAME	SWNE	SENE	SENE	SENE	SENE	SENE	SENE	SENE	SENE
T R S	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac
02N 07E 1	:	:	:	:	:	:	:	:	:
		NESE		SWSE		SWSE		SWSE	
		Lt Ac		Lt Ac		Lt Ac		Lt Ac	
		:		:		:		:	
		SUM		SUM		SUM		SUM	
		:		:		:		:	
		26.0		26.0		26.0		26.0	
		4		4		4		4	

		NW		SW		SE			
NAME	SWNE	SENE	SENE	SENE	SENE	SENE	SENE	SENE	SENE
T R S	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac	Lt Ac
02N 07E 1	:	:	:	:	:	:	:	:	:
		NESE		SWSE		SWSE		SWSE	
		Lt Ac		Lt Ac		Lt Ac		Lt Ac	
		:		:		:		:	
		SUM		SUM		SUM		SUM	
		:		:		:		:	
		26.0		26.0		26.0		26.0	
		4		4		4		4	

POU County: ELMORE

Non-Irrigation Uses: S16 RANGE, D11 HOME

Other Rights: 63-04152

Other Water Rights with Same Point(s) of Diversion with Stage (Includes All Sources):

12R CFS

(4 Acres)(0.03) = .12 CFS

OK for 0.031 ACRE

IF 5 ACRES or less

+ Stock, = .02

TOTAL = 0.14 CFS

Objection Filed Date:

Verified Date:

Field Inspection Flag:
Presumption Flag:

Dates: Exam Made Date:

Misc: Water District Number:

Audit: 03/25/94 MCCARTHY 03/30/95 POST-STD

C18, - NOS, N08

DIFF SOURCE

SPRING

WATER

FOR FERTILIZER

POWERS

**IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM POU REVIEW REPORT
ADJUDICATION CLAIM NUMBER: 63-4153**

01/03/2002

1

Right #	Type	Twp	Rge	Sec	QQ	Q	Lot	Purpose of Use	Acres/Total	Name
4153	Claim	02N	07E	1	NE	SE		IRRIGATION	26/26	JOHN L GARRETT
4153	Water Right	02N	07E	1	NE	SE		IRRIGATION	26/26	JOHN L GARRETT

SENIOR AGENT: Ron Howerton

FIELD EXAM
TELEPHONE CONVERSATION MEMORANDUM

DATE OF CONVERSATION: 9-18-01

DATE SET FOR EXAM: 9-930
called 9-17-01 left message on phone to call me

NAME OF CONTACT: JANET GARRETT - JOHN GARRETT
IS FATHER-IN-LAW CALLED ME 9-18-01

ADDRESS CHANGE: _____

RICK GARRETT

PHONE NUMBER: () 322-4844

LOCATION/DIRECTIONS: Boise - Prairie - Lake Smith
CR ROAD. TURN LEFT AS CROSS Ruby CR ON
ENGLEMAN ROAD - CABIN.

TYPE OF SYSTEM: EARTH AND Rock Dam Gravity Ditch

OTHER NOTES: Swing gate has GARRETT/JACOBSON
ON GATE. ENGLEMAN ROAD



PLUMBING • MECHANICAL CONTRACTORS

Rick Garrett
Vice President

- Plumbing
- Steam & Process Piping
- Heating/Cooling Piping
- Natural Gas Piping
- Equipment Installation

data/memos/field exam mer

BUS: (208) 322-4844
RES: (208) 343-7998
FAX: (208) 322-4889

11477 W. President Dr.
Boise, Idaho 83713

MANNING EQUATION CHANNEL CAPACITY RESULTS

09-21-2001

File Number: 63-4153
Claimant: JOHN GARRETT
Channel measured: STRAWBERRY CREEK DITCH
Date of measurement: 092101
Measurement location:

02NR07ES01NESE

Calculation prepared by: RDH
Comments about the measurement:

The results of the calculation are:

The length of the channel measured is 129 feet.
The upstream and downstream rod readings are 5.83 and 7.05 feet.
The channel cross section is 0.80 ft-sq.
The wetted perimeter is 3.62 feet.
The hydraulic radius is 0.22 feet.
The slope is 0.0095
The roughness coefficient is 0.0250
The flow velocity is 2.120 ft/sec.
The rate of flow is 1.70 cfs.

CROSS SECTION NUMBER 1

For File Number 63-4153 for the STRAWBERRY CREEK DITCH

Number	Rod Reading	Water Depth	Distance
1	0.00	0.00	0.00
2	0.20	0.20	0.50
3	0.40	0.40	1.00
4	0.40	0.40	1.50
5	0.30	0.30	2.00
6	0.00	0.00	3.50

The area for this cross section is 0.80 square feet
and the wetted perimeter is 3.62 feet.

Claim Number(s): 63-4153

Name of Claimant(s): John CARRETT

Name of Ditch, Canal, or Stream: Strawberry Creek

Date of Measurement: 9-21-01 Data Collected By: R&L

Measurement Location: NE 1/4 SE 1/4 Section 01 T2N R7E

Cross Section Data

Basis: high water mark ☒ maximum capacity ☒

Note: minimum of five depth or rod readings; first and last must be equal or zero

upstream x-sec		downstream x-sec	
depth or rod reading	distance from initial point	depth or rod reading	distance from initial point
1. <u>0</u>	<u>0</u>	7. <u>0</u>	<u>0</u>
2. <u>.2</u>	<u>.5</u>	8. _____	_____
3. <u>.4</u>	<u>1.0</u>	9. _____	_____
4. <u>.4</u>	<u>1.5</u>	10. _____	_____
5. <u>.3</u>	<u>2.0</u>	11. _____	_____
6. <u>0</u>	<u>3.5</u>	12. _____	_____

Slope Data

Basis: high water mark () channel bottom () land surface ()

Level Readings:	upstream	downstream	MEASURED WITH 100' TAPF channel length
upper stadia	<u>-</u>	<u>-</u>	
center	<u>5.83</u>	<u>7.05</u>	
lower stadia	<u>-</u>	<u>-</u>	
stadia difference	<u>(NA + NA)</u> x 100 = <u>129'</u>		

Note: for elevations, the downstream rod reading must be higher than the upstream rod reading

Comments

Are maps and/or photos attached? yes

ONLY ONE X-SECTION IN
THIS AREA THAT REPRESENTED
SLOPE AND DITCH
CAPACITY WAS USED. OTHER
AREAS WERE OK FOR X-SEC
BUT NOT FOR SLOPE

MANNING'S "n" (roughness coefficient)

BASIC "n" CHANNEL MATERIAL				CHANNEL OBSTRUCTIONS					
earth	.020	X	(1)	negligible	.000	X	(1)		
rock	.025		(2)	minor	.010		(2)		
fine gravel	.024		(3)		.015		(3)		
coarse gravel	.028		(4)	appreciable	.020		(4)		
					.030		(5)		
				severe	.040		(6)		
					.050		(7)		
					.060		(8)		
SURFACE IRREGULARITY				VEGETATION					
smooth	.000	X	(1)	low	.005	X	(1)		
minor	.005		(2)		.010		(2)		
moderate	.010		(3)	medium	.015		(3)		
severe	.020		(4)		.020		(4)		
					.025		(5)		
				(4)	high	.030		(6)	
						.040		(7)	
						.050		(8)	
						very high	.060		(9)
							.075		(10)
							.100		(11)
VARIATIONS IN SIZE AND SHAPE OF CROSS-SECTION				DEGREE OF MEANDERING					
gradual	.000	X	(1)	minor	1.00	X	(1)		
occasional	.005		(2)	appreciable	1.15		(2)		
frequent	.010		(3)	severe	1.30		(3)		
	.015		(4)						



0005

Week

5-21542

Small
Holding
Tank

COPIES

TOV-207E

41



Photo 1. FX Sept 21, 2001. Photos by RDH. Photo of point of diversion, T02N, R07E, S01, SENE. Rock, earth plastic dam. 63-4153.




Photo 2. Photos by RDH. Photo of 14-inch culvert used when pool is backed up from POD then flows into ditch.



Photo 3. Small culvert used at property line below POD $\frac{1}{4}$ $\frac{1}{4}$ line to prevent washouts.

Photo 4. Photos by RDH. Photo of X section. T02N, R07E, S01, NESE



Idaho Department of Water Resources

T02N R07E

S01

Claim: 63-4153

Updated: 21 Sep 01

By: Ron Howerton

 Place of use

 POD

 SECTION

 1/4 1/4

4.0 Acres



1987 NAPP

0 0.1 0.2 0.3 0.4 0.5 Mile



Idaho Department of Water Resources

T02N R07E
S01



Claim: 63-4153
Updated: 21 Sep 01
By: Ron Howerton

 **Place of use**

 **POD**

 **SECTION**

 **1/4 1/4**



1987 NAPP

0 0.1 0.2 0.3 0.4 0.5 Mil

Certify that A. T. Smith
 Creek has been deposited for
 stock, domestic and irrigation
 use since September 1928
 for use on NE 1/4 of SE 1/4, Sec 1, Twp 2 N.
 Range 7 E. Trib. to Smith Creek Elmore County
 Idaho

Les W. Thompson
 Validated

Witness John Thorne

63 4153



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

August 15, 2001

JOHN L GARRETT
1209 N ROOSEVELT
BOISE, ID 83706

Re: Claim No(s) 63-4153

Dear Claimant(s):

In the past, you submitted the above referenced claim(s) in the Snake River Basin Adjudication. Enclosed is a computer generated print-out of the claim(s) for your reference only; this print-out is **NOT** to be returned or re-filed. You have indicated when this claim was filed that the water right(s) was based on either a "Statutory Claim" or "Beneficial Use" of the water. Water rights of this type are established by the historical use of water for a beneficial purpose, dating back to the time the water was first used, this date being the "**Priority Date**" as shown on the enclosed print-out. Your claim(s) has not been confirmed by a previous filing with the Department of Water Resources since there is no decree, license, or permit on file to verify the use of this water. For this reason, the Department is required to gather evidence from claimants supporting the date of priority for claims based on historical beneficial use of water. Any other claims you may have filed, that are not listed above, do not require evidence of priority be submitted at this time.

Enclosed is a pamphlet entitled "**Evidence of Priority**" which describes why evidence of the priority date is necessary along with examples of types of evidence that can be submitted to fulfill this requirement. If no evidence is submitted, or we do not hear from you within the time limit below, your priority date, as claimed, may not be recommended to the Court for decree. This could jeopardize your water use under this right(s), if water availability problems arise in the future. It is our goal to decree the historical water rights within the Snake River Basin as accurately as possible. Field exams to verify claims in this area are now being conducted by Department personnel. Please contact this office as soon as possible to schedule a field exam appointment convenient for you.

The required evidence supporting the priority date(s) must be submitted by **October 15, 2001**, referencing all documents with the corresponding claim number(s). If you have any questions not covered by this letter, or the enclosed pamphlet, please call the Western Region office shown above.

Adjudication Section
Department of Water Resources
Western Region Office

JS:lh
Enclosures

12