




SRBA Claim #: 63-07349

Proposed Recommended Acres



Point of Diversion



Irrigated POU



Tax Lot Data - N/A



Quarter Quarter Lines



Section Lines

Total Poss Recommended Acres: 310.0



Prepared by: Craig L. Saxton
Date: November 2004

Idaho Department of Water Resources

Claim Number: 63-07349
Legal: T06N, R05W, S22, 23
Reviewed By:

● Point of Diversion



Place of Use



Section Lines




Quarter Quarter Lines

1987 Napp Photo



0 0.25 0.5 0.75 1 Miles



Idaho Department of Water Resources

Claim Number: 63-07349
Legal: T06N, R05W, S22, 23
Reviewed By:

● Point of Diversion



Place of Use



Section Lines




Quarter Quarter Lines

1987 Napp Photo



0 0.25 0.5 0.75 1 Miles



SPLIT CLAIM

Page 1

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-7349

WATER RIGHT NUMBER: 63-7349

<u>Owner Type</u>	<u>Name and Address</u>
Original Owner	LENA M STOCKTON 23034 BATT CORNER RD PARMA, ID 83660 (208)482-7937
Original Owner	RAY OBENDORF 24034 BATT CORNER RD PARMA, ID 83660 (208)482-7937

Priority Date: 07/07/1970

Basis: License

Status: **Parent**

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	3/01 to 10/31	1.660 CFS	
	<u>Total Diversion:</u>	1.660 CFS	

Location of Point(s) of Diversion

GROUND WATER	NW1/4SE1/4NW1/4	Sec. 23,	Twp 06N,	Rge 05W, B.M.	PAYETTE County
GROUND WATER	NW1/4SE1/4SW1/4	Sec. 23,	Twp 06N,	Rge 05W, B.M.	PAYETTE County
GROUND WATER	NW1/4SW1/4SE1/4	Sec. 23,	Twp 06N,	Rge 05W, B.M.	PAYETTE County

Place of Use

IRRIGATION Within PAYETTE County

T06N R05W S22	SENE 40.0	T06N R05W S22	NESE 40.0
T06N R05W S22	NWSE 40.0	T06N R05W S22	SWSE 40.0
T06N R05W S22	SESE 40.0	T06N R05W S23	SWNW 40.0
T06N R05W S23	SENW 40.0	T06N R05W S23	NWSW 30.0

Total Acres: 310

Conditions of Approval:

1. 001 A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works.
2. 016 See remarks for additional conditions of approval.

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-7349

Remarks:

1. General SUBJECT TO THE CONDITION THAT THE MAXIMUM VOLUME PER YEAR SHALL NOT EXCEED 4.5 AF/A WHEN COMBINED WITH LIC. 63-3308.
SUBJECT TO THE CONDITION THAT THE MAXIMUM RATE OF DIVERSION SHALL NOT EXCEED 5.84 CFS WHEN COMBINED WITH LIC. 63-3308 & 63-3583.
2. General This claim has been split due to change in ownership. See nos. 63-31841 & 63-31842. DB 2/18/2004

Comments:

Element Reviewed/Verified Dates:

<u>Element</u>	<u>Last Reviewed Date</u>	<u>Reviewer</u>	<u>Last Verified Date</u>	<u>Verifier</u>	<u>Status</u>
----------------	---------------------------	-----------------	---------------------------	-----------------	---------------


Verification Log:

<u>Element</u>	<u>Date Time Stamp</u>	<u>Reviewer</u>	<u>Log text</u>
----------------	------------------------	-----------------	-----------------



SRBA Claim #: 63-07349

Proposed Recommended Acres



1320 0 1320 2640 Feet

● Point of Diversion


□ Irrigated POU

▨ Tax Lot Data - N/A

□ Quarter Quarter Lines

□ Section Lines

Total Poss Recommended Acres: 310.0



Prepared by: Craig L. Saxton
Date: November 2004

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-7349

WATER RIGHT NUMBER: 63-7349

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	RAY OBENDORF 24034 BATT CORNER RD PARMA, ID 83660 (208)482-7937

Priority Date: 07/07/1970

Basis: License

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	3/01 to 10/31	1.660 CFS	802.00 AF
	<u>Total Diversion:</u>	1.660 CFS	802.00 AF

Location of Point(s) of Diversion

GROUND WATER	SW1/4SE1/4	Sec. 23, Twp 06N, Rge 05W, B.M.
PAYETTE County		

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
06N	05W	22				40.0									40.0	40.0	40.0	40.0	200.0
06N	05W	23						40.0	40.0			30.0							110.0

Total Acres: 310

Conditions of Approval:

1. 001 A measuring device of a type approved by the Department shall be permanently installed and maintained as part of the diverting works.
2. 016 See remarks for additional conditions of approval.

Remarks:

1. General SUBJECT TO THE CONDITION THAT THE MAXIMUM VOLUME PER YEAR SHALL NOT EXCEED 4.5 AF/A WHEN COMBINED WITH LIC. 63-3308.
SUBJECT TO THE CONDITION THAT THE MAXIMUM RATE OF DIVERSION SHALL NOT EXCEED 5.84 CFS WHEN COMBINED WITH LIC. 63-3308 & 63-3583.

Comments:Dates and Other Information:

Licensed Date:	9/12/1979
Mitigation Plan:	False

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 63-7349 Priority July 7, 1970 Amount 1.66 cfs

THIS IS TO CERTIFY, that RAY OBENDORF
of Parma, Idaho, has complied with the terms and conditions of Permit
No. 63-7349 issued pursuant to Application for Permit dated July 7, 1970,
and has submitted proof to the Department of Water Resources on December 13, 1973,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 5.84 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
Irrigation	from <u>March 1</u> to <u>Oct 31</u>	<u>1.66 cfs</u> and	<u>802 acre feet or</u>
	from _____	_____ cfs and	<u>*4.5 af per acre</u>
	from _____	_____ cfs and	_____

(both dates inclusive)

Subject, however, to the condition that no more than ** 1.66 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and appurtenant for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
802 acre feet per year, said waters to be diverted within the SW 1/4 Sec. 23,
Twp. 6 N, Rge. 5 W, B.M. in the County of Payette

Description and location of place of use:

Twp.	Range	NEW				NW 1/4				SW 1/4				Totals
		NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	NE 1/4	NW 1/4	SE 1/4	SW 1/4	
6 N	5 W	22		20						20	40	40		200
		23				40	40	30						110

Total number of acres irrigated 310

* Subject to the condition that the maximum volume per year shall not exceed
4.5 acre feet per acre when combined with License No. 63-3308.

** Subject to the condition that the maximum rate of diversion shall not exceed
5.84 cfs when combined with Licenses No. 63-3308 and 63-3583.

A measuring device of a type approved by this Department shall be permanently
maintained as part of the diverting works.


NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 3 day of
December, 19 76.

Director

11. Map of proposed project:



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Lena M. Stockton
(Applicant)

FIELD REPORT

TOTAL ACREAGE _____ **310**

Rge 5W




Diagram of System

#1

.68 2" c/ppl/111

3.81 m/s

GE, 250 HP No. 5K6286XC575
1775 RPM Ser. FEJ614170

DATE OF EXAM 27 July 1976

ACREAGE

Found _____
Recommended 310

Irrigation Requirement 4.5 Ac Ft/Ac

USE

Irrigation Q= 4.87 c.f.s. V= 1395 AF/Ann. from 9-1 to 10-31
Domestic Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____
Livestock Q= _____ c.f.s. V= _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ☒

Name source: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____
County _____

Exchange? yes _____ no ☒

Name source exchanged with: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of injection: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____
County _____

Point of exchange: _____
twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____
County _____

Total Q measured 1.90 cfs 2' dip = 5.87 cfs Method of measurement Weir

Total Q recommended 5.87 cfs Meter No. 1012 Type Portable Condition Good

Total V recommended 1395 AF/Ann

Recommended Amendments:

P.D. one well only sec 23 T25N
Place of Use _____
Other _____
None _____

MEASUREMENT CALCULATION:

2' dip with w/ 1.90 gage length = 5.87 cfs

SYSTEM DESCRIPTION:

500' deep 18" well w/ 250 HP Pearson pump sec #252519
and 250 HP motor w/ 576650555764170
discharges into open ditch to gravity irrigation

REMARKS:

System in operation at time of exam - no O & D point
at time of exam (new O & D)

Examiner's Signature Ernest Baldry Date 27 July 1976

Checked by JS Date 9-16-76

Approved by _____ Date _____

WR - WESTERN REGION

CONTRACTOR: Karan Waters

CLAIM/ID: 63-07349

Date: 3-23-02

	TNS	RNG	SEC	NE				NW				SW				SE				Sum
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
Claim	6N	5W	22				40									40	40	40	40	200
GIS							40									40	40	40	40	200
Claim			23							40	40		30							110
GIS										40	40		36							116
Claim																				
GIS																				
Claim																				
GIS																				

Number of POD's 3

Total Claimed Acres: 310

Overlapping POU Claim #'s:

Total GIS Acres: 316

COMMENTS:

pod - per claim map + image in interpretation

pod per claim map.

Idaho Department of Water Resources

Claim Number: 63-07349
Legal: T06N, R05W, S22, 23
Reviewed By:

● Point of Diversion

☐

Place of Use

☐

Section Lines


☐

Quarter Quarter Lines

1987 Napp Photo



0 0.25 0.5 0.75 1 Miles



Idaho Department of Water Resources

Claim Number: 63-07349
Legal: T06N, R05W, S22, 23
Reviewed By:

● Point of Diversion

Place of Use

Section Lines

Quarter Quarter Lines

1987 Napp Photo



0 0.25 0.5 0.75 1 Miles

