


Idaho Department of Water Resources

Place of Use Layout 63-7426




0 0.25 0.5 0.75 1 Miles

Township 1N Range 1E Sections 19 & 30



GIS Place of Use Presentation
1987 and/or 1988 NAPP photography.
Map prepared by: Scott King
Date prepared: January 14, 2003



Idaho Department of Water Resources

Preliminary Place of Use Layout 63-7430A & 63-7426

DRAFT




0 0.5 1 Miles


Township 1N Range 1E

claim = 320
1 Lic = 316.4
FOUND = 317 *license in '95*
Base on lic!

GIS Place of Use Presentation
 1987 and/or 1988 NAPP photography.
 Map prepared by: Scott King
 Date prepared: August 12, 2002



	63-07426_pou.shp
	63-07430a_pou.shp
	PLSS quarter-quarter lines
	PLSS Section Lines
	PLSS Township



11

12

7

3748

BM

2851

2843

13

18

2857

2871

23

ROAD

BOISE MERIDIAN

TIN
RIE

SEC 19 + 30
P/D - NWNESW

BM 2964

26

25

FALLS
SWAN

63-07430B
63-07430A
63-07426

63
39.7

36.5

P/D

64
40.3

39

61
40.4

40

62
40.5


40

AUG 09 1995

3044

63-07426

BC



Travel Pit

11

12

17

BM

2851

13

18

2857

2871

23

ROAD

MERID

39.7

39.5

P/D

2925

TIN
RIE

SEC 19 + 30
P/D - NW NESW

39.4

39.3

39.1

39.0

38.9

38.8

BM

2964

26

25

30

FALLS

BOISE

SWAN

2925

2993

3044

AUG 09 1995

4609

4608

25'

4606

4605

4604

RECEIVED

JUL 12 1995

WATER RESOURCES
WESTERN REGION

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A63-07426

Date Received: 7/12/1995

Receipt No: W019555

Received By: 6

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: STEVE BEUS 208-922-4513
Address: 1605 POEN RD
KUNA ID 83634

2. Date of Priority: APR 28, 1971

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
01N	01E	19	NE	SW			ADA

5. Description of diverting works:
WELL, PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	03/15	10/15	6.400		
STOCKWATER	01/01	12/31	0.030		
DOMESTIC	01/01	12/31	0.030		

7. Total Quantity Appropriated is:
6.460 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
S/200 RANGE.

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
01N	01E	19	NE	SW		IRR	40.0
			NW	SW		IRR	

MICROFILMED

OCT 07 1996

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
01N	01E	19	SW	SW		IRR	40.0
			SE	SW		IRR	40.0
Section Acres							160.0
		30	NE	NW		IRR	40.0
			NE	NW		STOCK	
			NW	NW		IRR	40.0
			SW	NW		IRR	40.0
			SE	NW		IRR	40.0
Section Acres							160.0
Total Acres							320.0

11. Place of use in counties: ADA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

14. Remarks:

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:


I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): *Steve Burr* Date: 7/7/95
 _____ Date: _____

State of Idaho)
County of hds) SS.

Subscribed and sworn (or affirmed) before me this 7th day
of July 19 95

Lori Graves
Notary Public



Residing at Bon

My Commission Expires 6/18/98

09/19/2003

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 63-7426

NAME AND ADDRESS: STEPHEN E BEUS
1605 POEN RD
KUNA ID 83634

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 6.320 CFS
1,423.800 AFY

USE OF THE RIGHTS LISTED BELOW IS LIMITED TO A TOTAL COMBINED
DIVERSION RATE OF 11.15 CFS. COMBINED RIGHT NOS.: 63-7426, 63-7430A,
63-7430D, 63-31321, 63-31322, 63-31743, 63-31744.

PRIORITY DATE: 04/28/1971

POINT OF DIVERSION:

T01N R01E S19 NWNESE Within ADA County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	03/15 10/15	6.320 CFS 1,423.80 AFY

THE USE OF WATER FOR IRRIGATION UNDER THIS RIGHT MAY BEGIN AS
EARLY AS MARCH 1 AND MAY CONTINUE TO AS LATE AS NOVEMBER
15, PROVIDED OTHER ELEMENTS OF THE RIGHT ARE NOT EXCEEDED.
THE USE OF WATER BEFORE MARCH 15 AND AFTER OCTOBER 15
UNDER THIS REMARK IS SUBORDINATE TO ALL WATER RIGHTS HAVING
NO SUBORDINATED EARLY OR LATE IRRIGATION USE AND A PRIORITY
DATE EARLIER THAN THE DATE A PARTIAL DECREE IS ENTERED FOR
THIS RIGHT.

PLACE OF USE: IRRIGATION Within ADA County

T01N R01E S19	NESW	36.5	T01N R01E S19 Lot 3 NWSW	39.7	
T01N R01E S19 Lot 4 SWSW		40.3	T01N R01E S19	SES	39.0
T01N R01E S30	NENW	40.0	T01N R01E S30 Lot 1 NWNW		40.4
T01N R01E S30 Lot 2 SWNW		40.5	T01N R01E S30	SENW	40.0

316.4 ACRES TOTAL


OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for
the definition of the rights or for the efficient administration of the water
rights as may be ultimately determined by the Court at a point in time no
later than the entry of a final unified decree. Section 42-1412(6), Idaho
Code.

EXPLANATORY MATERIAL: License

Idaho Department of Water Resources

Place of Use Layout 63-7426



0 0.25 0.5 0.75 1 Miles

Township 1N Range 1E Sections 19 & 30



GIS Place of Use Presentation
1987 and/or 1988 NAPP photography.
Map prepared by: Scott King
Date prepared: January 14, 2003

- Point of Diversion
- Place of Use
- PLSS quarter-quarter lines
- PLSS Section Lines
- PLSS Township Boundaries

In office

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION FIELD REPORT**

Prior to Field Exam

- ☐ Copy of Claim, claim has been signed, sealed, and dated by notary?
- ☐ Check fees paid
- ☐ Well logs (if needed)
- ☐ Copy of topo or NAPP
- ☐ Check of Govt. Lots, if needed, Govt. Plat/Tax lot information
- ☐ Check POD & POU overlap, see below – include overlapping right for exam
- ☐ Evidence of Priority – if none, talk with claimant

CLAIMANT INFORMATION – verify contact information is completeClaim No(s) 63-7426Owner: Beus Phone No. _____

Current Address: _____

- ☐ No change NAME IS THE SAME
- ☐ NEW OWNER _____
- ☐ No change Address
- ☐ NEW ADDRESS _____
- ☐ How long owned property? _____

Accompanied by: _____

PRIORITY DATE

- ☒ No change – Complete evidence submitted or not necessary
- ☐ Incomplete – Claimant should be asked when water was first used and submit proof of date.
- ☐ Priority date is acceptable/within mandatory filing dates?

Priority date, per claimant, is: _____

(If priority date, based on your exam, seems questionable, explain below.)

Source: Ground water Tributary to _____

- ☒ No Change – SAME SOURCE
- ☐ Source found is different than claimed: _____

POINT OF DIVERSION

- ☒ No change
- ☒ POD found is different than claimed: Excess in license Refined description to 10 acre tract
- ☐ If different, when did POD change? _____

DIVERSION AND DELIVERY SYSTEM

Points of Diversion:

ID #	Govt Lot #	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks GPS ID

Description of diverting works

OVERLAP REVIEWOther water rights with the same point of diversion: 63-7430A, 63-31269

Does overlap add acres or uses to existing system, increase rate of flow or volume, or other? Explain:

Combined use limits w/ 63-7426, 7430A, 7430B
of 11.15 cfs. Applied describing child rights of 7430B

WATER USES☒ No change☐ Different Uses

Use _____ From _____ To _____ Amount _____ CFS _____ AFA _____

Use _____ From _____ To _____ Amount _____ CFS _____ AFA _____

Use _____ From _____ To _____ Amount _____ CFS _____ AFA _____

TOTAL VOLUME – Groundwater only N.C.☐ Incomplete on claim, the total is, Amount _____ CFS _____ AFA _____☐ Changes found, the new total is, Amount _____ CFS _____ AFA _____☐ More than 1" per Acre? Yes _____ (claimant must complete excess flow sheet)**NON-IRRIGATION USES:**☒ No change☐ Changes Exam found: Domestic # of homes _____ Stock # _____

Types _____ Additional comments: _____

PLACE OF USE:☒ No Change☐ Changes shown below:

Place of Use			NE				NW				SW				SE				Totals
TWP	RGE	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Overlap with other water rights: _____

Does overlap increase rate of flow, volume, additional acres, different source for same acres? Explain:

Delivery System Narrative: _____

Well or Diversion Identification No GPS ID	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge size

FLOW MEASUREMENTS:

Attach appropriate documents

NARRATIVE/REMARKS/COMMENTS

Appears unlikely that 63-31269
is being diverted at all in 2000 imagery

AFTER EXAM THE FILE SHOULD CONTAIN:

- ☐ Completed claim checklist
- ☐ Photographs of POD's and POU
- ☐ GPS readings
- ☐ Completed map and or GIS layout showing POD's and POU


DATE EXAM CONDUCTED:

FIELD EXAMINER: Scott King in-office 1/15/03

Recommended exactly as licensed in 1995,
Except for refining to 10-acre tract.

Idaho Department of Water Resources

Preliminary Place of Use Layout 63-7430A & 63-7426



0 0.5 1 Miles

Township 1N Range 1E

$\frac{7426}{\text{claim}} = 320$

$\frac{1}{\text{Lic}} = 316.4$

Found = 317

License in '95
Base on Lic!

GIS Place of Use Presentation
1987 and/or 1988 NAPP photography.
Map prepared by: Scott King
Date prepared: August 12, 2002

also look at lots in fine blue line



63-07426_pou.shp



63-07430a_pou.shp



PLSS quarter-quarter lines



PLSS Section Lines



PLSS Township

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

RECEIVED
JUN 29 1995

Department of Water Resources

A. GENERAL INFORMATION

Permit No. 63-07426

1. Owner: STEVE BEUS Phone No. 922-4513

Current Address: 1605 POEN RD KUNA 83634

2. Accompanied by: STEVE EXAM DATE: 6/26/95

Address: _____ Phone No. _____

Relationship to Permit Holder: _____

3. Source: GROUND WATER tributary to _____

B. OVERLAP REVIEW

1. Other water rights with the same place of use: _____

2. Other water rights with the same point of diversion: 63-07430 A + B

C. DIVERSION AND DELIVERY SYSTEM

1. Point(s) of Diversion:

Ident No.	Gov't Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			NE	SW	19	1N	1E	ADA	USGS QUAD, ASCS PHOTO

2. Place(s) of Use:

Indicate Method of Determination

TWP	RGE	SEC	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
1N	1E	19									36.5	43	44	39					155.5
		30					40	41	42	40									160.9

PAID
AUG 08 1995

3. **Delivery System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe I.d. as applicable.

Scale: 1" = _____

☒ Copy of USGS Quadrangle Attached Showing location(s) of point(s) of diversion and place(s) of use (required).

☒ Aerial Photo Attached (required for irrigation of 10+ acres)

☒ Photo of Diversion and System Attached

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	GE	500	KKJ1016021	JOHNSTON	

*Code to correspond with No. on map and aerial photo

D. FLOW MEASUREMENTS

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements: pump curve attached (per layout of Idaho)

RECEIVED

E. NARRATIVE/REMARKS/COMMENTS

see attached

316.4 acres recommended accounts
for acreage reductions due to rock
piles and acreage additions due
to gov lts.

Have conditions of permit approval been met? ☒ yes ☐ no

(signature) waines
attached
AUG 09 1995

F. FLOW CALCULATIONS

____ Additional Computation Sheets Attached

Measured Method:

$$5000 \text{ BPM} \times .00223 = 11.15 \text{ cfs capacity}$$

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 316.4 \times 4.5 = 1423.8$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = 5.69 \times 246 \times 1.9835 = 2776.4$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 1423.8$$

2. Volume Calculations for Other Uses:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
* <u>Irrigation</u>	<u>3/15</u>	<u>11/15</u>	<u>5.69</u>	<u>1423.8</u>
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
_____	_____	_____	_____	_____
Totals:			<u>5.69 cfs</u>	<u>1423.8 AFA</u>

2. Recommended Amendments

____ Change P.D. as reflected above ____ Add P.D. as reflected above ☒ None
____ Change P.U. as reflected above ____ Add P.U. as reflected above ____ Other

I. AUTHENTICATIONField Examiner's Name Don Brewer Date 6/28/95

Reviewer _____ Date _____

* See adjustment memo. BC

RECORDED
SEAL

AUG 09 1995

MEMORANDUM

TO: File 63-07426 / Steve Beus
FROM: Brenda Chapman
DATE: July 18, 1995
RE: Recommendation Adjustment(s)

=====

The final licensing recommendations for the above referenced water right are based on the information below:

H. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use	Rate of Div	Annual Vol
Irrigation	3-15 to 11-15	6.32	1423.8

Recommending either the system rate per acre (.01797) or an inch per acre would exceed the capacity when combined with the 63-07430A and 63-07430B. Since this is not a supplemental right and both other rights were licensed at an inch per acre, the recommendation to license this one at that rate is also being made.

MAINTENANCE
AUG 09 1995

11

12

3742

BM

2851

13

18

2857

23

ROAD

TIN
RUE

SEC 19 + 30
P/D - NW NESW

BM 2964

26

25

FALLS
SWAN

63-07430B
63-07430A
63-07426

BOISE

AUG 09 1995

63-07426

BC

SYSTEM DESCRIPTION
63-07426

P/D: NWNESW, Sec 19, T1N R1E:

20" well, 500 hp GE motor, serial #KKJ1016021, 3 stage bowl unit, 345' TDH, 525 BHP, rated at 5000 GPM.

An annubar measurement on this well and pump was conducted by IDWR in 1980 for license 63-07430. As noted in the exam, the measurement of 7.47 cfs did not reflect the well's maximum output. A pump curve supplied by Layne of Idaho, who installed the 500 hp pump system, identifies the pumping capacity at 5000 gpm or 11.15 cfs, which is the amount used for this exam's calculations.

This well supplies water to this permit and license 63-07430, which has been split into parts A and B to reflect separate owners. In 1988, the P/U for this permit and part of license 63-07430A was enrolled in CRP. The remaining acres not in CRP on license 63-07430A are leased to a separate party and irrigated from the lessee's P/D. As a result, this well currently only provides water to license 63-07430B. Because the original system capacity is currently not necessary, the 500 hp pump has been replaced with a 150 hp pump, as shown in the attached photos. However, the capacity for the 500 hp pump has been used in the following calculations, since this was the system in place during the permit development period.

P/D OVERLAP ANALYSIS

Current Rate: $11.15 \text{ cfs} / 620.4 \text{ acres} = .01797 \text{ cfs/acre}$

Old Rate: $7.47 \text{ cfs} / 304 \text{ acres} = .02 \text{ cfs/acre}$

Since the old rate for the licensed acres is greater than the current rate, the licensed acres for 63-07430A, under the same ownership as this permit, have not been included in the acre recommendations. The total licensed flow from this well, if the recommended flow is granted, would be 3.0 cfs (63-07430A) + 3.1 cfs (63-07430B) + 5.69 cfs (63-07426) = 11.79 cfs. This flow exceeds the system capacity, therefore the maximum combined rate of diversion under rights 63-07430A and 63-07426 (same ownership) shall not exceed 8.05 cfs.

No other water rights are used.

Note: The legal description for this well is erroneously listed on licenses 63-07430A & B in the NENW, Sec 19, T1N R1E. The SRBA claim files have been noted.

RECEIVED
AUG 09 1995



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

November 3, 1994

STEPHEN E BEUS
1605 POEN RD
KUNA ID 83634

Re: Snake River Basin Adjudication (SRBA)
Claim No(s): A63-07426

Dear Claimant,

Our office is currently reviewing claims in your area for recommendation in the Snake River Basin Adjudication. Our records indicate that you may have contacted our office concerning the claim noted above. This claim was never completed.

There may be several reasons why the claim was not completed. You may have chosen not to complete the claim or it may have been an oversight. We would appreciate a response if you feel you wish to claim the right in question.

We have included a summary of the claim; please review this report. If you wish further information about the claim or the claim process, please call my office at (208)327-7925. If I do not receive a response within 30 days, I will assume that you have no further interest in the claim listed above. Thank you for your cooperation.

Sincerely,

Roxanne McCarthy
Sr. Water Resource Agent
Adjudication Bureau

RM:r
Enclosure
computer summary of claim(s)

MICROFILMED
OCT 07 1996

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-07426

Priority: April 28, 1971

Maximum Diversion Rate: 6.32 CFS

Maximum Diversion Volume: 1423.8 AF

This is to certify, that STEPHEN E BEUS
BECKY A BEUS

1605 POEN RD
KUNA ID 83634

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 28, 1971; and has submitted Proof of Beneficial Use on April 8, 1980. An examination indicates that the works have a diversion capacity of 11.150 cfs of water from a GROUNDWATER source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 10/15	6.32 CFS	1423.8 AF

LOCATION OF POINT(S) OF DIVERSION:

NESW , Sec. 19, Township 01N, Range 01E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
01N 01E 19	NESW 36.5	Lot 1 (NWSW) 39.7	Lot 4 (SWSW) 40.3	
	SESW 39			155.5
30	NENW 40	Lot 1 (NWNW) 40.4	Lot 2 (SWNW) 40.5	
	SENW 40			160.9
	Total number of acres irrigated:			316.4

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount that can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

MICROFILMED

OCT 07 1990


State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 63-07426

CONDITIONS/REMARKS:

6. Rights 63-07430A and 63-07430B are also diverted through the point of diversion described above.
7. This right when combined with Rights 63-07430A and 63-07430B shall not exceed a combined diversion rate of 11.15 cfs.
8. This right is appurtenant to land designated as DLE No. I-3412.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code, Witness the seal and signature of the Director, affixed at Boise, this 25th day of July, 1995.


Acting for: KARL J. DREHER, DirectorMICROFILMED
OCT 07 1996