



T04N, R01E, Sec. 22, SWSE

2000 Treasure Valley Aerial Photo

63-09067





IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

RECEIVED
AUG 16 1989

Ident. Number: A63-09067
Date Received: 8-16-89
Receipt No: 0004542
Received By: _____

Department of Water Resources
Western Regional Office

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**

1. Name: CONSOLIDATED CONCRETE CO. 208-939-0303
Address: C/O BONNIE WISECAVER
P.O. BOX 9225
BOISE, ID 83707

2. Date of Priority: NOV 03, 1977

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
04N	01E	22	NW	SW	SE		ADA

5. Description of diverting works:
WELL AND PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
INDUSTRIAL	01/01	12/31	0.160		9.80
DOMESTIC	01/01	12/31	0.040		1.10

7. Total Quantity Appropriated is:
0.160 C.F.S. (and/or) 10.90 A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
I/CONCRETE MIX PLANT, D/IN-PLANT DOMESTIC USE

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
04N	01E	22	SW	SE		DOMEST	

A63-09067

Page 1

Date: 08/14/89

MICROFILMED
AUG 24 1992

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
04N	01E	22	SW	SE		INDUST	

11. Place of use in counties: ADA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

Industrial use is for production of ready-mix concrete & washing vehicles.
CONSUMPTIVE USE IS NOT KNOWN, ANNUAL PRODUCTION IS APPROX. 100,000 CU YD OF CONCRETE.

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Organizations:

I do solemnly swear or affirm that I am Asst. mgr. of

Consolidated Concrete Co. Inc., that I have signed the foregoing
Organization
document in the space below as Asst mgr. of

Consolidated Concrete Co. Inc. and that the statements contained in the
Organization
foregoing document are true and correct.

Bonnie J. Sessauer
Signature of Authorized Agent

Asst. mgr. Consolidated Concrete
Title and Organization

8/14/89
Date

State of Idaho)
County of Cada) SS.

Subscribed and sworn (or affirmed) before me this 14th day
of August 19 89

Wendy E. Nelson
Notary Public

Seal

Residing at Bowle Idaho

My Commission Expires 3/18/92

12/22/1988

SRBA CLAIMS RECEIVING CHECKLIST

CLAIMANT'S NAME Consolidated Concrete CLAIM IDENT. NO. AG-3-9067

DATE RECEIVED 8-16-89 CK # 19413 AMOUNT \$ 169 ⁷⁰ YES ☒ NO ☐ Required Info? ☐

1. Is the name and address complete with zip code? ☒ ☐ *
2. Is a priority date entered? ☒ ☐ *
- Is the priority date acceptable in view of mandatory filing dates? ☒ ☐ *
3. (a) Is a source entered? ☒ ☐ *
- (b) Is a tributary to entered? (if required) ☐ N/A ☒ ☐
4. Is the legal description of the p.d. sufficient? ☒ ☐ *
5. Is there a description of the diverting works? ☒ ☐
6. Are the water uses appropriate for the form? The short form is limited to domestic and stockwater uses with direct diversion. All claims that include storage or instream stockwater must use long form. ☒ ☐
- Is the period of use included? ☒ ☐
- Is a quantity claimed for each use? ☒ ☐ *
7. Is a total quantity claimed entered? ☒ ☐
8. If required is a consumptive use entered? ☐ N/A ☒ ☐
- Is the consumptive use correct? ☐ N/A ☒ ☐
9. Are the non-irrigation uses listed properly? If this claim is on the short form, and more than one domestic use is listed, single ownership must be stated. If not under single ownership, see Adjudication Memo # 4. ☐ N/A ☒ ☐ *
10. Is (are) the place(s) of use and purpose(s) indicated? ☒ ☐ *
11. Is (are) the county(ies) entered? ☒ ☐
12. Is the ownership of p.u. checked? ☒ ☐
13. Are other water rights listed or "none" indicated? ☒ ☐
14. If required, are remarks correct? (If the claimant does not own the place of use, authority for filing the claim must be explained in the remarks.) ☐ N/A ☒ ☐
15. Is the basis of the claim indicated? ☒ ☐
16. Has the claimant requested a monthly docket sheet? (If yes, describe payment status in "Comments" below.) ☐ ☒
17. Is the claim signed by the claimant, and is the signature appropriate? ☒ ☐ *
18. Has the claim been signed, sealed, and dated by a notary? ☒ ☐ *
19. Was this claim filed on time, or was an extension granted? ☒ ☐ *
20. Is the fee enclosed correct? ☐ Exempt ☒ ☐ *
21. If this claim is based on an existing water right, has the identification number been entered? ☐ N/A ☒ ☐
22. Should this claim be receipted and data entered? ☒ ☐

Claim checked by: LW Date: 11-16-89Claim must be returned to claimant: ☐ (Yes) ☒ (No)Claimant must be sent a copy of amended claim for approval: ☐ (Yes) ☒ (No)

Receipt Prepared by: _____ Date: _____
 Claim data entered by: _____ Date: _____
 Sent to claimant by: _____ Date: _____

Comments: _____

MICROFILMED

AUG 24 1992

08/06/2003

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 63-9067

NAME AND ADDRESS: CONSOLIDATED CONCRETE CO
C/O BONNIE WISECAVER
PO BOX 9225
BOISE ID 83707

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 0.160 CFS
10.900 AFY

PRIORITY DATE: 11/03/1977

POINT OF DIVERSION:

T04N R01E S22 SWSE Within ADA County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
DOMESTIC	1/01 12/31	0.040 CFS 1.10 AFY
INDUSTRIAL	1/01 12/31	0.160 CFS 9.80 AFY

PLACE OF USE: DOMESTIC Within ADA County

T04N R01E S22 SWSE

INDUSTRIAL Within ADA County

T04N R01E S22 SWSE

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

Industrial use is for production of ready-mix concrete and washing vehicles.

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: License

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-9067 V1

WATER RIGHT NUMBER: 63-9067 V1

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	CONSOLIDATED CONCRETE CO C/O BONNIE WISECAVER PO BOX 9225 BOISE, ID 83707 (208)939-0303

Priority Date: 11/03/1977

Basis: License

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
DOMESTIC	1/01 to 12/31	0.040 CFS	1.10 AF
INDUSTRIAL	1/01 to 12/31	0.160 CFS	9.80 AF
	<u>Total Diversion:</u>	0.160 CFS	10.90 AF

Location of Point(s) of Diversion

GROUND WATER	SW1/4SE1/4	Sec. 22, Twp 04N, Rge 01E, B.M.
ADA County		

Place of Use

DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	01E	22																X	

INDUSTRIAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	01E	22																X	

Conditions of Approval:

1. C18 This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

IDAHO DEPARTMENT OF WATER RESOURCES
Adjudication Recommendation Report 63-9067 V1

Remarks:

1. General Industrial use is for production of ready-mix concrete and washing vehicles.

Comments:

Dates and Other Information:

Decreed Date:
Enlargement Use Priority Date:
Enlargement Statute Priority Date:
Defendant:
Plaintiff:
Civil Case Number:
Judicial District:
Notice of Error Flag:
State or Federal: S
Owner Name Connector:
Water District Number:
Generic Max Rate Per Acre:
Generic Max Volume Per Acre:
Swan Falls Trust or Nontrust:
Swan Falls Dismissed:
DLE Act Number:
Carey Act Number:
Mitigation Plan: False

TO4N. R

SEC. 22

Measure

6300007



IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-9067

WATER RIGHT NUMBER: 63-9067

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	CONSOLIDATED CONCRETE CO ✓ C/O BONNIE WISECAVER PO BOX 9225 BOISE, ID 83707 (208)939-0303 ✓

Priority Date: 11/03/1977 ✓

Basis: License ✓

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER ✓	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
DOMESTIC ✓	1/01 to 12/31 ✓	0.040 CFS ✓	1.10 AF ✓
INDUSTRIAL ✓	1/01 to 12/31 ✓	0.160 CFS ✓	9.80 AF ✓
	<u>Total Diversion:</u>	0.160 CFS ✓	10.90 AF ✓

Location of Point(s) of Diversion

GROUND WATER	SW1/4SE1/4 ✓	Sec. 22, ✓	Twp 04N, Rge 01E, B.M. ✓
ADA County ✓			

Place of Use

DOMESTIC

Twp	Rge	Sec	NE				NW				SW				SE ✓				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	01E	22															X		

INDUSTRIAL same as DOMESTIC ✓Conditions of Approval:Remarks:

1. General Industrial use is for production of ready-mix concrete & washing vehicles. ✓

ADD
Gen. Remark

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-9067

Comments:

~~Documentation of Ownership of the Current Place of Use~~

~~Is this property subject to any liens, deeds of trust, mortgages, or contracts or other encumbrances?~~

Dates and Other Information:

Licensed Date: 9/24/1987

Decreed Date:

Water Supply Bank Enrollment Accepted:

Water Supply Bank Enrollment Removed:

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

State or Federal:

Owner Name Connector:

Water District Number:

Generic Max Rate Per Acre:

Generic Max Volume Per Acre:

Decree Defendant:

Decree Plaintiff:

Civil Case Number:

Judicial District:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Carey Act Number:

Mitigation Plan: False

(in office)

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION FIELD REPORT**

Prior to Field Exam

- ☒ Copy of Claim, claim has been signed, sealed, and dated by notary?
- ☒ Check fees paid
- ☐ Well logs (if needed) N/A
- ☒ Copy of topo or NAPP
- ☒ Check of Govt. Lots, if needed, Govt. Plat/Tax lot information
- ☒ Check POD & POU overlap, see below – include overlapping right for exam
- ☐ Evidence of Priority – if none, talk with claimant N/A

CLAIMANT INFORMATION – verify contact information is completeClaim No(s) 63-9067

Owner: _____ Phone No. _____

Current Address: _____

- ☒ No change NAME IS THE SAME
- ☐ NEW OWNER _____
- ☒ No change Address
- ☐ NEW ADDRESS _____
- ☐ How long owned property? _____

Accompanied by: N/A**PRIORITY DATE**

- ☒ No change – Complete evidence submitted or not necessary
- ☐ Incomplete – Claimant should be asked when water was first used and submit proof of date.
- ☐ Priority date is acceptable/within mandatory filing dates?

Priority date, per claimant, is: _____

(If priority date, based on your exam, seems questionable, explain below.)

Source: _____ Tributary to _____

- ☒ No Change –SAME SOURCE
- ☐ Source found is different than claimed: _____

POINT OF DIVERSION

- ☒ No change
- ☐ POD found is different than claimed: _____
- ☐ If different, when did POD change? _____

DIVERSION AND DELIVERY SYSTEM

Points of Diversion:

ID #	Govt Lot #	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks GPS ID

Description of diverting works

See attached Field Report.**OVERLAP REVIEW**Other water rights with the same point of diversion: None

Does overlap add acres or uses to existing system, increase rate of flow or volume, or other? Explain:

WATER USES

- ☒ No change
☐ Different Uses

Use _____ From _____ To _____ Amount _____ CFS _____ AFA
 Use _____ From _____ To _____ Amount _____ CFS _____ AFA
 Use _____ From _____ To _____ Amount _____ CFS _____ AFA

TOTAL VOLUME – Groundwater only

- ☐ Incomplete on claim, the total is, Amount _____ CFS _____ AFA
☐ Changes found, the new total is, Amount _____ CFS _____ AFA
☐ More than 1" per Acre? Yes _____ (claimant must complete excess flow sheet)

NON-IRRIGATION USES:

- ☒ No change
☐ Changes Exam found: Domestic # of homes _____ Stock # _____
 Types _____ Additional comments: _____

PLACE OF USE:

- ☒ No Change
☐ Changes shown below:

Place of Use			NE				NW				SW				SE				Totals
TWP	RGE	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Overlap with other water rights: None

Does overlap increase rate of flow, volume, additional acres, different source for same acres? Explain:

Delivery System Narrative: See attached Field Report.

Well or Diversion Identification No GPS ID	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge size

FLOW MEASUREMENTS: N/A (licensed)

Attach appropriate documents

NARRATIVE/REMARKS/COMMENTS

Industrial use is for production of ready-mix concrete
and washing vehicles.

AFTER EXAM THE FILE SHOULD CONTAIN:

- ☒ Completed claim checklist
- ☐ Photographs of POD's and POU N/A
- ☐ GPS readings N/A
- ☒ Completed map and or GIS layout showing POD's and POU

DATE EXAM CONDUCTED: 6.13.03 (in office)

FIELD EXAMINER: Kimberly Brown

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-9067

Priority: November 3, 1977 Amount: .16 CFS 10.9 AFA

This is to certify, that CONSOLIDATED CONCRETE CO.

P.O. BOX 9225

BOISE, ID 83707

has complied with the terms and conditions of the permit issued pursuant to Application for Permit dated October 2, 1977, and has submitted proof to the Department of Water Resources on February 2, 1983, that water has been applied to a beneficial use; an examination by the Department indicates that the works have a diversion capacity of .16 cfs of water from a GROUNDWATER source and that a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>VOLUME</u>
Industrial	01/01 to 12/31	.16 cfs	9.8 afa
Domestic	01/01 to 12/31	.04 cfs	1.1 afa
Totals		.16 CFS	10.9 AFA

LOCATION OF POINT OF DIVERSION(S): SWSE , Sec. 22, Township 4N, Range 1E
Ada County

PLACE OF USE: Domestic

TWN RGE SEC

4N 1E 22 SWSE

PLACE OF USE: Industrial, same as Domestic use

CONDITIONS/REMARKS:

1. The right to the use of the water hereby confirmed is limited to the amount which can actually be beneficially used and is restricted and appurtenant to the lands or place of use and to the purpose herein described, as provided by the laws of Idaho.
2. This right is subject to all prior water rights and may be forfeited by five years of non-use.
3. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. Industrial use is for production of ready-mix concrete & washing vehicles.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 24th day of SEPTEMBER, 1987.

Acting for the Director

Staff Analysis Sheet
for
Beneficial Use Field Report

63-9067
Permit No.

Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments
- ☒ Computer Data Proof Report
- ☒ Copy of U.S.G.S. Quad LOT-NO

Check of P/D index SJ 6/17/86 (Initials, date)

Overlap? ☐ yes ☒ no ☐ If yes, copy attached?

Check of P/U index SJ 6/17/86 (Initials, date)

Overlap? ☒ yes ☐ no ☒ If yes, copy attached? *- also see copy SJ 22, USGS map with attachments*

Aerial Photo

Required? ☐ yes ☒ no ☐ If yes, copy attached?

Scheduling Letter sent? BJ 6/12/86 (Initials, date)

☒ Appointment made and telephone conversation memo attached?

After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☐ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

Review and Processing

Exam Completed Glenn E. Linger 11/7/86 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent _____ (Initial and date)

Exam Reviewed by Manager of Regional Office DET 2/23/87 (Initial and date)

Exam Date Entered in Computer 2-9-87 (Initial and date)

Exam sent to State Office EH 3/4/87 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original Refiled in White File EH 2/22/87 (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 63-9067
Phone No. 344-7651
1. Owner: Consolidated Concrete Co., Inc.
Current Address: P.O. Box 9225, Boise ID 83707
2. Accompanied by: Bob Blanchard & Ben Bensinger EXAM. DATE: 6/26/86 + 11/7/86
Address: as above Phone No. 939-2065
Relationship to Permit Holder: employees
3. Source: groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: see attached microfiche - all others for irrigation, ∴ no conflict ☐ Copies Attached
2. Other water rights with same point of diversion: as above ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = not to scale

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required). ☐ Aerial Photo Attached
(required for irrigation of 10 acres or more).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Source is a well 231 ft. deep; 16" casing to 160' and 10" casing to 231 ft. Static water level is 3' below surface and pumping water level is about 14' below land surface. A 2 HP pump is present with 1.5" intake and discharge. 1.5" pipe becomes 3" pipe at an elbow about 4' from the well. 3" pipe conveys water to a storage tank (10,000 gallons); pipe is buried between well house and storage tank. Water is

☒ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Baldor	2	M 3555	Jacuzzi	DB1-1/2/93/20483

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
			SW	SE	22	4N	1E	Ada	topog. map

6. Place(s) of Use:

Indicate Method of Determination topog. map

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
4N	1E	22															X		

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Coll-Hall meter	2-5"				3"	
Manometer						

2. Measurements:

manometer readings: $31.2''$ $4.7'' \Rightarrow 10.1''$ (Hall Manometer inches)
 $- 26.5''$
 $4.7''$ pipe: 3"; area = 7.07"
 PSI of system was 22

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method: 10.1" represents 10.1 gpm per in² of pipe area

$$10.1 \text{ gpm/in}^2 \times 7.07 \text{ in}^2 = 71.41 \text{ GPM} \Rightarrow .16 \text{ cfs}$$

2. Alternate Method for Checking Purposes: Theoretical = assume 80% efficiency

$$\frac{HP \times 8.8 \times \text{effic.}}{1.47 + (PSI \times 2.3)} = \frac{2 \times 8.8 \times .80}{1.47 + (22 \times 2.3)} = \frac{14.08}{64.6} = .22 \text{ cfs}$$

Therefore, .16 cfs is reasonable

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

see attached sheet for volume calculations

note: estimate .04 cfs for domestic use

H. REMARKS AND OVERLAP REVIEW ANALYSIS

pumped to a pressure tank & from storage tank. Water is used to prepare Ready-Mixed concrete, to wash vehicles, and for domestic purposes at facility.

Note: System was measured ^{on} ~~2/2~~ 6/26/86; access port was near well. 27 GPM (.06 cfs) was measured on this date. Due to the access port's proximity to a change in pipe size & an elbow, this measurement was considered to be low. A new access port was installed in a ~~straight~~ straight section of 3" pipe near the storage tank, and 71.4 GPM (.16 cfs) was measured on 11/7/86. I feel that .16 cfs represents an accurate measurement of the diversion rate.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Industrial	1/1	12/31	.16	9.8
Domestic	1/1	12/31	~~.04~~ .04	1.1
Totals:			.16	10.9

2. Recommended Amendments

☐ Change P.D. as reflected above

☐ Add P.D. as reflected above

☒ None

☐ Change P.U. as reflected above

☐ Add P.U. as reflected above

☐ Other

J. AUTHENTICATION

Field Examiner's Name

Brad E. Dingee

Signature

Brad E. Dingee

Certification Date

Field Report Preparation Date

11/7/86

DRR 2/23/87

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.

Volume Calculations -- 63-9067

Industrial

Per conversations with Ben Bensinger and Bonnie Wisecaver (both Consol. Conc. employees), Consolidated Concrete produces on average 75,000 cubic yards of concrete per year.

- One truck carries about 10 yards
- One load of concrete requires about 350 gallons of water

$$\frac{75,000 \text{ yd}^3}{\text{year}} \times \frac{1 \text{ truckload}}{10 \text{ yd}^3} \times \frac{350 \text{ gallons}}{\text{truckload}} = 2625000 \text{ gal./yr.}$$

$$\frac{2625000 \text{ gals}}{\text{year}} \times \frac{1 \text{ a-f}}{325,850 \text{ gals}} = 8.1 \text{ afa}$$



estimate 75 gallons to wash truck & equipment; a truck is washed each time it is loaded w/concrete.

$$\frac{7500 \text{ loads}}{\text{yr.}} \times \frac{75 \text{ gals}}{\text{load}} = 562500 \text{ gals/yr. for washing}$$
$$= 1.7 \text{ afa}$$

total industrial: 9.8 afa.

Domestic:

estimate .04 cfs { 22 employees at facility; use water to wash & in bathroom.
from Table 7: 50 gals per person per shift; 6 shifts/wk.
$$\frac{6 \text{ shifts}}{\text{wk}} \times \frac{50 \text{ gals}}{\text{person}} \times \frac{22 \text{ persons}}{\text{shift}} \times \frac{52 \text{ wks}}{\text{yr}} = 343200 \text{ gals/yr} \Rightarrow 1.1 \text{ afa}$$





State of Idaho
DEPARTMENT OF WATER RESOURCES
WESTERN REGION, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

A. KENNETH DUNN
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-2190

October 8, 1986

Consolidated Concrete Co.
PO Box 9225
Boise, ID 83707

Attn: Bob Blanchard

Re: Permit No. 63-9067

Dear Mr. Blanchard:

It has been several months since we conducted the field examination for the above referenced permit, and I thought I'd review our situation. Using our instruments, we measured a diversion rate of .06 cfs (27 gallons per minute). This low measurement is apparently much less than the actual diversion rate and can be attributed to turbulence due to the proximity of the access port to an elbow as well as a change in pipe diameter. Given these circumstances, we would be willing to measure your system again, and the following options are possible:

1. Install an access port near the storage tank in a relatively straight portion of the pipe so that turbulence is not a problem.
2. Measure the flow using the storage tank. This could be done by calculating the cross-sectional area of the tank and timing water level rise while pumping.

I would like to resolve this problem as soon as possible, so I would ask that you contact our office within 30 (thirty) days to let us know your decision. If we do not hear from you within this time period, we will go ahead and process your license showing a diversion rate of .06 cfs.

Please feel free to call us if you have any questions.

Sincerely,

Brad E. Dingee
Sr. Water Resource Agent

BED:nl



State of Idaho

DEPARTMENT OF WATER RESOURCES

STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS

Governor

A. KENNETH DUNN

Director

63-9067
CONSOLIDATED CONCRETE CO.
P.O. BOX 9225
BOISE, ID 83707

Mailing address:
Statehouse
Boise, Idaho 83720

138888

April 30, 1986

CERTIFIED MAIL

EXAMINATION FEE NOTICE

Dear Permit Holder:

Department records show that proof of beneficial use has been submitted for the above-referenced permit, but that a field examination has not yet been conducted to determine the extent of beneficial use of the water for licensing purposes.

House Bill 671 (effective April 4, 1986) enacted by the 1986 Idaho Legislature requires the payment of a fee before this department can conduct the field examination needed to issue a license confirming use of water under the permit. This letter is notification that the license examination fee is due within sixty (60) days of the date of this letter. The examination fee information sheet (enclosed) must be returned with the fee.

As an alternative to submitting the fee, the department will accept a field examination report completed by a certified water right examiner from the private sector. If you choose to have the examination done by a certified water right examiner, you need not submit the license examination fee to the department, but you must within sixty (60) days of the date of this letter return to the department, the examination fee information sheet showing appropriate information together with a statement from the certified examiner to verify that you have retained a certified examiner to conduct the field examination. If you choose this alternative, a completed field examination report must be submitted within one year of the date of this letter. You cannot later change your decision to use this alternative and submit the fee needed for the department to conduct the field examination, but you may change to another certified examiner.

Certified water right examiners are licensed engineers, geologists, or land surveyors certified by the department to conduct water right examinations. The procedure for certifying examiners results from the recently enacted HB 671 and is being developed at this time. A listing

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

- - - - -

WESTERN REGIONAL OFFICE
450 W. STATE ST.
BOISE, IDAHO 83720
(208) 334-2190
JUNE 12, 1986

CONSOLIDATED CONCRETE CO.
P.O. BOX 9225
BOISE, ID 83707

FIELD EXAM NOTICE

RE: PERMIT NO. 63-9067

DEAR PERMIT HOLDER:

WE ARE PLANNING TO CONDUCT WATER RIGHT EXAMINATIONS IN THE VICINITY OF THE ABOVE - REFERENCED PERMIT DURING THE WEEK OF JUNE 23, 1986. AN EXAMINATION IS NEEDED TO VERIFY YOUR WATER USE IN ORDER TO ISSUE A WATER RIGHT LICENSE.

ONE OF THE CONDITIONS OF APPROVAL OF YOUR WATER PERMIT WAS THAT A FLOW MEASUREMENT PORT, ALSO KNOWN AS AN ACCESS PORT, BE INSTALLED TO PROVIDE FOR THE INSTALLATION AND DETERMINATION OF THE RATE OF DIVERSION BY THE DEPARTMENT. ENCLOSED IS AN INSTRUCTION SHEET FOR INSTALLING THE FLOW MEASUREMENT PORT. THIS PORT OR AN ALTERNATE MEASURING DEVICE MUST BE INSTALLED PRIOR TO THE TIME THE EXAMINER IS SCHEDULED TO CONDUCT YOUR EXAM.

IN ORDER TO CONDUCT YOUR EXAM AS EFFICIENTLY AS POSSIBLE WE ASK THAT YOU CALL THIS OFFICE TO SCHEDULE A DAY AND TIME CONVENIENT FOR YOU.

IF THERE IS A PROBLEM WITH SCHEDULING OR CONDUCTING THE EXAMINATION AT THIS TIME, PLEASE CALL AND OTHER ARRANGEMENTS CAN BE MADE.

SINCERELY,



JAN SHURTE
SENIOR WATER RESOURCE AGENT

CONVERSATION MEMORANDUM

DATE 6-20-86FILE 63-9067NAME OF PARTY Consolidated ConcreteEMPLOYEE Brad Dinger

344-7651

RE: Exam ; contact : Bob Blanchard

go out Highway 20 towards
Hewlett Packard ; turn on to Toplin
Road @ base of hill before Hewlett
Packard ; This leads to Aspen Rd
where Consolidated Concrete is located
(no street number)

- Thurs. , June 26 , 9:00 AM

- Friday 11/7/86 - mid-morning

- re-measure system

- ask for Bob Bensinger or Bob Blanchard

STATE OF IDAHO
Department of Water Resources

CERT No. 1238-120

No 40314

Boise, Idaho, 5/20, 1986

RECEIVED
FROM Consolidated Concrete Co Inc \$ 125⁰⁰
One hundred twenty five dollars & 00 DOLLARS

FOR

Exam Fee	\$	125 ⁰⁰
63-9067	\$	
	\$	
92-L	\$	
TOTAL - - -	\$	125 ⁰⁰

Quincy Parnas

REMITTANCE VOUCHER
DETACH BEFORE DEPOSITING CHECK

VOUCHER No 14952

DATE	REFERENCE	INVOICES	DEDUCTIONS	BALANCE
		BALANCE FORWARD		
	Examination fee Joplin	for Water Permit #63-9067		125.00 .

WHEN CORRESPONDING WITH US IN REGARD TO THE ITEMS ON THIS REMITTANCE,
PLEASE REFER TO THE ABOVE VOUCHER NUMBER.

CONSOLIDATED CONCRETE COMPANY

KEYPUNCHED

4/86

RECEIVED

MAY 17 1986

Department of Water Resources
Western Regional Office

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

EXAMINATION FEE INFORMATION

For Office Use Only OK
Fee Received 8/25
Date 5/20/86
Receipt # 40314
Receipt by JP
Sent to S.O. 5/27/86

RECEIVED

MAY 12 1986

1. Permit No. 63-9067

ONE OF THE FOLLOWING BOXES SHOULD BE MARKED TO DESIGNATE YOUR CHOICE: Department of Water Resources

☒ I choose to have the department make the field examination of this permit; attached is the examination fee. (If this box is marked, complete items 1 thru 8.)

2. Permit Holder: Consolidated Concrete Co., Inc.

3. Post Office Address: P.O. Box 9225, Boise, ID 83707

Telephone No. 344-7651

4. Source of Water: ARTESIAN Well

5. Extent of Use:

Domestic 1.15 ^{cfs} (No. of households) Stockwater _____ (No. and type of stock)

Irrigation _____ (acres) Other/Remark INDUSTRIAL 1.0 cfs

6. Total rate &/or volume for which proof is submitted 1.15 cfs _____ acre-feet

7. Show the date water was first diverted and beneficially used under this permit:

Jan 21, 1978

8. Person to contact to accompany the department representative during the field examination:

Bonnie Wisecaver Asst. mgr.
(Name)

P.O. Box 9225, 625 N. 31st Street Boise 344-7651
(Address) (Telephone Number)

☐ I choose to have the field examination conducted by a certified water right examiner. Attached is a statement from the certified examiner I have selected verifying that he has been retained to conduct the examination. (If this box is marked, complete items 1 thru 7.)

May 9, 86
Date

Bonnie Wisecaver Asst. mgr.
Signature of Permit Holder (and title, if appropriate)

BEFORE THE DEPARTMENT OF WATER RESOURCES
OF THE
STATE OF IDAHO

IN THE MATTER OF PERMIT NO. 63-9067 IN THE
NAME OF CONSOLIDATED CONCRETE COMPANY

ORDER OF REINSTATEMENT

WHEREAS, the Department has issued the above-captioned permit with the condition that proof of construction of works and application of water to beneficial use be submitted on or before January 1, 1983; and,

WHEREAS, the Department has notified the permit holder by certified mail that proof was due and instructed the permit holder as to the steps to be taken to make said proof; and,


WHEREAS, the Department has notified the permit holder that the permit has lapsed for failure of the permit holder to submit proof of beneficial use; and,

WHEREAS, Section 42-218a of the Idaho Code provides that a permit may be reinstated upon a showing of reasonable cause within sixty days of the date of the notice of lapsing; and,

WHEREAS, the permit holder has provided a reasonable showing as to why said permit should be reinstated by submitting proof of beneficial use on February 2, 1983;

IT IS, THEREFORE, HEREBY ORDERED that Permit No. 63-9067 be REINSTATED and the priority advanced to November 3, 1977.

Dated this 9th day of February, 1983.



L. GLEN SAXTON

Chief, Operations Bureau

KEYPUNCHED

DEPARTMENT OF WATER RESOURCES

The Idaho Department of Water Resources will consider this card as a statement that the permit holder(s) has completed development to the extent shown below of Permit No. 63-9067

Name(s) of Permit Holder: Consolidated Concrete Co

Post Office Address: P.O. Box 9225

Boise ID 83707 Tel. No. 3447641

Source of Water: Artesian well

Extent of Use: ☒ Domestic N/A (number of households)
☐ Stockwater (number and type of stock)
☐ Irrigation (acres)
☒ Other Industrial
S22 TAN-RIE

Measuring Device: Required? ☐ Yes ☐ No Installed? ☐ Yes ☐ No
 Access Port: Required? ☒ Yes ☐ No Installed? ☐ Yes ☐ No

The above information is a true statement of the extent to which the above numbered permit has been developed.

Jan 31, 1983 Date
Bonnie D. [Signature] Signature of Permit Holder
 KEYSTONE PERMITTING



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGION

John V. Evans
Governor

92 South Cole Road
Boise, Idaho 83705
(208) 384-2190

November 2, 1977

Re: Claim to a Water Right No. 63-4575 -- Darrel &/or Inez C. Paradis
63-4579 -- Richard L. Lloyd
63-4581 -- T. L. Mitchell
63-9071 -- Idaho Land Developers, Inc.
63-9067 -- Consolidated Concrete Co.

Idaho Statesman
Box 40
Boise, ID 83707

Gentlemen:

Enclosed you will find a legal notice which we wish to have published on the dates indicated (once a week for two consecutive weekly issues) in your newspaper. If you cannot publish the notice on the proposed dates, please contact us immediately.

An affidavit of publication must be submitted to the Department along with the publication bill. In order to receive payment, the following certification must appear on the bill:

"I hereby certify that the foregoing account is just and correct, that the amount claimed is legally due after allowing all just credits and that no part of the same has been paid."

(Signature of Claimant)

Please send the affidavit of publication and publication billing to this office before November 28, 1977.

Sincerely,

RITA FLECK
Secretary

NOTICE OF APPLICATION FOR WATER PERMIT

Notice is hereby given that Consolidated Concrete Co.
~~Box 1597 Boise, ID 83701~~
has on 10-2-77 submitted Application No. 63-9067
for a permit to appropriate 1.115 cubic feet per second acre feet
per annum of water from a well & groundwater source
~~xxxxxxxxxx~~
by means of pumps
within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 22 T4N R1E B.M. County of Ada
to be used from Jan 1 to Dec 31 1977
for Industrial & domestic purposes
within the SW $\frac{1}{4}$ SE $\frac{1}{4}$ Sec 22 T4N R1E

If issued, this permit will be subject to all prior water rights. Protests against the granting of the permit must be filed with the Director of the Idaho Department of Water Resources, 92 South Cole Road, Boise, Idaho 83705 on or before November 26, 1977.

C. STEPHEN ALLRED

Director

Published in the Idaho Statesman
on November 10, 1977 and November 17, 1977.

Identification No. _____

Application No. 63-9067

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

APPLICATION FOR PERMIT APPROVED

To Appropriate the Public Waters of the State of Idaho

(TYPE OR PRINT IN INK)

1. Name of applicant Consolidated Concrete Company Phone: 344-7651
post office address P. O. Box 1597, Boise, Idaho 83701
2. Source of water supply Well; Ground Water which is a tributary of _____
3. a. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 4N
Range 1E B.M. Ada County; additional points of diversion if any: _____

b. If water is not consumed, it will be discharged into Settling Basin at a point in SW $\frac{1}{4}$
of SE $\frac{1}{4}$ of Section 22 Township 4N Range 1E B.M. ADA County
4. Water will be used for the following purposes:
Amount 1.0 for Industrial purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount .115 for Domestic purpose from January 1 to December 31 (both dates inclusive)
(cfs or acre-feet per annum)
Amount _____ for _____ purpose from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)
- 5 Total quantity to be appropriated:
a. 1.115 cubic feet per second and/or 500 gal. per minute at 60 lbs.
b. _____ acre feet per annum, 2 - 4" Discharge
6. Proposed diverting works:
a. Description of ditches, flumes, (pumps,) headgates, etc. The installation will have 2 pumps,
15 H.P. each with capacity of 250 gallons per minute each.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre feet; total reservoir
capacity _____ acre feet, materials used in storage dam: _____
Period of year during which storage will occur _____ to _____ inclusive.
(Mo. Day) (Mo. Day)
c. Proposed well diameter is 16 inches; proposed depth of well is 80-100 feet.
- 7 a. Time required for the completion of the works and application of the water to the proposed beneficial use
is 5 years.
b. Estimated construction cost is \$ 9,200.00
8. Description of proposed uses:
a. If water is **not** for irrigation:
(1) Give the place of use of water: SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 22 Township 4N
Range 1E B.M. _____
(2) Amount of power to be generated: None hp under _____ feet of head.
(3) List number of each kind of livestock to be watered None

(4) Name of municipality to be served None, or number of families to be
supplied with domestic water None
(5) If water is to be used for other purposes describe: Water will be used for production of
Ready Mixed Concrete and in plant sanitary use.

b. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

TWP	RANGE	SEC	NE ¹ / ₄				NW ¹ / ₄				SW ¹ / ₄				SE ¹ / ₄				TOTALS
			NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	NE ¹ / ₄	NW ¹ / ₄	SW ¹ / ₄	SE ¹ / ₄	

Total number of acres to be irrigated _____

c. Describe any other water rights used for the same purposes as described above. _____


9. a. Who owns the property at the point of diversion Boise Sand & Gravel Company

b. Who owns the land to be irrigated or place of use Boise Sand & Gravel Company

c. If the property is owned by a person other than the applicant, describe the arrangement enabling the applicant to make this filing Lease

10. Remarks _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

CONSOLIDATED CONCRETE COMPANY
344-7651

P. O. BOX 1597 - BOISE, IDAHO - 83701

(Applicant)

L. H. Gray, Mgr.

Proposed Priority 10/02/77

Received by SSS Date Oct 2, 1977 Time 1:45 P.M.

Preliminary check by RWH Fee \$ 35.00

Receipted by y Date 10-28-77 # 96464

Publication prepared by I. I Date 11-2-77

Published in Idaho Statesman

Publication dates 11-10-11-17-77

Publication approved y Date 11-25-77

Priority reduced to y Reason _____

Protests filed by: _____

Copies of protests forwarded by: _____

Hearing held by: _____ Date: _____

Recommended for approval denial by JHJ WWH

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9067, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before January 1, 1983.
- c. Other: For licensing purposes a scientific measurement of the diversion rate of the system as it is normally operated shall be provided by either properly installing an approved type of measuring device or by having a professional engineer certify the rate of diversion to the Department prior to submitting proof of beneficial use of water. (2) The issuance of this permit in no way grants any right-of-way or easement across the land of another.

Witness my hand this 12 day of January, 19 78.

[Signature]
Deputy Director