


Trill's
Races

X8

R1E R2E

EAGLE QUADRANGLE
IDAHO

7.5-MINUTE SERIES (ORTHOPHOTOQUAD)



Idaho Department of Water Resources

Claim: 63-09209
Date Prepared: 04-25-03
By: Ron Howerton

T05N, R02E
S30




● Point of Diversion

Place of use

Section

1/4 1/4

8 acres



0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 Miles

1987 NAPP

Idaho Department of Water Resources

Claim: 63-09209
Date Prepared: 04-25-03
By: Ron Howerton

T05N, R02E
S30




○ Point of Diversion

Place of use

Section

1/4 1/4




0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 Miles

1987 NAPP

63-9209



P/D
well 1/4 mile N. of Dry Creek
on Broken Horn Road.



P/U
Looking East from well
area.



05-1201
5N 2E 9209-31
5.30

Lot 5 in W4W4
of S. 30, 31


UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

IDAHO—ADA CO.

7.5 MINUTE SERIES (TOPOGRAPHIC)

R. 1 E. R. 2 E.

11415' 162 HORSESHOE BEND 14 MI 163



IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number 63-9209
Date Received: 6/14/1989
Receipt No: W003231
Received By:

AMENDED

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**

1. Name of Claimant(s)

M W BELIVEAU Phone: (208)939-6385
14440 BROKEN HORN RD
BOISE ID USA 83703

KATHRYN L BELIVEAU Phone: (208)939-6385
14440 BROKEN HORN RD
BOISE ID USA 83703

2. Date of Priority: 01/23/1979

3. Source: GROUND WATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4 Lot	County	Type
05N	02E	30	SE SW	ADA	

5. Description of diverting works:

WELL & PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or) A.F.A
IRRIGATION	03/15	11/15	0.16	36

7. Total Quantity Appropriated is:

0.16 C.F.S. and/or 36 A.F.A.

8. Total consumptive use:

9. Non-irrigation uses:

10. Place of use:

Township	Range	Section 1/4 of 1/4	Lot	Use	Acres
05N	02E	30	SE SW	IRRIGATION	8
Section Acres					8
Total Acres					8

11. Place of use in counties: ADA

12. Do you own the property listed above as place of use? Yes

13. Other Water Rights Used:

14. Remarks:

CLAIM AMENDED BY APPROVED LICENSE DATED 09/12/89. RDH 04/25/03.

CLAIM PAID BY RECEIPT NO. W003231.

State of Idaho
Department of Water Resources

RECEIVED
SEP 15 1989

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09209

Department of Water Resources
Western Regional Office

Priority: January 23, 1979

Maximum Diversion Rate:

0.16 CFS

Maximum Diversion Volume:

36.0 AF

This is to certify, that M. W. BELIVEAU

RT. 1 BROKEN HORN RD.

BOISE, ID 837030000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated January 23, 1979; and has submitted Proof of Beneficial Use on June 25, 1982. An examination indicates that the works have a diversion capacity of .260 cfs of water from a **GROUNDWATER** source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	03/15 to 11/15	0.16 CFS	36.0 AF

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 30, Township 05N, Range 02E
ADA County

PLACE OF USE: IRRIGATION

<u>TWN RGE SEC</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
05N 02E 30	SESW 8			8


Total number of acres irrigated: 8

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to reflect cropping patterns or acceptable standards of water delivery efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. This right when combined with all other rights shall provide no more than .02 cfs per acre nor more than 4.5 afa per acre for the lands above.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 12th day of SEPTEMBER, 1989.

Acting for


R. Keith Higginson, Director

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-9209A

WATER RIGHT NUMBER: 63-9209A

<u>Owner Type</u>	<u>Name and Address</u>
Original Owner	M W BELIVEAU 14440 BROKEN HORN RD BOISE, ID 83703 (208)939-6385
Original Owner	KATHRYN L BELIVEAU 14440 BROKEN HORN RD BOISE, ID 83703 (208)939-6385

Priority Date: 01/23/1979

Basis: License

Status: See Remarks

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	3/15 to 11/15	0.180 CFS	
	<u>Total Diversion:</u>	0.180 CFS	

Location of Point(s) of Diversion

GROUND WATER	SE1/4SW1/4	Sec. 30, Twp 05N, Rge 02E, B.M.
ADA County		

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
05N	02E	30												9.0					9.0

Total Acres: 9

Conditions of Approval:Remarks:

- General THIS CLAIM HAS BEEN RENUMBERED TO 63-9209.

Comments:Dates and Other Information:

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-9209A

Dates and Other Information:

Claim Received Date: 6/14/1989

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

State or Federal: S

Owner Name Connector: AND

Water District Number:

Generic Max Rate Per Acre:

Generic Max Volume Per Acre:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Carey Act Number:

Mitigation Plan: False

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A63-09209A
Date Received: 6/14/1989
Receipt No: W003231
Received By: CTR

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: M. W. BELIVEAU 208-939-6385
Address: 14440 BROKEN HORN RD.
BOISE, ID 83703-0000

AND/OR

Name: KATHRYN L. BELIVEAU 208-939-6385
Address: 14440 BROKEN HORN RD.
BOISE, ID 83703-0000

2. Date of Priority: JAN 23, 1979

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
05N	02E	30	SE	SW			ADA

5. Description of diverting works:
120' DRILLED WELL W/SUBMERSED PUMP W/PIPELINE TO P.O.U.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	03/15	11/15	0.180		

7. Total Quantity Appropriated is:
0.180 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
05N	02E	30	SE	SW		IRR	9.0
Section Acres							9.0
Total Acres							9.0

11. Place of use in counties: ADA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:
THIS CLAIM IS A SPLIT OF 63-09209.

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Kathryn L. Beliveau Date: 6/14/89

Date: _____

State of Idaho)
County of Ada) ss.

Subscribed and sworn (or affirmed) before me this 14 day
of June 19 89

Eldon L. Roush
Notary Public

Seal

Residing at _____

My Commission Expires _____

Eldon L. Roush
Residing at Boise, Idaho
My Commission Expires September 8, 1994

Water Right Number	- 63-09209	Adj.	Flag Translation:	Standard Water Right Number	Old (D) Number
+ - - - -	Last Name	- - - +	+ - First Name	- - - Address	- - - - - +

*** C - CURRENT OWNER ***
BELIVEAU

M. W.

1 - RT. 1 BROKEN HORN RD.
2 -
3 -
City- BOISE
State- ID zip- 837030000
phone -

[illegible]

Twn	Rng	Sec	Tract	Lot	Rflg	County	Point of Diversion
05N	02E	30	SE SW			(1) ADA	

Code	Description	Period From	Water Use Period To	Diversion Rate	Diversion Volume
01 -	IRRIGATION	03/15	11/15	0.410	

+ - Total Div. Rate	- +	+ - Total Div. Volume	- +	+ - Total Div. Capacity	- +
				0.410	

Twn	Rng	Sec	Tract	Lot	Acres	Code	Description	County
05N	02E	30	SE SW		21.0	01	IRRIGATION	(1) ADA

Total Acres: 21.0

+ - - Diversion Means - WELL & PUMP
+ - - Non-Irrigation Use -
+ - - Other Rights for Same Use -

Date	Remarks
	No Remarks found.

+ - - - - - Conditions of Approval - - - - -
No Conditions of Approval found.

+ - - -	- Decree Plaintiff	- - +
+ - - -	- Decree Defendant	- - +
		+ - Decree Date - 00/00/0000

+ - - Audit Fields -

Water right number	63-09209	Adj. flag translation:	Standard Water Right Number
Proof Due Date	04/01/1985	Field Exam Made	06/08/1987
Approved/Denied	03/05/1979	Protested Date	00/00/0000
Proof Made Date	01/01/1900	Hearing Date	00/00/0000
Start Work Date	00/00/0000	Verified Date	04/08/1985
Order Show Cause	00/00/0000	Receipt Number	00/00/0000
Licensed Date	00/00/0000	Appl Received	00/00/0000
Decree Date	00/00/0000		
		Field Exam Fee	R
		Swan Falls	
		Temporary Right	P
		DLE/Carey Act	
		Water District	
		Transfer/Amended	

Completed

06/23/2003

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 63-9209

NAME AND ADDRESS: M W BELIVEAU
14440 BROKEN HORN RD
BOISE ID 83703

KATHRYN L BELIVEAU
14440 BROKEN HORN RD
BOISE ID 83703

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 0.160 CFS
36.000 AFY

PRIORITY DATE: 01/23/1979

POINT OF DIVERSION:

T05N R02E S30 SESW Within ADA County

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE
IRRIGATION

PERIOD OF USE
03/15 11/15

QUANTITY
0.160 CFS
36.00 AFY

THE USE OF WATER FOR IRRIGATION UNDER THIS RIGHT MAY BEGIN AS EARLY AS MARCH 1, PROVIDED OTHER ELEMENTS OF THE RIGHT ARE NOT EXCEEDED. THE USE OF WATER BEFORE MARCH 15 UNDER THIS REMARK IS SUBORDINATE TO ALL WATER RIGHTS HAVING NO SUBORDINATED EARLY IRRIGATION USE AND A PRIORITY DATE EARLIER THAN THE DATE A PARTIAL DECREE IS ENTERED FOR THIS RIGHT.

PLACE OF USE: IRRIGATION Within ADA County
T05N R02E S30 SESW 8.0

8 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: License

IN-OFFICE

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION FIELD REPORT**

Prior to Field Exam

- ☒ Copy of Claim, claim has been signed, sealed, and dated by notary?
- ☒ Check fees paid
- ☐ Well logs (if needed)
- ☒ Copy of topo or NAPP
- ☒ Check of Govt. Lots, if needed, Govt. Plat/Tax lot information
- ☒ Check POD & POU overlap, see below – include overlapping right for exam
- ☐ Evidence of Priority – if none, talk with claimant

CLAIMANT INFORMATION – verify contact information is completeClaim No(s) 63-9209

Owner: _____ Phone No. _____

Current Address: _____

- ☒ No change NAME IS THE SAME
- ☐ NEW OWNER _____
- ☐ No change Address
- ☐ NEW ADDRESS _____
- ☐ How long owned property? _____

Accompanied by: _____

PRIORITY DATE

- ☒ No change – Complete evidence submitted or not necessary
- ☐ Incomplete – Claimant should be asked when water was first used and submit proof of date.
- ☐ Priority date is acceptable/within mandatory filing dates?

Priority date, per claimant, is: _____

(If priority date, based on your exam, seems questionable, explain below.)

Source: _____ Tributary to _____

- ☒ No Change – SAME SOURCE
- ☐ Source found is different than claimed: _____

POINT OF DIVERSION

- ☒ No change
- ☐ POD found is different than claimed: _____
- ☐ If different, when did POD change? _____

DIVERSION AND DELIVERY SYSTEM

Points of Diversion:

ID #	Govt Lot #	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks GPS ID

Description of diverting works

SEE ATTACHED B/W FIELD REPORT**OVERLAP REVIEW**Other water rights with the same point of diversion: NONE FOR SAME USE

Does overlap add acres or uses to existing system, increase rate of flow or volume, or other? Explain:

WATER USES☒ No change☐ Different UsesShould Revoke FOR SOL AS
FEARLY AS 311

Use _____ From _____ To _____ Amount _____ CFS _____ AFA

Use _____ From _____ To _____ Amount _____ CFS _____ AFA

Use _____ From _____ To _____ Amount _____ CFS _____ AFA

TOTAL VOLUME - Groundwater only☐ Incomplete on claim, the total is, Amount _____ CFS _____ AFA☐ Changes found, the new total is, Amount _____ CFS _____ AFA☐ More than 1" per Acre? Yes _____ (claimant must complete excess flow sheet)**NON-IRRIGATION USES:**☒ No change☐ Changes Exam found: Domestic # of homes _____ Stock # _____

Types _____ Additional comments: _____

PLACE OF USE:☒ No Change☐ Changes shown below:

Place of Use			NE				NW				SW				SE				Totals
TWP	RGE	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	

Overlap with other water rights: 63-3168 - IRRIGATION
63-15691 - DES

Does overlap increase rate of flow, volume, additional acres, different source for same acres? Explain:
NO - CLAIMANT DID NOT WANT PART OF 3168 - SEE
MEMO IN FILE DATED FEB. 22, 1979.

Delivery System Narrative: SEE ATTACHED D/W FIELD REPORT

Well or Diversion Identification No GPS ID	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge size

FLOW MEASUREMENTS: IN FIELD REPORT

Attach appropriate documents


NARRATIVE/REMARKS/COMMENTS

SEE ATTACHED D/W FIELD REPORT AND
MEMO DATED 3-27-1989.

Idaho Department of Water Resources

Claim: 63-09209
Date Prepared: 04-25-03
By: Ron Howerton

T05N, R02E
S30




⊙ Point of Diversion

☐ Place of use

☐ Section

1/4 1/4

8 acres




0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 Miles

1987 NAPP


Idaho Department of Water Resources

Claim: 63-09209
Date Prepared: 04-25-03
By: Ron Howerton



0 0.1 0.2 0.3 0.4 0.5 0.6 0.7 Miles

T05N, R02E
S30



© Point of Diversion

Place of use

Section

1/4 1/4

1987 NAPP

MEMORANDUM

TO: File 63-9209

FROM: Jim Johnson

DATE: March 27, 1989

RE: Telephone conversation with permit holder

The permit holder called me on this date in reference to the prelicense correspondence I sent on March 20, 1989.

He did not agree with the number of acres shown irrigated, he believed that 8 acres were irrigated instead of the six shown by the examination.

I reviewed the examination and since the area was so small and due to the possible distortion error of the aerial photo I could not confirm if 6 or 8 acres were irrigated.

Rather than schedule a reexamination over such a minor amount I agreed to adjust the examination to reflect 8 acres irrigated.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

63-9209

Staff Analysis Sheet
for
Beneficial Use Field Report

Permit No.

SE SW TO SW SE

A. Prior to Conducting the Exam, the File Contains:

- ☒ Blank Field Report Form
- ☒ Copy of Permit
- ☒ Copies of any Amendments/Orders with conditions of approval
- ☐ Computer Data Proof Report *NO*
- ☒ Copy of U.S.G.S. Quad
- ☒ Check for Government Lots. If so, make a copy of Government Plat

Check of P/D index QJ 5-21-87 (Initial and date)

Overlap? ☐ yes ☒ no If yes: ☐ copy of exam(s) attached?

Type of Overlap? ☐ Add acres or uses to existing system
☐ Increase rate of flow or volume
☐ Other: _____

Check of P/U index QJ 5-28-87 (Initial and date)

Overlap? ☒ yes ☐ no If yes: ☒ copy of water right(s) attached?

Type of Overlap? ☐ Increase rate of flow or volume
☐ Add P/D's
☐ Increase number of acres within tracts
☒ Other: See memo

Aerial Photo

Required? ☒ yes ☐ no If yes: ☒ copy attached?

Scheduling Letter sent? 5/29/87 SL (Initial and date)

☒ Appointment made and telephone conversation memo attached

B. After Conducting the Exam, the File Contains:

- ☒ Fully completed and signed Field Report Form
- ☒ Photographs of Point of Diversion and Place of Use
- ☒ Corrected Computer Data Proof Report with recommended license information, and date and signature of examiner.

C. Review and Processing:

Exam Completed Stan Lente 6/15/87 (Signature of examiner and date)

Exam Reviewed by Senior Water Resource Agent LD 1/12/88 (Initial and date)

Exam Reviewed by Manager of Regional Office AMS 1/20/88 (Initial and date)

Exam Date Entered in Computer ✓ (Initial and date)

Exam sent to State Office JD 1/28/88 (Initial and date)

Copy of Staff Analysis Sheet sent to Manager of Regional Office and Original
Refiled in White File _____ (Initial and date)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

A. GENERAL INFORMATION


Permit No. 63-9209
1. Owner: M. W. Bellevue Phone No. 939-5385
Current Address: Rt. 1 Broken Horn Road Boise, ID 83703
2. Accompanied by: Time EXAM. DATE: 5/8/67
Address: _____ Phone No. _____
Relationship to Permit Holder: _____
3. Source: Groundwater tributary to _____

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-3168
_____ ☒ Copies Attached
2. Other water rights with same point of diversion: NONE
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached



Scale: 1" = NOT TO SCALE

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.)

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date
Pressure gauge					1/2" PSI	
pitot						

2. Measurements:

30 WS1 9/64" Rainbirds

Pressure: 46, 48, 50, $\bar{x} = 48$

Sprinkler chart: 3.95 gpm/ft.

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method: $\frac{30 \times 3.95}{448.8} = .26 \text{ cfs}$ but $.02 \text{ cfs/ft} \times 6 \text{ ft} = .12 \text{ cfs}$

2. Alternate Method for Checking Purposes:

no well log available but surrounding deeper wells have static levels ≥ 200 ft. Assume $\frac{1}{2}$ ft. static pumping level for 110' well.

$$Q = \frac{(8.8)(6.8)(7.5)}{(2.31 \times 50) + 20} = \frac{52.8}{195.5} = .27 \text{ cfs}$$

F. PUMP EFFICIENCY DATA (Optional)

N/A - no access to well, no direct flow measurement on pressure.

Discharge Pressure: _____ psi $\times 2.31 =$ _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3)

; Flow rate: _____ cfs (4)

Water HP: (3) $\times$ (4) $\div 8.8 =$ _____ (5)

Meter Input KW: 3.6 $\times$ _____ KH $\times$ _____ CTR or _____ MULT $\times$ _____ PTR $\times$ _____ N/ _____ T = _____ (6)

Meter Input HP: (6) $\times 1.34 =$ _____ (7)

Panel Input KW: _____ Ave PF $\times$ _____ Ave Volts $\times$ _____ Ave Amps $\times .001732 =$ _____ (6)

Panel Input HP: (6) $\times 1.34 =$ _____ (7) Efficiency: (5)/(7) $\times 100 =$ _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 67(4.0) = 270$$

$$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = (.12)(245)(1.9835) = 58.3$$

$$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} = 27.0$$

2. Volume Calculations for Other Uses:

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

110' deep well and 2" casing with a 7 1/2 hp. submersible pump and 4" mainline describes this system. Two 3" irrigation lines each have 15 Rainsafe 30 wtr. "54" nozzle sprinklers. Additionally, a 1/2" hoses leads from well near casing to irrigate a small pasture near house (5000 sq ft) serves as holding area for milk stock from time to time).

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
	Berkley	7 1/2	N.T.A.	same	N.T.A. 4" MAIN

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
					20	5N	2E	ADA	USGS MAP, D.S.S. photo.
									well is 1/4 mile N. of Dry Creek & just E. of road.

6. Place(s) of Use:

Indicate Method of Determination same as above

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
5N	2E	30											6						6

(ACTUAL MEASURED AREA = 5.85 acres)

Do not use this space

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Overlap, P/U only. NO Real conflict.

63-3168 See attached memos about this. The area in question is the 21 acres in $6\frac{1}{2}$ SE $\frac{1}{4}$ SW $\frac{1}{4}$ rather than E $\frac{1}{2}$. The memos especially R. Shaw's 2/22/79 one cover the situation very well. The older license last applied water to Rehrman's land 9 years ago, according to Mr. Nelson.

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
Irrigation	3/15	11/15	.12	27.0
Totals:				

2. Recommended Amendments

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

J. AUTHENTICATION

Field Examiner's Name Steve Lester

Signature Steve Lester


Certification Date _____

Field Report Preparation Date 2/28/88


AD
1/12/88

CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



63-9209



P/D

well 1/4 mile N. of Dry Creek
on Broken Horn Road.



P/U

Looking East from well
area.




03-1201
5N 2E 9209-31
5.30

Lot 3 in W4 NW 2
06 S. 30, 31

UNITED STATES
DEPARTMENT OF THE INTERIOR
IDAHO--ADA CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)
GEOLOGICAL SURVEY

7°30' / 11°15' 162 HORSESHOE BEND 14 MI / 163
R.1.E. R.2.E. 360,000 FEET



February 22, 1979

M E M O R A N D U M

TO: File 63-3168 & 63-9209

FROM: D. Shaw *DS*

SUBJECT: Partial Abandonment of 63-3168

W 1/2 Sec. 30 12/29/87

The 21 acres in approximately the E 1/4 SE 1/4 SW 1/4, Sec. 30, Twp. 5N, Rge. 2E were originally covered by water right license 63-3168 which was developed by Bates. Beliveau purchased the Bates' property and then split the property and sold the portion on which the well that is covered by license 63-3168 is situated.

Mr. Beliveau assumed that selling the well left his property (the 21 acres described above) dry and filed a new water right application. After the duplication was identified Mr. Beliveau was informed he could probably file a transfer on the portion of 63-3168 on his property and add a point of diversion which would allow him to use the old license and preserve that priority date.

Mr. Beliveau said he was not interested in filing a transfer and wanted only to have his new application approved.

Therefore, it appears that the portion of water right license 63-3168 covering 21 acres in approximately the E 1/4 SE 1/4 SW 1/4, Sec. 30, Twp. 5N, Rge. 2E has been abandoned.

W 1/2

kk

Contacted Mr. Beliveau on 2/21/79 regarding
the double coverage of this 20 acres.
Water Right License 63-3168 was issued
in the name of Frank Bates, Beliveau
purchased the Bates Farm then split
the farm and resold. The well went
with the ground that was sold to the
third party, the 21 acres was left
dry by this sale. Mr. Beliveau does not
wish to file a transfer, only to have his
new permit approved, 6 h Sisco