


A03-09718 18



MICROFILMED
AUG 24 1992

Idaho Department of Water Resources

**T04N, R01E,
S23, S24, S25**

Claim No: 63-9718

Prepared By: Kimberly Brown

Date: October 27, 2005



Place of Use



Section Lines




1/4 1/4



Point of Diversion

Acres Irrigated = 11.0




300 0 300 600 Feet

1987 NAPP

This is a cadastral map of a river valley area, likely from a historical survey. The map is oriented with North at the top. It shows a grid of sections, with sections 21 through 36 labeled. The river, labeled 'RIVER', winds through the center of the map. Several parcels are highlighted in orange, including parcels 1, 2, 3, 4, and 5 in section 24, and parcels 1, 2, 3, 4, and 5 in section 25. The map includes a grid with bearings and distances, such as 'S. 89° 56' W. 79.73' and 'N. 89° 51' W. 80.00'. Handwritten notes in red ink are visible on the left side, including 'Survey' and '1000'.

4K15



N. 89° 58' E.

9718	9751
------	------

16550



Idaho Department of Water Resources

1987 Napp Photo




1 Miles

0.75

0.5

0.25

0



Claim Number: 63-09718
Legal: T4N, R1E, S23, 24, 25
Reviewed By:


● Point of Diversion



Place of Use



Section Lines




Quarter Quarter Lines

C. DIAGRAMS


1. Measurement Location

Scale: _____ = _____



2. Cross-Section of Measurement

Scale $\frac{1}{2}$ in. = 1 ft.



10 cells

#2-9 ARE 1' wide, i.e. 4.3' - 5.3' with measurement at 4.8'
 #1 is .3' wide
 #10 is .1' wide } NO FLOW

D. SUMMARY INFORMATION

1. Measurement rated _____ excellent _____ good ^{to fair} _____ fair _____ poor

2. Remarks: _____

3. Width: 8.4 ft Area: 11.1 ft² Discharge in cubic feet per second: 3.21

DATE


5/26/88

SIGNATURE OF PERSON CONDUCTING MEASUREMENT

Steve Lister

MICROFILMED


MAY 19 1992



63-9718

Point of diversion.

Pipe leads from
lake ~~to~~ ~~under~~ under-
ground to lake
system in subdivision.



Typical lake
at Riverside Village.
(One of seven lakes)



MICROFILMED

MAY 19 1992

Water from the lake
system discharges
into Riverside Cr.,
which discharges
into the Boise R.



63-9718



P.D. # 1
(irrigation &
re-diversion)




P.D. # 2
(irrigation &
re-diversion)

Both photos show typical irrigated
strips surrounding lakes.

MICROFILMED
MAY 19 1992

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Nile G. Letta

Nile G. Letta (Applicant)
Riverside Village Associates-City Corp.
Managing Partner

63-9718

14 13
23 24

13 18
24 19

State
Street

0300
T447
31.4

0534
T572
15.0

0518
T558
28.5

0344
T465
33.3

0312
T453
1.7

irrigated

ditch

measurement
point

P.D. #1
(irrig.)

P.D.

pipe

Glenwood St.

measurement
point

23 24
26 25

24 19
25 30

P.D. #2
(irrig.)

0314
T454
15.0


Village
Lake

D 9

NOT TO SCALE

MICROFILMED

MAY 19 1992



Scale:

1" = 300'

0

500

feet

APR 19 1992

WINDMILL

63-9713

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A63-09718
Date Received: 7/14/1989
Receipt No: W003766
Received By: lw

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: RIVERSIDE VILLAGE ASSOCIATES 208-853-1200
Address: C/O JOHN EVANS
4920 RIVERVISTA WAY
BOISE, ID 83703

2. Date of Priority: APR 03, 1981

3. Source: VILLAGE LAKE Trib. to: BOISE RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
04N	01E	24	SE	SW			ADA

5. Description of diverting works:
PUMP & PIPELINE.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	0.440		
AESTHETIC	01/01	12/31	4.000		

7. Total Quantity Appropriated is:
4.440 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
ASTHETIC PURPOSES AROUND ROADWAY

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
04N	01E	23	SE	SE		IRR	3.0

A63-09718

Page 1

Date: 07/14/89

MICROFILMED
AUG 24 1992

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
04N	01E	23	SE	SE		AES	
						Section Acres	3.0
		24	SW	SW		IRR	2.0
			SW	SW		AES	
			SE	SW		IRR	1.0
			SE	SW		AES	
			SW	SE		IRR	1.0
						Section Acres	4.0
		25	NW	NE		IRR	2.0
			NE	NW		IRR	2.0
						Section Acres	4.0
						Total Acres	11.0

11. Place of use in counties: ADA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A63-09751, A63-10348

14. Remarks:

P/D LOCATED ON GREENBELT LAND.

IRRIG. TO BE DONE DURING NON-PUBLIC USE PERIOD (2 INCHES/ACRE).

THE MAP USED TO DETERMINE P/D IS AN OLD MAP; THEREFORE, THE P/D MAY BE IN SW, SE 1/4, SEC. 24; T4N, R1E, AS INDICATED ON LICENSE.

THE ORIGINAL DIVERSION IS OUT OF VILLAGE LAKE. FROM THERE IS A PIPELINE FOLLOWING A SERIES OF LAKES CONNECTED BY PIPELINES WHICH HAS ITS OUTFLOW INTO THE BOISE RIVER AT NW, SE 1/4, SECTION 23, T4N, R1E.

ALL OF THE IRRIGATED & AES. AREAS ARE N. OF THE RIVER SO THERE MAY BE NO USAGE IN SECTION 25.

ITEM 9: NON-IRRIGATION USES: FLOW THROUGH WATER SUPPLY SUPPORTING 15 PONDS WITH THE OUTFLOW RETURNING TO THE BOISE RIVER AT THE WEST END OF THE DEVELOPMENT. THE WATER PROVIDES AN AESTHETIC SETTING FOR APPROX. 170 HOME SITES IN RIVERSIDE VILLAGE DEVELOPMENT.

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do do not wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Organizations:

I do solemnly swear or affirm that I am Development Manager of Riverside Village Association, that I have signed the foregoing document in the space below as Development Manager of Riverside Village Association and that the statements contained in the foregoing document are true and correct.

John G. Warner
Signature of Authorized Agent
Develop. Mgr. Riverside Village Assoc.
Title and Organization
7-14-89
Date

State of Idaho)
County of Ada) SS.

Subscribed and sworn (or affirmed) before me this 14 day
of July 19 89

Linda A. Werner
Notary Public

Seal

Residing at Linda A. Werner
Residing at Boise, Idaho
My Commission Expires December 8, 1994



State of Idaho
Department of Water Resources

RECEIVED
JUN - 3 1992

WATER RIGHT LICENSE
WATER RIGHT NO. 63-09718

Department of Water Resources
Western Regional Office

Priority: April 3, 1981

Maximum Diversion Rate: 3.21 CFS
Maximum Diversion Volume: 127.5 AF

This is to certify, that IDAHO FOREST INDUSTRIES INC.

P.O. BOX 1020

COEUR D'ALENE ID 838140000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 3, 1981; and has submitted Proof of Beneficial Use on June 28, 1982. An examination indicates that the works have a diversion capacity of 3.210 cfs of water from:

VILLAGE LAKE tributary to BOISE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.44 CFS	49.5 AF
AESTHETIC STORAGE	01/01 to 12/31		78.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	3.21 CFS	
Totals		3.21 CFS	127.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWSE), Sec. 24, Township 04N, Range 01E
ADA County

<u>PLACE OF USE: IRRIGATION</u>		<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>			
04N	01E	23	Lot 11(SESE) 1		1
		24	Lot 4(SWSW) 3	Lot 3(SESW) 3	7
		25	Lot 3(NWNE) 2	Lot 2(SWSE) 1	3
			Lot 4(NENW) 1		
Total number of acres irrigated:					11

PLACE OF USE: AESTHETIC STORAGE
TWN RGE SEC

04N 01E 24 Lot 4(SWSW) Lot 3(SESW)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

MICROFILMED
AUG 24 1992

State of Idaho
Department of Water Resources**WATER RIGHT LICENSE**

WATER RIGHT NO. 63-09718

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.
7. This right when combined with all other rights shall provide no more than .04 cfs per acre nor more than 4.5 afa per acre for the lands above.
8. Upon a future determination by the Department that water is lost, to the injury of prior right holders, the losses shall be replaced by a source acceptable to the Department.
9. The place of use for irrigation is a greenbelt.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 7th day of MAY, 1992.

Acting for  R. Keith Higginson, DirectorMICROFILMED
AUG 24 1992

RECEIVED
SEP 24 1991

SEP 24 1991

WATER RIGHT NO. 63-09718 Department of Water Resources

Maximum Diversion Rate: 3.21 CFS
Maximum Diversion Volume:¹ 127.5 AF

and represents to the Director of the

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-09718, and requests that the permit be changed as follows:

tributary to **BOISE RIVER**

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.44 CFS	49.5 AF
AESTHETIC STORAGE	01/01 to 12/31		78.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	3.21 CFS	
	Totals	3.21 CFS	127.5 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 2(SWSE), Sec. 24, Township 04N, Range 01E
ADA County

<u>TWN</u>	<u>RGE</u>	<u>SEC</u>		<u>ACRES</u>		<u>ACRES</u>		<u>ACRES</u>	<u>TOTAL</u>
04N	01E	23	LOT 11(SESE)	1					1
		24	LOT 4(SWSW)	3	LOT 3(SESW)	3	LOT 2(SWSE)	1	7
		25	LOT 3(NWNE)	2	LOT 4(NENW)	1			3

Total number of acres irrigated: 11

<u>TWN RGE SEC</u>			<u>LOT</u>	
04N 01E 24	LOT 4(SWSW)		LOT 3(SESW)	

MICROFILMED
AUG 24 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09718

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Boise, this 23 day of September, 1991.

Idaho Forest Industries, Inc.

(Signature)

John L. Evans
(Site manager)

MICROFILMED
AUG 24 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09718

FOR DEPARTMENT USE ONLY

Preliminary check by SC Fee = \$20.00

Received by J

Date 9-24-91

#C021838

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-09718 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .04 cfs per acre nor more than 4.5 afa per acre for the lands above.
5. Place of use for irrigation is a greenbelt.

Witness my hand this 7th day of MAY, 1992.

R. Keith Higginson
Acting for R. Keith Higginson, Director

MICROFILMED
AUG 24 1992

1/30/1989

SRBA CLAIMS RECEIVING CHECKLIST #2

CLAIMANT'S NAME Riverside Village Assoc. CLAIM IDENT. NO. A63-09718DATE RECEIVED 7-14-89 CK # 031822 AMOUNT \$ 1,561.00 YES ☒ NO ☐ Required Info? ☒

1. Is the name and address complete with zip code? ☒ YES ☐ NO ☐ Required Info? ☒
2. Is a priority date entered? ☒ YES ☐ NO ☐ Required Info? ☒
Is the priority date acceptable in view of mandatory filing dates? ☒ YES ☐ NO ☐ Required Info? ☒
See Adjudication Memos #1 and #4 to determine if a Permit is required.
3. (a) Is a source entered? ☒ YES ☐ NO ☐ Required Info? ☒
(b) Is a tributary to entered? (if required) ☒ YES ☐ NO ☐ Required Info? ☒
4. Is the legal description of the p.d. sufficient? ☒ YES ☐ NO ☐ Required Info? ☒
5. Is there a description of the diverting works? ☒ YES ☐ NO ☐ Required Info? ☒
6. Are the water uses appropriate for the form? The short form is limited to domestic and stockwater uses with direct diversion. All claims that include storage or instream stockwater must use long form. ☒ YES ☐ NO ☐ Required Info? ☒
Is the period of use included? ☒ YES ☐ NO ☐ Required Info? ☒
Is a quantity claimed for each use? ☒ YES ☐ NO ☐ Required Info? ☒
7. Is a total quantity claimed entered? ☒ YES ☐ NO ☐ Required Info? ☒
8. If required is a consumptive use entered? ☒ YES ☐ NO ☐ Required Info? ☒
Is the consumptive use correct? ☒ YES ☐ NO ☐ Required Info? ☒
9. Are the non-irrigation uses listed properly? If this claim is on the short form, and more than one domestic use is listed, single ownership must be stated. If not under single ownership, see Adjudication Memo # 4. ☒ YES ☐ NO ☐ Required Info? ☒
10. Is (are) the place(s) of use and purpose(s) indicated? ☒ YES ☐ NO ☐ Required Info? ☒
11. Is (are) the county(ies) entered? ☒ YES ☐ NO ☐ Required Info? ☒
12. Is the ownership of p.u. checked? ☒ YES ☐ NO ☐ Required Info? ☒
13. Are other water rights listed or "none" indicated? ☒ YES ☐ NO ☐ Required Info? ☒
14. If required, are remarks correct? (If the claimant does not own the place of use, authority for filing the claim must be explained in the remarks.) ☒ YES ☐ NO ☐ Required Info? ☒
15. Is the basis of the claim indicated? ☒ YES ☐ NO ☐ Required Info? ☒
16. If the claimant requested a monthly docket sheet, is payment enclosed? (If yes, describe payment status in "Comments" below.) ☒ YES ☐ NO ☐ Required Info? ☒
17. Is the claim signed by the claimant, and is the signature appropriate? Organizations must complete the organization block. ☒ YES ☐ NO ☐ Required Info? ☒
18. Has the claim been signed, sealed, and dated by a notary? ☒ YES ☐ NO ☐ Required Info? ☒
19. Was this claim filed on time, or was an extension granted? ☒ YES ☐ NO ☐ Required Info? ☒
20. Is the fee enclosed correct? ☒ YES ☐ NO ☐ Required Info? ☒
21. If this claim is based on an existing water right, has the identification number been entered? ☒ YES ☐ NO ☐ Required Info? ☒
22. Should this claim be receipted and data entered? ☒ YES ☐ NO ☐ Required Info? ☒

Claim checked by: MH Date: 8-1-89Claim must be returned to claimant: ☒ (Yes) ☐ (No)Claimant must be notified of modifications: ☒ (Yes) ☐ (No)

Receipt Prepared by: _____ Date: _____
 Claim data entered by: _____ Date: _____
 Sent to claimant by: _____ Date: _____

Comments: _____

MICROFILMED

AUG 24 1992

AG3-9718

$$\$50 + \$11 + \$400 = 461$$

AG3-9751

$$50 + 600 = 650$$

— AG3-10348

$$50 + \$400 = 450$$

\$1561.00

Riverside Village Owners Assoc.

10/27/2005

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 63-9718

NAME AND ADDRESS: RIVERSIDE VILLAGE HOMEOWNERS ASSN
4884 LAKE PARK PL
GARDEN CITY ID 83714

SOURCE: VILLAGE LAKE

TRIBUTARY: BOISE RIVER

QUANTITY: 3.210 CFS
127.500 AFY

PRIORITY DATE: 04/03/1981

POINT OF DIVERSION:

T04N R01E S24 SWSE Lot 2 Within ADA County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	04/01 11/01	0.440 CFS 49.50 AFY
DIVERSION TO STORAGE	01/01 12/31	3.210 CFS
AESTHETIC STORAGE	01/01 12/31	78.00 AFY

The use of water for irrigation under this right may begin as early as March 1 and may continue to as late as November 15, provided other elements of the right are not exceeded. The use of water before April 1 and after November 1 under this remark is subordinate to all water rights having no subordinated early or late irrigation use and a priority date earlier than the date a partial decree is entered for this right.

PLACE OF USE:

IRRIGATION Within ADA County

T04N R01E S23 Lot 11 SESE 1.0	T04N R01E S24 Lot 4 SWSW 3.0
T04N R01E S24 Lot 3 SESW 3.0	T04N R01E S24 Lot 2 SWSE 1.0
T04N R01E S25 Lot 3 NWNE 2.0	T04N R01E S25 Lot 4 NENW 1.0

AESTHETIC STORAGE Within ADA County

T04N R01E S24 Lot 3 SESW	T04N R01E S25 Lot 4 SWSW
--------------------------	--------------------------

11 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

The place of use for Irrigation is a greenbelt.

Idaho Department of Water Resources

**T04N, R01E,
S23, S24, S25**

Claim No: 63-9718

Prepared By: Kimberly Brown

Date: October 27, 2005



Place of Use




Section Lines



1/4 1/4

● Point of Diversion

Acres Irrigated = 11.0



300 0 300 600 Feet

1987 NAPP



10/27/05

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-9718

WATER RIGHT NUMBER: 63-9718 ✓

Owner Type

Current Owner

Name and Address

RIVERSIDE VILLAGE HOMEOWNERS ASSN ✓
4884 LAKE PARK PL
GARDEN CITY, ID 83714
(208)853-0211

Original Owner

IDAHO FOREST INDUSTRIES INC ✓
C/O JOHN EVANS
PO BOX ~~1000~~ 1020
COEUR D'ALENE, ID 83814
(208)853-1200

Priority Date: 04/03/1981 ✓

Basis: ~~Permit~~ license

Status: Active

Source

VILLAGE LAKE ✓

Tributary

BOISE RIVER ✓

Beneficial Use

AESTHETIC *Storage*

IRRIGATION ✓

Diversion to Storage ✓

From To

1/01 to 12/31 ✓

4/01 to 11/01 ✓

1/1 - 12/31
Total Diversion:

Diversion Rate

~~4.000 CFS~~

0.440 CFS ✓

3.21

~~4.440 CFS~~

3.21

Annual Volume

78.0

49.5

127.5

Location of Point(s) of Diversion

VILLAGE LAKE

ADA County ✓

L2 ~~SE 1/4 SW 1/4~~
SWSE

Sec. 24, Twp 04N, Rge 01E, B.M. ✓

Place of Use

AESTHETIC *Storage*

Twp Rge Sec	NE				NW				SW				SE				Totals
04N 01E 23	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	X
✓ 04N 01E 24										X	X						

44 63
LS LS

IRRIGATION ✓

Twp Rge Sec	NE				NW				SW				SE				Totals
✓ 04N 01E 23	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	2.0
																	1.0

2.11

ADD S39 Season of Use is 3/1 to 11/15. in *Omitted lands*

ADD - The place of use for irrigation is a greenbelt.

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-9718

✓ 04N 01E 24				2.0 4.0	1.0 7.0
✓ 04N 01E 25	2.0 (L3) in Omitted Lands	2.0 1.0 (L4) in Omitted Lands		3.0 1.5 1.4 1.5	4.0 3.0
Total Acres: 11 ✓					

Conditions of Approval:

1. P/D LOCATED ON GREENBELT LAND.
IRRIG. TO BE DONE DURING NON-PUBLIC USE PERIOD (2 INCHES/ACRE). THE MAP USED TO DETERMINE P/D IS AN OLD MAP; THEREFORE, THE P/D MAY BE IN SW,SE1/4, SEC. 24; T4N, R1E, AS INDICATED ON LICENSE.
THE ORIGINAL DIVERSION IS OUT OF VILLAGE LAKE. FROM THERE IS A PIPELINE FOLLOWING A SERIES OF LAKES CONNECTED BY PIPELINES WHICH HAS ITS OUTFLOW INTO THE BOISE RIVER AT NW,SE1/4, SECTION 23, T4N, R1E.
ALL OF THE IRRIGATED & AES. AREAS ARE N. OF THE RIVER SO THERE MAY BE NO USAGE IN SECTION 25.
ITEM 9: NON-IRRIGATION USES: FLOW THROUGH WATER SUPPLY SUPPORTING 15 PONDS WITH THE OUTFLOW RETURNING TO THE BOISE RIVER AT THE WEST END OF THE DEVELOPMENT. THE WATER PROVIDES AN AESTHETIC SETTING FOR APPROX. 170 HOME SITES IN RIVERSIDE VILLAGE DEVELOPMENT.

Remarks:Comments:Water Supply Bank:

* electronic backfile available

Field Exam Date 10.27.05

(in office review)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION FIELD REPORT

Prior to Field Exam

- ☒ Copy of Claim, claim has been signed, sealed, and dated by notary?
- ☒ Check fees paid \$461.⁰⁰
- ☐ Well logs (if needed) N/A
- ☒ Copy of topo or NAPP
- ☒ Check of Govt. Lots, if needed, Govt. Plat/Tax lot information
- ☒ Check POD & POU overlap, see below – include overlapping right for exam
- ☐ Evidence of Priority – if none, talk with claimant N/A

CLAIMANT INFORMATION – verify contact information is complete

Claim No(s) A63-9718

Owner: Riverside Village Assoc. Phone No. (208) 853-1200

Current Address: _____

- ☐ No change NAME IS THE SAME
- ☐ NEW OWNER _____
- ☐ No change Address
- ☐ NEW ADDRESS _____
- ☐ How long owned property? _____

Accompanied by: N/A

PRIORITY DATE

- ☒ No change – Complete evidence submitted or not necessary
- ☐ Incomplete – Claimant should be asked when water was first used and submit proof of date.
- ☒ Priority date is acceptable/within mandatory filing dates?

Priority date, per claimant, is: _____

(If priority date, based on your exam, seems questionable, explain below.)

Source: Village Lake Tributary to _____

- ☒ No Change – SAME SOURCE
- ☐ Source found is different than claimed: _____

POINT OF DIVERSION

- ☐ No change
- ☒ POD found is different than claimed: SW SE , Govt. lot 2
- ☐ If different, when did POD change? _____

DIVERSION AND DELIVERY SYSTEM

Points of Diversion:

ID #	Govt Lot #	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks GPS ID
	2		SW	SE					

Description of diverting works

See Field Report.**OVERLAP REVIEW**

Other water rights with the same point of diversion: _____

Does overlap add acres or uses to existing system, increase rate of flow or volume, or other? Explain: _____

WATER USES☐ No change☐ Different Uses

Season of use is 3/1 to 11/15.

Use Aesthetic From _____ To _____ Amount 0 CFS 78.0 AFA

Use Diversion to Storage From 1/1 To 12/31 Amount 3.21 CFS 49.5 AFA

Use _____ From _____ To _____ Amount _____ CFS _____ AFA

TOTAL VOLUME - Groundwater only☒ Incomplete on claim, the total is, Amount _____ CFS 127.5 AFA☒ Changes found, the new total is, Amount 3.21 CFS _____ AFA☐ More than 1" per Acre? Yes _____ (claimant must complete excess flow sheet)**NON-IRRIGATION USES:**☐ No change☒ Changes Exam found: Domestic # of homes _____ Stock # _____

Types _____

Additional comments: _____

ADD "Storage" to Aesthetic & ADD Diversion to Storage**PLACE OF USE:**☐ No Change☒ Changes shown below:Place of use for irrigation is a greenbelt.

I don't agree with some of the government lots as licensed.
 The place of use in ArcView is now located in Gov. lots
 11 & 5, not Gov. lots 4 & 3.

Place of Use			NE				NW				SW				SE				Totals
TWP	RGE	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
		23																1.0	1.0
		24											3.0	3.0				2.1	7.0
		25		1.3			1.0						1.5	1.5			1.2		3.0
							1.4												

Overlap with other water rights: 63-9751 (Aesthetics)

Does overlap increase rate of flow, volume, additional acres, different source for same acres? Explain:

Delivery System Narrative: See Field Report.

Well or Diversion Identification No GPS ID	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge size

FLOW MEASUREMENTS:

Attach appropriate documents

NARRATIVE/REMARKS/COMMENTS

Season of use is 3/1 to 11/15.

The place of use for irrigation is a greenbelt.


AFTER EXAM THE FILE SHOULD CONTAIN:

- ☒ Completed claim checklist
- ☒ Photographs of POD's and POU
- ☐ GPS readings
- ☒ Completed map and or GIS layout showing POD's and POU

DATE EXAM CONDUCTED: 10-27-05 (in office review)

FIELD EXAMINER: Kimberly Brown

survived



3.25.04

CONVERSATION MEMO

w/

Michael Ciscell -

the last surveys were done

in 1880's,

there are not any recent surveys

"a tough area"

Michael checked for new data ...

~~1996 BLM~~

No, there's

no new area information.

"omitted
lands"

do we have the
microfilm plats?


⊗ look for Gov't. lot
for SESE of 23 ←

Raig "Yes" -
go look at ours

suggestion:

"keep lots the same as lic."

44



N. 89° 58' E.

8718 8715

16550

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM POU REVIEW REPORT
ADJUDICATION CLAIM NUMBER: 63-9718

10/27/2005

1

Right #	Type	Twp	Rge	Sec	QQ	Q	Lot	Purpose of Use	Acres/Total	Name
9718	Claim	04N	01E	23	SE	SE		IRRIGATION	3/11	RIVERSIDE VILLAGE HOMEOWNERS ASSOCIATION
9718	Water Right	04N	01E	23	SE	SE	11	IRRIGATION	1/11	IDAHO FOREST INDUSTRIES INC
9718	Claim	04N	01E	24	SW	SW		IRRIGATION	2/11	RIVERSIDE VILLAGE HOMEOWNERS ASSOCIATION
9718	Water Right	04N	01E	24	SW	SW	4	IRRIGATION	3/11	IDAHO FOREST INDUSTRIES INC
1026A	Claim	04N	01E	24	SE	SW		IRRIGATION	0.1/1.1	LYNNE MARCUS
1651A	Claim	04N	01E	24	SE	SW		IRRIGATION	5/5	MICHAEL J EDDY
9718	Claim	04N	01E	24	SE	SW		IRRIGATION	1/11	RIVERSIDE VILLAGE HOMEOWNERS ASSOCIATION
4026	Water Right	04N	01E	24	SE	SW		IRRIGATION	15/40	DENNIS E FLAKE
4651	Water Right	04N	01E	24	SE	SW		IRRIGATION	6/6	ALICE M FLAVELLE
9718	Water Right	04N	01E	24	SE	SW	3	IRRIGATION	3/11	IDAHO FOREST INDUSTRIES INC
2406	Claim	04N	01E	24	SW	SE		IRRIGATION	2/29248	DRAINAGE DIST NO 2
1026A	Claim	04N	01E	24	SW	SE		IRRIGATION	0.2/1.1	LYNNE MARCUS
9718	Claim	04N	01E	24	SW	SE		IRRIGATION	1/11	RIVERSIDE VILLAGE HOMEOWNERS ASSOCIATION
17679	Claim	04N	01E	24	SW	SE		IRRIGATION	8/8	JACK HOKE
24066	Claim	04N	01E	24	SW	SE		IRRIGATION	1.7/1.7	JACK HOKE
2406	Water Right	04N	01E	24	SW	SE		IRRIGATION	2/29248	DRAINAGE DIST NO 2
4026	Water Right	04N	01E	24	SW	SE		IRRIGATION	15/40	DENNIS E FLAKE
1026C	Claim	04N	01E	24	SW	SE	2	IRRIGATION	2/2	SARAH TOTORICA
9718	Water Right	04N	01E	24	SW	SE	2	IRRIGATION	1/11	IDAHO FOREST INDUSTRIES INC
9718	Claim	04N	01E	25	NW	NE		IRRIGATION	2/11	RIVERSIDE VILLAGE HOMEOWNERS ASSOCIATION
9718	Water Right	04N	01E	25	NW	NE	3	IRRIGATION	2/11	IDAHO FOREST INDUSTRIES INC
9718	Claim	04N	01E	25	NE	NW		IRRIGATION	2/11	RIVERSIDE VILLAGE HOMEOWNERS ASSOCIATION
16668	Claim	04N	01E	25	NE	NW		IRRIGATION	1/1	JOHN EARL COFFEY TRUST
9718	Water Right	04N	01E	25	NE	NW	4	IRRIGATION	1/11	IDAHO FOREST INDUSTRIES INC

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09718

Priority: April 3, 1981

Maximum Diversion Rate: 3.21 CFS
Maximum Diversion Volume: 127.5 AF

This is to certify, that IDAHO FOREST INDUSTRIES INC.

P.O. BOX 1020

COEUR D'ALENE ID 838140000

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated April 3, 1981; and has submitted Proof of Beneficial Use on June 28, 1982. An examination indicates that the works have a diversion capacity of 3.210 cfs of water from:

VILLAGE LAKE

tributary to BOISE RIVER

source, and a water right has been established as follows:

BENEFICIAL USE	PERIOD OF USE	RATE OF DIVERSION	ANNUAL VOLUME
IRRIGATION	04/01 to 11/01	0.44 CFS	49.5 AF
AESTHETIC STORAGE	01/01 to 12/31		78.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	3.21 CFS	
Totals		3.21 CFS	127.5 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 2(SWSE), Sec. 24, Township 04N, Range 01E
ADA County

PLACE OF USE:	IRRIGATION					
TWN	RGE	SEC	ACRES	ACRES	ACRES	TOTAL
04N	01E	23	Lot 11(SESE) 1			1
		24	Lot 4(SWSW) 3	Lot 3(SES) 3	Lot 2(SWSE) 1	7
		25	Lot 3(NWNE) 2	Lot 4(NENW) 1		3
Total number of acres irrigated:						11

PLACE OF USE: AESTHETIC STORAGE
TWN RGE SEC

04N 01E 24 Lot 4(SWSW) Lot 3(SES)

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.

MICROFILMED

MAY 9 1992

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09718

CONDITIONS/REMARKS:

2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.
7. This right when combined with all other rights shall provide no more than .04 cfs per acre nor more than 4.5 afa per acre for the lands above.
8. Upon a future determination by the Department that water is lost, to the injury of prior right holders, the losses shall be replaced by a source acceptable to the Department.
9. The place of use for irrigation is a greenbelt.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code.
Witness the seal and signature of the Director, affixed at Boise, this 7th
day of MAY, 1992.

Acting for R. Keith Higginson, Director

MAY 19 1992

RECEIVED
65224 1001

APPLICATION FOR AMENDMENT

(For Licensing Purposes)

WATER RIGHT NO. 63-09718 Department of Water Resources

Maximum Diversion Rate: 3.21 CFS
Maximum Diversion Volume:¹ 127.5 AF

APPROVED

and represents to the Director of the

That he is the owner and holder of Permit to appropriate the Public Waters of the State of Idaho No. 63-09718, and requests that the permit be changed as follows:

tributary to BOISE RIVER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
IRRIGATION	04/01 to 11/01	0.44 CFS	49.5 AF
AESTHETIC STORAGE	01/01 to 12/31		78.0 AF
DIVERSION TO STORAGE	01/01 to 12/31	3.21 CFS	
	Totals	3.21 CFS	127.5 AF

LOCATION OF POINT(S) OF DIVERSION: LOT 2(SWSE), Sec. 24, Township 04N, Range 01E
ADA County

<u>PLACE OF USE:</u>		<u>IRRIGATION</u>	<u>ACRES</u>	<u>ACRES</u>	<u>ACRES</u>	<u>TOTAL</u>
<u>TWN</u>	<u>RGE</u>	<u>SEC</u>				
04N	01E	23	LOT 11(SESE) 1			1
		24	LOT 4(SWSW) 3	LOT 3(SESW) 3	LOT 2(SWSE) 1	7
		25	LOT 3(NWNE) 2	LOT 4(NENW) 1		3
Total number of acres irrigated:						11

PLACE OF USE: AESTHETIC STORAGE
TWN RGE SEC

04N 01E 24 LOT 4(SWSW) LOT 3(SESW)

UNRECORDED

MAY 19 1992

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09718

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk.

Signed at Borise, this 23 day of September, 1991.

Idaho Forest Industries, Inc.

(Signature)

John L. Ivana
(Sub manager)

MICROFILMED

MAY 19 1991

State of Idaho
Department of Water Resources

APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 63-09718

FOR DEPARTMENT USE ONLY
Preliminary check by EC Fee = \$20.00 Received by JJ Date 9-24-91 #C021838

ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, R. Keith Higginson, of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 63-09718 with the following;

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
4. This right when combined with all other rights shall provide no more than .04 cfs per acre nor more than 4.5 afa per acre for the lands above.
5. Place of use for irrigation is a greenbelt.

Witness my hand this 7th day of MAY, 1992.

Ron Egan
Acting for R. Keith Higginson, Director

MAY 10 1992

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT

APPROVED

To appropriate the public waters of the State of Idaho

1. Name of applicant Riverside Village Associates Phone 345-8111

Post office address P. O. Box 8866 Boise, Id. 83707

2. Source of water supply Village Lake (new) which is a tributary of Boise River

3. Location of point of diversion is SW $\frac{1}{4}$ of SE $\frac{1}{4}$ of Section 24 Township 4N

Range 1E B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 4.0 for Aesthetics purposes from Jan. 1 to Dec. 31 (both dates inclusive)
(cfs or acre-feet per annum)

Amount .44 for irrigation purposes from Apr. 1 to Nov. 1 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 4.44 cubic feet per second and/or b. _____ acre-feet per annum.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. _____

1. A pipe insert below lake surface. 2. Pump to be located adjacent to the lake
and irrigation pipe used to irrigate greenbelt along river.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is one years (minimum 1 year — maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation: SW SW 24
(1) Give the place of use of water: SE $\frac{1}{4}$ of SW $\frac{1}{4}$ of Section 24 Township 4N

Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.


(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: to provide continuous flow of waterway.
No water is to be extracted and water that is diverted will be discharged into
the river after it leaves waterway. This amount of water is required to keep
the waterway flowing and prevent stagnant algee water from developing.

MICROFILMED

11. Map of proposed project show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Nile G. Letta
Nile G. Letta (Applicant)
Riverside Village Associates-City Corp.
Managing Partner

MICROFILMED

Chief, Operations Bureau

A. Allen Boynton

Witness my hand this 8th day of July, 1981.

The issuance of this permit in no way grants any right-of-way or easement across the land of another.
Use of water under this permit is subject to control by the watermaster of State Water District # 63, Boise River.

- d. Other:
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before August 1, 19 82.
- a. SUBJECT TO ALL PRIOR WATER RIGHTS ON THE BOISE RIVER.
1. Approval of said application is subject to the following limitations and conditions:
- This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9718, and said application is hereby approved.

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

Recommended for approval denial by 185 *JS*

Hearing held by _____ Date _____

Copies of protests forwarded by _____

Protests filed by: none

Publication approved yes Date 5/2/81

Publication dates 4/23 & 4/30/81

Published in Idaho Statesman

Publication prepared by yes Date 4/16/81

Received by yes Date 4/3/81 # 17376

Preliminary check by yes Fee \$ 125.00

Received by yes Date 4/3/81 Time 11:30

Proposed Priority

4/3/81

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

KEYPUNCH

A. GENERAL INFORMATION

1. Owner: Idaho Forest Industries, Inc. Permit No. 63-9718
Phone No. 765-1414
Current Address: Box 1020, Coeur d'Alene, ID 83814
2. Accompanied by: John Evans EXAM. DATE: 12/16/86
Address: 4912 Riverfront Place, Boise, ID 83703 Phone No. 336-0383
Relationship to Permit Holder: site manager
3. Source: Village Lake tributary to Boise River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-9751 (aesthetics only)
☐ Copies Attached
2. Other water rights with same point of diversion: none
☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. **Diversion System Diagram:** Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☐ Alternative diagram attached

- see attached aerial photographs and diagrams

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached
Showing location(s) of point(s) of diversion and place(s) of use (required).
- ☒ Aerial Photo Attached
(required for irrigation of 10 acres or more).
- ☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater).

MICROFILMED
MAY 19 1992

☒ See Remarks on page 4 for continuation

*Code to correspond with No. on map and aerial photo

[illegible][illegible]

2661 G 1 1992

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5/26/88: measured 3.21 cfs flowing into pond system from Boise River;

8/86 1.77 cfs measured flowing from lake system back to river (45% loss)

9/88: BHA Engineers (Joe Canning) measured 2.68 cfs inflow;

1.09 cfs outflow (59% loss)

Irrigation: no measurement; allow .44 cfs (see permit requesting .04 cfs per acre)

E. FLOW CALCULATIONS

☒ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (6)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{IR} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) = 11 \text{ acres} \times 4.5 \text{ afa} = 49.5 \text{ afa}$

$V_{DR} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 = .44 \times 214 \times 1.9835 = 93.4 \text{ afa}$

$V = \text{Smaller of } V_{IR} \text{ and } V_{DR} = 49.5 \text{ afa}$

2. Volume Calculations for Other Uses:

Aesthetics: area of lakes is 5.2 acres; avg. depth is 15 ft.

Volume = 5.2 acres x 15 ft = 78.0 a-f

RECEIVED
MAY 19 1992

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Land also is irrigated along the Boise River (what Riverside Village calls a "private green belt")

Note: The recommendations below best describe the actual use and require an amendment. However, I recommend that no amendment fee be charged to the permit holder. The original application was approved by IDWR as a simple direct flow, yet the application describes a lake system (i.e., storage)

Note: see attached evaporative loss calculation sheet.

1. RECOMMENDATIONS (see remarks)

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
	From To	Q (cfs)	V (ata)
irrigation	April 1	44	49.5
div. to storage	1/1 12/31	3.21	78.0
aesthetics storage	1/1 12/31	3.21	127.5
Totals:		3.21	127.5

2. Recommended Amendments (see remarks)

- ☐ Change P.D. as reflected above
- ☐ Add P.D. as reflected above
- ☐ Change P.U. as reflected above
- ☐ Add P.U. as reflected above
- ☐ Other nature of
- ☐ None

J. AUTHENTICATION

Field Examiner's Name Brad E. Dingee
 Signature Brad E. Dingee
 Certification Date _____
 Field Report Preparation Date _____
 CONSULTANT SEAL

K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



MAY 19 1989



1.0 AC

3.0 AC

3.0 AC

2.0 AC

2.0 AC

Idaho Department of Water Resources


Claim Number: 63-09718
Legal: T4N, R1E, S23, 24, 25
Reviewed By:

⊙ Point of Diversion

☐ Place of Use

☐ Section Lines

☐ Quarter Quarter Lines



1987 Napp Photo



IDWR - WESTERN REGION

CONTRACTOR: Karan Waters

CLAIM/ID: 63-09718

Date: 5-20-01

	TNS	RNG	SEC	NE				NW				SW				SE				Sum
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
Claim	4N	1E	23															3		3
GIS																		2		2
Claim	4N	1E	24											2	1			1		4
GIS														3.7	2.8			25		9
Claim	4N	1E	25		2			2												4
GIS					0			0												0
Claim																				
GIS																				

Number of POD's 1

Total Claimed Acres: 11

Overlapping POU Claim #'s:

Total GIS Acres: 11


COMMENTS:

* POD is in SWSE according to map

C. DIAGRAMS


1. Measurement Location

Scale: _____ = _____



2. Cross-Section of Measurement

Scale: 10 m = 1 ft



12.5 ft

1.2 ft wide no. 4.1 ft with measurement, 4.8

4.1 ft wide

4.1 ft wide

4.1 ft wide

} no flow

D. SUMMARY INFORMATION

1. Measurement rated _____ excellent ☒ good _____ fair _____ poor

2. Remarks: _____

3. Width: 8.4 ft Area: 11.1 ft² Discharge in cubic feet per second: 3.21

DATE

12/1/88

SIGNATURE OF PERSON CONDUCTING MEASUREMENT

John L. Latta

UNPROCESSED

MAY 19 1992

WATER RIGHT SUMMARY

<u>ACTION</u>	<u>RIGHT NO.</u>	<u>NAME</u>	<u>AMOUNT CFS</u>
Original Permit	63-9718	Riverside Village Associates	4.44
Full Assignment	63-9718	Idaho Forest Industries, Inc.	4.44

MICROFILMED

May 19, 1992

IDAHO FOREST INDUSTRIES INC.
P.O. BOX 1020
COEUR D ALENE ID 83814-0000

RE: Water Right No. 63-09718

Dear Water Right Holder(s):

Department water right records show that you divert water from the Snake River or its tributaries under a water right that has a priority date later than December 29, 1976. This is the priority of the established minimum stream flow of the Snake River at the Weiser Gage (Weiser) in the amount of 4,750 cubic feet per second.

Because of the continuing drought conditions in the Snake River Basin, department hydrologists project that during 1992, there could be periods when the required minimum flow will not be satisfied due to low flows of the Snake River. The department urges you to not divert at a higher rate than authorized by your water right and to not use your right in any manner different than authorized. In addition, when the minimum flow will not be satisfied or is not being satisfied, you are required to cease diverting water under your water right, because your right is of later priority than the minimum stream flow at Weiser.

If the department determines the minimum flow will not be satisfied, the department will advise you and will provide as much lead time as possible in requiring that you temporarily cease your diversion of water. The greatest likelihood for this to occur is during a period from mid-June to late June.

While the department expects good cooperation from junior water right holders, water users should be aware that Section 42-352, Idaho Code, provides for penalties of up to \$100 per day for unauthorized diversions of water.

The department has contacted both the Idaho Power Company and the U.S. Bureau of Reclamation with respect to the timing of storage releases from upstream reservoirs for flow enhancement purposes. This type of coordination could minimize the impact on

existing water users and reduce the need to curtail diversions.

The department has scheduled public information meetings relative to this potential regulation as follows:

Mountain Home - June 4, 1992 - 10:00 a.m. - gymnasium at
North Elementary School, 290 E. 12th N.

Caldwell - June 4, 1992 - 7:00 p.m. - Ballroom in the
Student Union Building, Albertson College of Idaho,
2112 Cleveland

If you have questions concerning this letter or wish to provide the name of a different contact person or address to receive department correspondence, please contact the department.

Sincerely,

L. GLEN SAXTON
Chief, Water Allocation Bureau

LGS:klg

63-

Water Right No.
(if applicable)

.90

1. Name of stream or ditch: _____ .92
2. Location: T. 4 N., R. 1 E., S. 25 NW 1/4 NE 1/4 _____
3. Person conducting measurement: Steve Lester _____ .94
4. Date and time of measurement: 5/26/88 2:00 _____
5. Accompanied by: Quentin Nesbitt and regional summer examiners _____ .96
6. Measuring device size and ID no.: Pygmy meter # 090184 _____
7. Spin test before measurement OK? yes after measurement OK? yes _____ .97
8. Purpose of measurement: Beneficial use exam and training for new examiners _____ .98

.99

Angle co-efficient	Dist. from initial point ft.	Width ft.	Depth ft.	Observation depth ft.	Revolutions	Time in seconds	VELOCITY		Adjusted for hor. angle or	Area ft ²	Discharge cfs	
							At point ft/s	Mean in vertical				
LEW	3.0	—	—	—	—	—	—	—	—	—	—	1.00
	3.15	.3	.15	—	—	—	—	—	—	.045	No Flow	
	3.8	1.0	.5	.6	6	60	.100	—	—	.500	.050	
	4.8	1.0	1.2	.6	9	46	.196	—	—	1.200	.235	.99
	5.8	1.0	1.7	.6	12	45	.267	—	—	1.700	.454	
	6.8	1.0	1.9	.6	15	46	.326	—	—	1.900	.619	.98
	7.8	1.0	1.95	.6	15	44	.341	—	—	1.950	.665	
	8.8	1.0	1.7	.6	15	42	.357	—	—	1.700	.607	.97
	9.8	1.0	1.25	.6	16	45	.356	—	—	1.250	.445	.96
	10.8	1.0	.85	.6	7	44	.159	—	—	.850	.135	
	11.35	.1	.10	—	—	—	—	—	—	.010	No Flow	.94
REW	11.4	—	—	—	—	—	—	—	—	—	—	
									TOTAL	=	3.210	.92
												.90


MICROFILMED
 MAY 18 1992

MICROFILMED
MAY 19 1992

C. DIAGRAMS


1. Measurement Location

Scale: _____ = _____



2. Cross-Section of Measurement

Scale $\frac{1}{2}$ in. = 1 ft.



10 cells

2-9 are 1' wide, i.e. 4.3' - 5.3' with measurement at 4.8'
 # 1 is .3' wide
 # 10 is .1' wide } No flow

D. SUMMARY INFORMATION

1. Measurement rated _____ excellent _____ good ^{to fair} _____ fair _____ poor

2. Remarks: _____

3. Width: 8.4 ft Area: 11.1 ft² Discharge in cubic feet per second: 3.21

DATE 5/26/88

SIGNATURE OF PERSON CONDUCTING MEASUREMENT
Steve Lester

MICROFILMED
 MAY 19 1992

DECLASSIFIED
MAY 19 1992


C. DIAGRAMS

1. Measurement Location

Scale: _____ = _____

2. Cross-Section of Measurement

Scale _____ = _____



D. SUMMARY INFORMATION

1. Measurement rated

_____ excellent Y good _____ fair _____ poor

2. Remarks: _____

3. Width: 2.4 ft. Area: 2.13 ft² Discharge in cubic feet per second: 1.77 cfs

DATE

06/03/88

SIGNATURE OF PERSON CONDUCTING MEASUREMENT

Robert Christman

B. & A. Engineers, Inc.

CONSULTING ENGINEERS AND SURVEYORS
CONSTRUCTION MANAGERS

*619 Grove Street
Boise, Idaho 83702*

TELEPHONE — (208) 343-3381 • 342-5792

September 30, 1986

Mr. John Evans
Project Manager
Riverside Village
4912 Riverfront Place
Boise, Idaho 83703

Dear John:

Re: Private Lake Inflow-Outflow

As requested sometime ago, we are pleased to present for your use the results of our water flow survey that was taken earlier this month. The purpose of this survey was to approximate an inflow quantity of water that is being diverted from the Boise River near the Glenwood Avenue bridge, and then approximate the outflow quantity of water that is leaving the private lake directly west of Lakeview Place. The difference between these two measurements being the total lake system water exfiltration rate.

Please keep in mind that we were unable to locate an adequate location to determine water flows immediately downstream of the "public" lake that is directly west of Glenwood Avenue, therefore the flow measurements were taken in the channel from the Boise River to the "public" lake. Any lake exfiltration that is occurring in the "public" lake is included in our measurements.

Measurements were taken during the afternoon of Thursday, September 4. Equipment used was a Marsh-McBirney electronic current meter (model 201). The upstream test location was as described above, and the downstream location was within a small earthen ditch that was immediately downstream of the last lake.

System inflow was determined to be approximately 2.68 CFS. System outflow was determined to be approximately 1.09 CFS. Therefore the total apparent system exfiltration rate was approximately 1.59 CFS.

If you have any questions, please feel free to call.

Sincerely,

J. D. Canning
J. D. Canning, P.E.

MICROFILMED

MAY 19 1992

RECEIVED

OCT 7 1986

Department of Water Resources
Western Regional Office

RIVERSIDE VILLAGE

Calculation of Evaporative Losses

Since evaporative losses of Boise River water occur from the ponds constructed at Riverside Village for recreation/aesthetics purposes, storage water must be purchased from the Bureau of Reclamation to replace these losses.

Total Lake Area: 5.2 acres (total surface area of 7 recreational lakes within Riverside Village).

Per conversation with Lee Sisco (Boise River Watermaster), the Boise River is supplemented with storage water July 1 to October 15 in an average year to satisfy water rights needs.

Per "Evaporative Losses from Ponds, Boise Area" memo from Bill Ondrechen (attached), evaporative losses from standing bodies of water are approximately equivalent to alfalfa hay evapotranspiration. Monthly values are:

July	8.2
August	6.2
September	4.3
October	<u>0.9</u> (half monthly average)

Total 19.6 inches of water per acre (1.6 acre-ft./acre).

Therefore, Riverside Village must purchase 8.3 acre-ft of water per year (5.2 acres multiplied by 1.6 acre-ft./acre).

MICROFILMED
MAY 19 1992

RECEIVED

JAN 30 1987 63-9718

M E M O

Department of Water Resources
Western Regional Office

TO: Brad Dingee, Western Region DATE: January 29, 1987
FROM: Bill Ondrechen, ^{WTO} Hydrology
SUBJECT: Evaporation Losses from Ponds, Boise Area

The most commonly used method for estimating evaporation losses from lakes or ponds is to calculate such loss as 70 or 72 percent of observed pan evaporation. This is most correctly done on an annual basis only, as the differing heat balances of a reservoir and an evaporation pan make short-term comparisons less reliable. Since evaporation pan data are collected only at a few sites in the state, it would be desirable to use a method based on climatic data, which are measured at many locations.

Allen and Brockway, 1983, developed estimates of crop evapotranspiration (ET) and irrigation requirements for the state using the FAO Blaney-Criddle method, a climate based method. Their ET estimates for alfalfa hay, the most water-intensive crop, are comparable to lake or reservoir estimates using pan data. The following table illustrates the differences between pan, 70 percent of pan, reference ET (or potential ET) and alfalfa hay ET (all in inches):

	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Total</u>
Pan Evap (Parma)	8.0	8.8	9.9	9.1	5.8	41.6
0.7* Pan "	5.6	6.2	6.9	6.4	4.1	29.2
ET _R (Boise)	7.2	9.0	10.1	8.2	6.2	40.7
ET _{hay} "	6.6	7.8	8.2	6.2	4.3	33.1

The ET data are shown for the May through September period to facilitate comparison with the pan evaporation data, which are only available for that period. Alfalfa hay ET compares fairly well with 70 percent of pan evaporation for these months. Since the climate based ET data is available for many sites throughout the state, I would recommend its use, as opposed to taking evaporation data from one location and adjusting it to another location. The average monthly ET (in inches) for alfalfa hay for Boise is:

<u>Apr</u>	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Oct</u>	<u>Total</u>
4.3	6.6	7.8	8.2	6.2	4.3	1.8	39.2

The total of 39 inches compares well with the average annual lake evaporation for the Boise area of 36 inches as given by the Idaho Water Resources Inventory (Univ. of Idaho, 1968). Evaporation losses in months outside the April-October period are more than offset by precipitation.

RECEIVED
JAN 31 1987

M E M O

Department of Water Resources
Western Regional Office

TO: Brad Dingee, Western Region DATE: January 29, 1987
FROM: Bill Ondrechen, ^{WTO} Hydrology
SUBJECT: Evaporation Losses from Ponds, Boise Area

The most commonly used method for estimating evaporation losses from lakes or ponds is to calculate such loss as 70 or 72 percent of observed pan evaporation. This is most correctly done on an annual basis only, as the differing heat balances of a reservoir and an evaporation pan make short-term comparisons less reliable. Since evaporation pan data are collected only at a few sites in the state, it would be desirable to use a method based on climatic data, which are measured at many locations.

Allen and Brockway, 1983, developed estimates of crop evapotranspiration (ET) and irrigation requirements for the state using the FAO Blaney-Criddle method, a climate based method. Their ET estimates for alfalfa hay, the most water-intensive crop, are comparable to lake or reservoir estimates using pan data. The following table illustrates the differences between pan, 70 percent of pan, reference ET (or potential ET) and alfalfa hay ET (all in inches):

	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Total</u>
Pan Evap (Parma)	8.0	8.8	9.9	9.1	5.8	41.6
0.7* Pan "	5.6	6.2	6.9	6.4	4.1	29.2
ET _R (Boise)	7.2	9.0	10.1	8.2	6.2	40.7
ET _{hay} "	6.6	7.8	8.2	6.2	4.3	33.1

The ET data are shown for the May through September period to facilitate comparison with the pan evaporation data, which are only available for that period. Alfalfa hay ET compares fairly well with 70 percent of pan evaporation for these months. Since the climate based ET data is available for many sites throughout the state, I would recommend its use, as opposed to taking evaporation data from one location and adjusting it to another location. The average monthly ET (in inches) for alfalfa hay for Boise is:

<u>Apr</u>	<u>May</u>	<u>Jun</u>	<u>Jul</u>	<u>Aug</u>	<u>Sep</u>	<u>Oct</u>	<u>Total</u>
4.3	6.6	7.8	8.2	6.2	4.3	1.8	39.2

The total of 39 inches compares well with the average annual lake evaporation for the Boise area of 36 inches as given by the Idaho Water Resources Inventory (Univ. of Idaho, 1968). Evaporation losses in months outside the April-October period are more than offset by precipitation.

MICROFILMED
MAY 19 1992

MEMORANDUM

TO: File 63-9718

June 11, 1981

FROM: L. Glen Saxton

RE: Application 63-9718 - Source

After a review of the file and physical location of "Village Lake" relative to the Boise River, I feel that diversion of water from the lake should be subject to prior rights on the Boise River proper. Consequently, the permit has been conditioned to reflect this.

MICROFILMED

RECEIVED

MAY 27 1981

M E M O R A N D U M

TO: FILE 63-9718
Riverside Village Association

FROM: David Shaw DBS

SUBJECT: Source of Water

DATE: May 22, 1981

Department of Water Resources

This application lists the source of water as Village Lake, which is adjacent to the Boise River but does not have a surface connection between the river and the lake. I inspected this lake at the time it was excavated and believe the primary source of water for the lake is groundwater, rather than surface flow from the Boise River infiltrating to the lake. During the excavation, the lake was kept empty by pumping and it seemed the primary inflow to the lake was not from shallow infiltration from the river. In fact, a large portion of the inflow came from the side of the lake opposite the river.

For the ⁿconsumptive use requested to irrigate the levees, I believe the groundwater inflow to the lake is adequate. The larger flow proposed is for aesthetics and will be non-consumptive for water amenities through the development.

DBS:hlh

MICROFILMED

State of Idaho
Department of Water Resources

82 4/11/81

APPLICATION FOR PERMIT ANALYSIS SHEET

INITIAL REVIEW BY: CLS APPLICATION NUMBER: 63-9718
CHECK: Riverside Village Assoc

☒ Source.
☒ Point of diversion.
☒ County.
☒ Quantity of water and period of use.
☒ Description of diverting works.
☒ Time required for beneficial use of water.
☒ Place of use or acres irrigated.
☒ Map.
☒ Signature.
☒ Fee.
☒ Yes ☒ No Field check required.
☒ Yes ☒ No Critical groundwater area.
☒ Yes ☒ No Request dam safety information. Sent by: _____ Date: _____
☒ Yes ☒ No In form to receipt.

*REQUEST THE FOLLOWING ADDITIONAL INFORMATION FROM THE APPLICANT:

SEND COPIES TO:

☒ Idaho State Health Department. Copies sent by: nea Date: 4/20/81
☒ Idaho Fish and Game Department. nea 4/20/81
☒ Idaho Department of Lands.
☒ U.S. Bureau of Land Management.
☒ U.S. Forest Service.
☒ Other Garden City nea 4/20/81

PROCESSING:


☒ Yes ☒ No Platted by: _____ Map No. _____
☒ Yes ☒ No Other rights on same place of use. None
☒ Yes ☒ No In form for advertising.
Final date for protests: May 11 1981
☒ Yes ☒ No Protests received. If yes, record information on 4th page of application.

FINAL REGIONAL PROCESSING REVIEW:

☒ Affidavit of publication received. Date: 5/1/81
☒ Application published correctly. If not, record action taken:
☒ Fee amount, receipt date & number, recorded on application.
☒ Publication dates and paper, recorded on application.
☒ Protests, dates, withdrawal, etc., recorded on application.
☒ Recommendation & initial, recorded on application.
☒ Yes ☒ No Measuring device required.
☒ Yes ☒ No Access port required.
☒ Yes ☒ No Will water be delivered by watermaster? If yes, what district? 63
4/3/81 Date of priority recommended.
Special conditions of approval or cover letter. I.P. letter
Right-of-way clause
Wm. condition

By: DBS Date: 5/11/81
STATE OFFICE REVIEW: LO4 (Boise River)
SLW/LDS 05/05/81 (63 Boise R.)
☒ See attached sheet for more information.
By: SLW Date: 5/14/81

MICROFILMED



Point of diversion.


Pipe leads from
lake ~~to~~ under-
ground to lake
system in subdivision.

Typical lake
at Riverside Village.
(One of seven lakes)

APPROVED

MAY 19 1992

Water from the lake
system discharges
into Riverside Cr,
which discharges
into the Boise R.



63-9718



P.D. # 1
(Irrigation &
re-diversion)



P.D. # 2
(Irrigation &
re-diversion)

Both photos show typical irrigated
strips surrounding lakes.

MPD FILMED
MAY 19 1992

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-9718

WATER RIGHT NUMBER: 63-9718

<u>Owner Type</u>	<u>Name and Address</u>
Original Owner	RIVERSIDE VILLAGE ASSN

Current Owner IDAHO FOREST INDUSTRIES INC
C/O JOHN EVANS
PO BOX 1030
COEUR D'ALENE, ID 83814
(208)853-1200

Priority Date: 04/03/1981

Basis: License

Status: Active

<u>Source</u>	<u>Tributary</u>
VILLAGE LAKE	BOISE RIVER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
AESTHETIC STORAGE	1/01 to 12/31		78.00 AF
IRRIGATION	4/01 to 11/01	0.440 CFS	49.50 AF
DIVERSION TO STORAGE	1/01 to 12/31	3.210 CFS	
	<u>Total Diversion:</u>	3.210 CFS	127.50 AF

Location of Point(s) of Diversion

VILLAGE LAKE L2 (SW1/4SE1/4) Sec. 24, Twp 04N, Rge 01E, B.M.
ADA County

Place of Use

AESTHETIC STORAGE

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	
04N	01E	24																	
												X	X						
												L 4	L 3						

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	<u>NE</u>	<u>NW</u>	<u>SW</u>	<u>SE</u>	
04N	01E	23																1.0	1.0
																		L 11	
04N	01E	24											3.0	3.0			1.0		7.0
													L 4	L 3			L 2		

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-9718

04N 01E 25		2.0		1.0				3.0
		L 3		L 4				

Total Acres: 11

Conditions of Approval:

1. 004 The issuance of this right does not grant any right-of-way or easement across the land of another.
2. R04 Use of water under this water right will be regulated by the watermaster of State Water District No. &DISTRICT.


Remarks:

1. General This right when combined with all other rights shall provide no more than .04 cfs per acre nor more than 4.5 afa per acre for the lands above.
Upon a future determination by the Department that water is lost, to the injury of prior right holders, the losses shall be replaced by a source acceptable to the Department.
The place of use for irrigation is a greenbelt.

Comments:

ReceiptID	Amount	BasinNumber	SequenceNum	SplitSuffix	Type
W003766	461.00	63	9718		Claim
W003766	650.00	63	9751		Claim
W003766	450.00	63	10348		Claim

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Nile G. Letta
 Nile G. Letta (Applicant)
 Riverside Village Associates-City Corp.
 Managing Partner

14 73
25 04

9778

10 12
20 14

1072
10 0

1010
100 11

1072
10 0

P.D.

17

D 9

NOT TO SCALE



IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-9718

WATER RIGHT NUMBER: 63-9718

<u>Owner Type</u>	<u>Name and Address</u>
Original Owner	RIVERSIDE VILLAGE ASSN
	, ID
Current Owner	IDAHO FOREST INDUSTRIES INC
	C/O JOHN EVANS
	PO BOX 1030
	COEUR D ALENE, ID 83814
	(208)853-1200

Priority Date: 04/03/1981

Basis: License

Status: Active

<u>Source</u>	<u>Tributary</u>
VILLAGE LAKE	BOISE RIVER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
AESTHETIC STORAGE	1/01 to 12/31		78.00 AF
IRRIGATION	4/01 to 11/01	0.440 CFS	49.50 AF
DIVERSION TO STORAGE	1/01 to 12/31	3.210 CFS	
	<u>Total Diversion:</u>	3.210 CFS	127.50 AF

Location of Point(s) of Diversion

VILLAGE LAKE	L2 (SW1/4SE1/4)	Sec. 24, Twp 04N, Rge 01E, B.M.
ADA County		

Place of Use

AESTHETIC STORAGE

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	01E	24												X	X				
													L 4	L 3					

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	01E	23																1.0	1.0
																		L 11	
04N	01E	24											3.0	3.0			1.0		7.0
													L 4	L 3			L 2		

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-9718

04N 01E 25		2.0		1.0				3.0
		L 3		L 4				

Total Acres: 11

Conditions of Approval:

1. 004 The issuance of this right does not grant any right-of-way or easement across the land of another.
2. R04 Use of water under this water right will be regulated by the watermaster of State Water District No. &DISTRICT.
3. This right when combined with all other rights shall provide no more than .04 cfs per acre nor more than 4.5 afa per acre for the lands above.
Upon a future determination by the Department that water is lost, to the injury of prior right holders, the losses shall be replaced by a source acceptable to the Department.
The place of use for irrigation is a greenbelt.

Remarks:

Comments:

Water Supply Bank: