

T 4 N, R 1 E 18
Sec. 25

AUG 24 1992

Idaho Department of Water Resources

T04N, R01E, S24 & S25

Claim No: 63-9751

Prepared By: Kimberly Brown

Date: October 27, 2005



Place of Use



Section Lines



1/4 1/4



Point of Diversion



300 0 300 600 Feet

1987 NAPP



IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-9751

Remarks:

1. General

WATER DIVERTED UNDER THIS PERMIT MUST BE RETURNED TO THE BOISE RIVER IN SAME QUANTITY AS DIVERTED.
MEASURING DEVICES & LOCKABLE CONTROLLING WORKS OF A TYPE ACCEPTABLE TO THE DEPT. OF WATER RESOURCES SHALL BE PERMANENTLY INSTALLED & MAINTAINED AT THE POINT OF DIVERSION & AT THE POINT WHERE WATER IS RETURNED TO THE BOISE RIVER.

~~THE P/D MAY BE IN THE SE, SW 1/4 OF SECTION 24 RATHER THAN THAT LISTED.~~
~~ADDED P/U IN SEC. 23, SE, SE 1/4.~~

SEE WR#A63-09718 FOR MAP OF P/U.

Comments:

Return flow is discharged into the Boise River via Riverside Creek in the NESE, S23, T04N, R01E.

Diversion and use of water is authorized only when flows in the Boise River warrant delivery of water under a date of priority of June 23, 1981.

Diversion and use of water is authorized only when flows in the Boise River warrant delivery of water under a date of priority of June 23, 1981. If this priority cannot be satisfied, diversion must cease unless a) the use is entirely non-consumptive and all water is returned to the river, or b) the consumptive amount of water is replaced from another source or right which is deliverable. In such case, a determination of consumptive use must be made and an acceptable method of replacement must be approved by the department prior to delivery under another source or right.

Return flow is discharged into the Boise River via Riverside Creek in the NESE, S23, T04N, R01E.

Return flow shall meet Idaho Water Quality Standards.

63-9751

14 13
23 24

13 18
24 19

0300
T447
32.9

0534
T572
15.1

0344
T465
33.3

State
Street

0518
T598
28.5
2.1

Riverside
Cr.

Glenwood
Street

ditch

Measurement
Point

0312
T453
1.7
3
6.7
2.2
1.1
2.4
4.6

Riverside Village
Lakes

Village
Lake

Measurement
Point

P.D.

23 24
26 25

24 19
25 30

0314
T454
15.1

D 9

NOT TO SCALE

JUN 28 1994

63-9751

Point of diversion,
Boise River is in
background; ditch leads
to Village Lake.



Village Lake.

(See 63-9718
exam for
orig. photo.)



RECEIVED

JUN 10 1994

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A63-09751
Date Received: 7/14/1989
Receipt No: W00 3766
Received By: LA

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: RIVERSIDE VILLAGE OWNERS ASSOC. 208-853-1200
Address: C/O JOHN EVANS
4920 RIVERVISTA WAY
BOISE, ID 83703

2. Date of Priority: JUN 23, 1981

3. Source: BOISE RIVER Trib. to: SNAKE RIVER

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
04N	01E	25	NW	NE			ADA

5. Description of diverting works:
DITCH, 1 PIPE, GRAVITY FLOW

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
AESTHETIC	09/16	04/14	3.000		
AESTHETIC	04/15	09/15	6.000		

7. Total Quantity Appropriated is:
6.000 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
J/WATERWAY ALONG RIVERSIDE DR.

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
04N	01E	23	SE	SE		AES	

A63-09751

Page 1

Date: 07/14/89

MICROFILMED
AUG 24 1992

10. Place of Use: Continued

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
04N	01E	24	SW	SW		AES	
			SE	SW		AES	
			SW	SE		AES	
		25	NW	NE		AES	

11. Place of use in counties: ADA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
A63-09718, A63-10348

14. Remarks:

WATER DIVERTED UNDER THIS PERMIT MUST BE RETURNED TO THE BOISE RIVER IN SAME QUANTITY AS DIVERTED. MEASURING DEVICES & LOCKABLE CONTROLLING WORKS OF A TYPE ACCEPTABLE TO THE DEPT. OF WATER RESOURCES SHALL BE PERMANENTLY INSTALLED & MAINTAINED AT THE POINT OF DIVERSION & AT THE POINT WHERE WATER IS RETURNED TO THE BOISE RIVER.

THE P/D MAY BE IN THE SE,SW1/4 OF SECTION 24 RATHER THAN THAT LISTED. ADDED P/U IN SEC. 23; SE,SE1/4.

SEE WR#A63-09718 FOR MAP OF P/U.

15. Basis of Claim: PERMIT

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do do not wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Organizations:

I do solemnly swear or affirm that I am Development Manager of Riverside Village Association, that I have signed the foregoing document in the space below as Development Manager of Riverside Village Association and that the statements contained in the foregoing document are true and correct.

John G. Evans
Signature of Authorized Agent
Riverside Village Association
Title and Organization
7-14-89
Date

State of Idaho)
County of Ada) SS.

Subscribed and sworn (or affirmed) before me this 14 day
of July 19 89

Linda A. Werner
Notary Public

Seal

Residing at Linda A. Werner
Residing at Boise, Idaho
My Commission Expires December 8, 1994

AG 3-9751



1/30/1989

SRBA CLAIMS RECEIVING CHECKLIST #2

CLAIMANT'S NAME Riverside Village Owners ASS. CLAIM IDENT. NO. A63-09751DATE RECEIVED 7-14-89 CK # 031822 AMOUNT \$ 1,561.00
(this claim \$50.00)

- | | YES | NO | Required Info? |
|--|-------------------------------------|--------------------------|----------------|
| 1. Is the name and address complete with zip code? | ☒ | ☐ | * |
| 2. Is a priority date entered? | ☒ | ☐ | * |
| Is the priority date acceptable in view of mandatory filing dates? | ☒ | ☐ | * |
| See Adjudication Memos #1 and #4 to determine if a Permit is required. | ☒ | ☐ | * |
| 3. (a) Is a source entered? | ☒ | ☐ | * |
| (b) Is a tributary to entered? (if required) | ☒ | ☐ | |
| 4. Is the legal description of the p.d. sufficient? | ☒ | ☐ | * |
| 5. Is there a description of the diverting works? | ☒ | ☐ | |
| 6. Are the water uses appropriate for the form? The short form is limited to domestic and stockwater uses with direct diversion. All claims that include storage or instream stockwater must use long form. | ☒ | ☐ | * |
| Is the period of use included? | ☒ | ☐ | |
| Is a quantity claimed for each use? | ☒ | ☐ | * |
| 7. Is a total quantity claimed entered? | ☒ | ☐ | |
| 8. If required is a consumptive use entered? | ☒ | ☐ | |
| Is the consumptive use correct? | ☒ | ☐ | |
| 9. Are the non-irrigation uses listed properly? If this claim is on the short form, and more than one domestic use is listed, single ownership must be stated. If not under single ownership, see Adjudication Memo # 4. | ☒ | ☐ | * |
| 10. Is (are) the place(s) of use and purpose(s) indicated? | ☒ | ☐ | * |
| 11. Is (are) the county(ies) entered? | ☒ | ☐ | |
| 12. Is the ownership of p.u. checked? | ☒ | ☐ | |
| 13. Are other water rights listed or "none" indicated? | ☒ | ☐ | |
| 14. If required, are remarks correct? (If the claimant does not own the place of use, authority for filing the claim must be explained in the remarks.) | ☒ | ☐ | |
| 15. Is the basis of the claim indicated? | ☒ | ☐ | |
| 16. If the claimant requested a monthly docket sheet, is payment enclosed? (If yes, describe payment status in "Comments" below.) | ☒ | ☐ | |
| 17. Is the claim signed by the claimant, and is the signature appropriate? Organizations must complete the organization block. | ☒ | ☐ | * |
| 18. Has the claim been signed, sealed, and dated by a notary? | ☒ | ☐ | * |
| 19. Was this claim filed on time, or was an extension granted? | ☒ | ☐ | * |
| 20. Is the fee enclosed correct? | ☒ | ☐ | * |
| 21. If this claim is based on an existing water right, has the identification number been entered? | ☒ | ☐ | |
| 22. Should this claim be receipted and data entered? | ☒ | ☐ | |

Claim checked by: NAT Date: 8-1-89Claim must be returned to claimant: (Yes) X (No)Claimant must be notified of modifications: (Yes) X (No)Receipt Prepared by: _____
Claim data entered by: _____
Sent to claimant by: _____Date: _____
Date: _____
Date: _____

Checked by: _____ Date: _____

Comments: _____

MICROFILMED

AUG 24 1992

Shurte, Jan

From: Spencer, Nick
Sent: Thursday, June 21, 2007 3:06 PM
To: Walker, Kay
Cc: Shurte, Jan; Harvey, Becky
Subject: RE: Recommendation 63-9751

I presume this was an uncontested right? If not, have we resolved the objection with an SF-5? The reason I ask is because if we signed off on an SF-5 it might be harder to fix since the SF-5 evidences our agreement that the right is as described in the SF-5. Once we agree to something it gets hard to back out of the agreement. I agree the two conditions are very important, and need to go onto the water right. The reason they got left off must have been oversight of a clerical nature, because nobody recommending the right would have made a conscious decision to leave off something so important. If the right is still before SM Booth, for him to add a condition, why don't you and Jan e-mail him (cc to claimant) explaining the clerical error and asking him if he could just include the conditions when he adds the aesthetic remark, or if he has a different idea on how to fix the mistake. If he will let us, doing an amended director's report might be the best way to go because it goes on the docket sheet with an objection and response deadline, and everybody has opportunity to object to the changes. NBS

-----Original Message-----

From: Walker, Kay
Sent: Thursday, June 21, 2007 2:51 PM
To: Spencer, Nick
Cc: Walker, Kay
Subject: Recommendation 63-9751

Hi, Nick...

I have a recommendation from Part 2, Basin 63 that Mr. Booth held up so he could add a remark regarding the aesthetic use that was recommended. When I looked at this file to find out why it had been held up I noticed that there were conditions/remarks on the license that probably should have been included in the recommendation. The remarks are as follows:

1. Diversion and use of water is authorized only when flows in the Boise River warrant delivery of water under a date of priority of June 23, 1981. If this priority cannot be satisfied, diversion must cease unless a) the use is entirely non-consumptive and all water is returned to the river, or b) the consumptive amount of water is replaced from another source or right which is deliverable. In such case, a determination of consumptive use must be made and an acceptable method of replacement must be approved by the department prior to delivery under another source or right.
2. Return flow is discharged into the Boise River via Riverside Creek in the NESE, S23, T04N, R01E.

Maybe I'm wrong about these needing to be added but I ran it past Jan and she agreed with me. The thing is we don't know if this can be added as a clerical error or if an amended director's report would need to be filed. What do you think? Maybe we don't need them at all which would be okay too...

Let me know... Thanks. Kay

10/27/2005

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 63-9751

NAME AND ADDRESS: RIVERSIDE VILLAGE HOMEOWNERS ASSN
4884 LAKE PARK PL
GARDEN CITY ID 83714

SOURCE: BOISE RIVER

TRIBUTARY: SNAKE RIVER

QUANTITY: 3.210 CFS
2,324.000 AFY

PRIORITY DATE: 06/23/1981

POINT OF DIVERSION:

T04N R01E S25 NWNE Lot 3 Within ADA County

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE

PERIOD OF USE

QUANTITY

AESTHETIC

01/01 12/31

3.210 CFS
2,324.00 AFY

PLACE OF USE: AESTHETIC Within ADA County

T04N R01E S24 Lot 4 SWSW

T04N R01E S24 Lot 3 SESW

T04N R01E S24 Lot 2 SWSE

T04N R01E S25 Lot 3 NWNE

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

Property is also known as Riverside Village Subdivision.

Idaho Department of Water Resources

**T04N, R01E,
S24 & S25**

Claim No: 63-9751

Prepared By: Kimberly Brown

Date: October 27, 2005



Place of Use




Section Lines



1/4 1/4

● Point of Diversion



300 0 300 600 Feet

1987 NAPP



IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-9751

WATER RIGHT NUMBER: 63-9751 ✓

Owner Type Name and Address

Current Owner RIVERSIDE VILLAGE HOMEOWNERS ASSN ✓
4884 LAKE PARK PL
GARDEN CITY, ID 83714
(208)853-0211

Original Owner IDAHO FOREST INDUSTRIES INC ✓
C/O JOHN EVANS
PO BOX ~~1030~~ 1020
COEUR D ALENE, ID 83814
(208)853-1200

Priority Date: 06/23/1981 ✓

Basis: ~~Permit~~ license

Status: Active

Source
BOISE RIVER ✓Tributary
SNAKE RIVER ✓

Beneficial Use	From	To	Diversion Rate	Annual Volume
AESTHETIC ✓	~~4/15~~ to ~~9/15~~		~~6.000 CFS~~ 3.21	2324.0 AF
	1/1 - 12/31		Total Diversion: ~~6.000 CFS~~ 3.21	2324.0 AFA

Location of Point(s) of Diversion

BOISE RIVER NW1/4NE1/4 ✓
ADA County ✓ ADD - Govt. Lot 3

Sec. 25, Twp 04N, Rge 01E, B.M. ✓

Place of Use
AESTHETIC ✓

"A series of 7 lakes" - (FX)

REMOVE SESE

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	01E	23																	X
04N	01E	24											✓ L4	✓ L3			✓ L2		
04N	01E	25			✓ L3														

ADD 001 - Place of use is also known as Riverside Village Subdivision.

Conditions of Approval:

1. 004 The issuance of this right does not grant any right-of-way or easement across the land of another.
2. 005 Use of water under this right is subject to control by the watermaster of State Water District No. & DISTRICT.
3. 016 See remarks for additional conditions of approval.

a water source from the
Boise River to Village
lake #4

The purpose of this claim is to provide a continuous flow of water in the waterway along Riverside Drive.

IDAHO DEPARTMENT OF WATER RESOURCES
Adjudication Claim Report 63-9751

Remarks:

1. General

WATER DIVERTED UNDER THIS PERMIT MUST BE RETURNED TO THE BOISE RIVER IN SAME QUANTITY AS DIVERTED.
MEASURING DEVICES & LOCKABLE CONTROLLING WORKS OF A TYPE ACCEPTABLE TO THE DEPT. OF WATER RESOURCES SHALL BE PERMANENTLY INSTALLED & MAINTAINED AT THE POINT OF DIVERSION & AT THE POINT WHERE WATER IS RETURNED TO THE BOISE RIVER.
~~THE P/D MAY BE IN THE SE, SW 1/4 OF SECTION 24 RATHER THAN THAT LISTED.~~
~~ADDED P/U IN SEC. 23, SE, 3E 1/4.~~
SEE WR#A93-00218 FOR MAP OF P/U.

Comments:

Return flow is discharged into the Boise River via
Riverside Creek in the NESE, S23, T04N, R01E.

Diversion and use of water is authorized only when flows in the
Boise River warrant delivery of water under a date of priority
of June 23, 1981.

Diversion and use of water is authorized only when flows in the Boise River warrant delivery of water under a date of priority of June 23, 1981. If this priority cannot be satisfied, diversion must cease unless a) the use is entirely non- consumptive and all water is returned to the river, or b) the consumptive amount of water is replaced from another source or right which is deliverable. In such case, a determination of consumptive use must be made and an acceptable method of replacement must be approved by the department prior to delivery under another source or right.

Return flow is discharged into the Boise River via Riverside Creek in the NESE, S23, T04N, R01E.

Return flow shall meet Idaho Water Quality Standards.

* electronic back file available

Field Exam Date 10.27.05

(in office)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION FIELD REPORT

Prior to Field Exam

- ☐ Copy of Claim, claim has been signed, sealed, and dated by notary?
- ☒ Check fees paid \$650.⁰⁰
- ☐ Well logs (if needed) N/A
- ☒ Copy of topo or NAPP
- ☒ Check of Govt. Lots, if needed, Govt. Plat/Tax lot information
- ☒ Check POD & POU overlap, see below – include overlapping right for exam
- ☐ Evidence of Priority – if none, talk with claimant N/A

CLAIMANT INFORMATION – verify contact information is complete

Claim No(s) A63-9751

Owner: Riverside Village Homeowners Assoc. Phone No. (208) 853-0211

Current Address: 4884 Lake Fork Pl. Garden City

- ☒ No change NAME IS THE SAME
- ☐ NEW OWNER
- ☐ No change Address
- ☐ NEW ADDRESS
- ☐ How long owned property?

Accompanied by: N/A

PRIORITY DATE

- ☒ No change – Complete evidence submitted or not necessary
- ☐ Incomplete – Claimant should be asked when water was first used and submit proof of date.
- ☐ Priority date is acceptable/within mandatory filing dates?

Priority date, per claimant, is: 6/23/1981

(If priority date, based on your exam, seems questionable, explain below.)

Source: _____ Tributary to _____

- ☒ No Change – SAME SOURCE
- ☐ Source found is different than claimed:

POINT OF DIVERSION

- ☐ No change
- ☒ POD found is different than claimed: Gov't. lot 3
- ☐ If different, when did POD change?

DIVERSION AND DELIVERY SYSTEM

Points of Diversion:

ID #	Govt Lot #	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks GPS ID
	3								

Description of diverting works

See IDWR Field Report.

OVERLAP REVIEWOther water rights with the same point of diversion: None

Does overlap add acres or uses to existing system, increase rate of flow or volume, or other? Explain:

(see POB overlap review sheet)
 #63-9718 is a different POB.

WATER USES☒ No change☐ Different UsesSeason of use is 1/1 to 12/31.
 Use Aesthetic From 1/1 To 12/31 Amount 3.21 CFS 2324.0 AFA (licensed)

Use _____ From _____ To _____ Amount _____ CFS _____ AFA

Use _____ From _____ To _____ Amount _____ CFS _____ AFA

TOTAL VOLUME – Groundwater only☒ Incomplete on claim, the total is, Amount 3.21 CFS 2324.0 AFA (licensed)☐ Changes found, the new total is, Amount _____ CFS _____ AFA☐ More than 1" per Acre? Yes _____ (claimant must complete excess flow sheet)**NON-IRRIGATION USES:**☒ No change☐ Changes Exam found: Domestic # of homes _____ Stock # _____

Types _____ Additional comments: _____

PLACE OF USE:☐ No Change☒ Changes shown below:

According to ArcView—all of these lakes are located in the omitted lands (see shapefile).

ADD — Place of use is also known as Riverside Village Sub.

REMOVE - 8E 8E, S23

[illegible]

Overlap with other water rights: 63-9718

Does overlap increase rate of flow, volume, additional acres, different source for same acres? Explain:

Does overlap increase rate of flow, volume, additional acres, different source for same acres? Explain:
 no overlap - 63-9718 covers Aesthetic Storage & diversion to storage for the Riverside Village Subdivision.

Delivery System Narrative: Refer to Field Report.

Well or Diversion Identification No GPS ID	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge size

FLOW MEASUREMENTS: FX - Pigmy Meter.

Attach appropriate documents

NARRATIVE/REMARKS/COMMENTS (OVER)

[illegible]

AFTER EXAM THE FILE SHOULD CONTAIN:

- ☒ Completed claim checklist
- ☒ Photographs of POD's and POU
- ☐ GPS readings *N/A*
- ☒ Completed map and or GIS layout showing POD's and POU

DATE EXAM CONDUCTED: 10.27.05 (in office)

FIELD EXAMINER: Kimberly Brown

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM POD REVIEW REPORT
ADJUDICATION CLAIM NUMBER: 63-9751

10/27/2005

1

ater Right #	Type	Twp	Rge	Sec	QQ	Q	Lot	Source	Name
~~63-9751~~	~~Claim~~	~~04N~~	~~01E~~	~~25~~	~~NW~~	~~NE~~		~~BOISE RIVER SNAKE RIVER~~	~~RIVERSIDE VILLAGE HOMEOWNERS A~~
~~63-9751~~	~~Water Right~~	~~04N~~	~~01E~~	~~25~~	~~NW~~	~~NE~~	~~3~~	~~BOISE RIVER SNAKE RIVER~~	~~IDAHO FOREST INDUSTRIES INC~~

**IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM POU REVIEW REPORT
ADJUDICATION CLAIM NUMBER: 63-9751**

10/27/2005

1

Right #	Type	Twp	Rge	Sec	QQ	Q	Lot	Purpose of Use	Acres/Total	Name
9718	Claim	04N	01E	23	SE	SE		IRRIGATION	3/11	RIVERSIDE VILLAGE HOMEOWNERS AS
17369	Water Right	04N	01E	23	SE	SE		DOMESTIC		TIM KITCH
9718	Claim	04N	01E	23	SE	SE		AESTHETIC		RIVERSIDE VILLAGE HOMEOWNERS AS
~~9751~~	~~Claim~~	~~04N~~	~~01E~~	~~23~~	~~SE~~	~~SE~~		~~AESTHETIC~~		~~RIVERSIDE VILLAGE HOMEOWNERS AS~~
9718	Water Right	04N	01E	23	SE	SE	11	IRRIGATION	1/11	IDAHO FOREST INDUSTRIES INC
9718	Claim	04N	01E	24	SW	SW		IRRIGATION	2/11	RIVERSIDE VILLAGE HOMEOWNERS AS
9718	Claim	04N	01E	24	SW	SW		AESTHETIC		RIVERSIDE VILLAGE HOMEOWNERS AS
9751	Claim	04N	01E	24	SW	SW		AESTHETIC		RIVERSIDE VILLAGE HOMEOWNERS AS
9718	Water Right	04N	01E	24	SW	SW	4	IRRIGATION	3/11	IDAHO FOREST INDUSTRIES INC
9751	Water Right	04N	01E	24	SW	SW	4	AESTHETIC		IDAHO FOREST INDUSTRIES INC
9718	Water Right	04N	01E	24	SW	SW	4	AESTHETIC STORAGE		IDAHO FOREST INDUSTRIES INC
1026A	Claim	04N	01E	24	SE	SW		IRRIGATION	0.1/1.1	LYNNE MARCUS
1651A	Claim	04N	01E	24	SE	SW		IRRIGATION	5/5	MICHAEL J EDDY
9718	Claim	04N	01E	24	SE	SW		IRRIGATION	1/11	RIVERSIDE VILLAGE HOMEOWNERS AS
4026	Water Right	04N	01E	24	SE	SW		IRRIGATION	15/40	DENNIS E FLAKE
4851	Water Right	04N	01E	24	SE	SW		IRRIGATION	6/6	ALICE M FLAVELLE
1651A	Claim	04N	01E	24	SE	SW		STOCKWATER		MICHAEL J EDDY
9718	Claim	04N	01E	24	SE	SW		AESTHETIC		RIVERSIDE VILLAGE HOMEOWNERS AS
~~9751~~	~~Claim~~	~~04N~~	~~01E~~	~~24~~	~~SE~~	~~SW~~		~~AESTHETIC~~		~~RIVERSIDE VILLAGE HOMEOWNERS AS~~
9718	Water Right	04N	01E	24	SE	SW	3	IRRIGATION	3/11	IDAHO FOREST INDUSTRIES INC
~~9751~~	~~Water Right~~	~~04N~~	~~01E~~	~~24~~	~~SE~~	~~SW~~	~~3~~	~~AESTHETIC~~		~~IDAHO FOREST INDUSTRIES INC~~
9718	Water Right	04N	01E	24	SE	SW	3	AESTHETIC STORAGE		IDAHO FOREST INDUSTRIES INC
2406	Claim	04N	01E	24	SW	SE		IRRIGATION	2/29248	DRAINAGE DIST NO 2
1026A	Claim	04N	01E	24	SW	SE		IRRIGATION	0.2/1.1	LYNNE MARCUS
9718	Claim	04N	01E	24	SW	SE		IRRIGATION	1/11	RIVERSIDE VILLAGE HOMEOWNERS AS
17679	Claim	04N	01E	24	SW	SE		IRRIGATION	8/8	JACK HOKE
14066	Claim	04N	01E	24	SW	SE		IRRIGATION	1.7/1.7	JACK HOKE
2406	Water Right	04N	01E	24	SW	SE		IRRIGATION	2/29248	DRAINAGE DIST NO 2

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM POU REVIEW REPORT
ADJUDICATION CLAIM NUMBER: 63-9751

10/27/2005

2

Right #	Type	Twp	Rge	Sec	QQ	Q	Lot	Purpose of Use	Acres/Total	Name
4026	Water Right	04N	01E	24	SW	SE		IRRIGATION	15/40	DENNIS E FLAKE
7338	Water Right	04N	01E	24	SW	SE		DOMESTIC		JOANNE SMITH
15469	Water Right	04N	01E	24	SW	SE		DOMESTIC		JAMES H ROBERTSON
15470	Water Right	04N	01E	24	SW	SE		DOMESTIC		FENNA N ROBERTSON
9751	Claim	04N	01E	24	SW	SE		AESTHETIC		RIVERSIDE VILLAGE HOMEOWNERS AS
1026C	Claim	04N	01E	24	SW	SE	2	IRRIGATION	2/2	SARAH TOTORICA
9718	Water Right	04N	01E	24	SW	SE	2	IRRIGATION	1/11	IDAHO FOREST INDUSTRIES INC
9751	Water Right	04N	01E	24	SW	SE	2	AESTHETIC		IDAHO FOREST INDUSTRIES INC
9718	Claim	04N	01E	25	NW	NE		IRRIGATION	2/11	RIVERSIDE VILLAGE HOMEOWNERS AS
169F	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
2500	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
2506	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
2595	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
2668	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
2703	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
2808	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
2892	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
2915	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3064	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3073	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3105	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3112	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3128	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3172	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3202	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3291	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3292	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3293	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC

**IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM POU REVIEW REPORT
ADJUDICATION CLAIM NUMBER: 63-9751**

10/27/2005

3

Right #	Type	Twp	Rge	Sec	QQ	Q	Lot	Purpose of Use	Acres/Total	Name
3295	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3411	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3448	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3494	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
3562	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
4015	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
4414	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
4424	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
4752	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
7066	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
7204	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
7282	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
7348	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
7479	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
7589	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
7658	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
8059	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
8236	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
8432	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
8990	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
9147	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
9204	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
9205	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
9219	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
9223	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
9276	Claim	04N	01E	25	NW	NE		MUNICIPAL		CITY OF BOISE
9671	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
9855	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC

**IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM POU REVIEW REPORT
ADJUDICATION CLAIM NUMBER: 63-9751**

10/27/2005

4

Right #	Type	Twp	Rge	Sec	QQ	Q	Lot	Purpose of Use	Acres/Total	Name
10386	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
10405	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
10533	Claim	04N	01E	25	NW	NE		MUNICIPAL		UNITED WATER IDAHO INC
9751	Claim	04N	01E	25	NW	NE		AESTHETIC		RIVERSIDE VILLAGE HOMEOWNERS AS
9718	Water Right	04N	01E	25	NW	NE	3	IRRIGATION	2/11	IDAHO FOREST INDUSTRIES INC
9751	Water Right	04N	01E	25	NW	NE	3	AESTHETIC		IDAHO FOREST INDUSTRIES INC

ReceiptID	Amount	BasinNumber	SequenceNuml	SplitSuffix	Type
W003766	461.00	63	9718		Claim
W003766	650.00	63	9751		Claim
W003766	450.00	63	10348		Claim

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09751

Priority: June 23, 1981

Maximum Diversion Rate: 3.21 CFS
Maximum Diversion Volume: 2324.0 AF

This is to certify, that IDAHO FOREST INDUSTRIES INC
PO BOX 1030

COEUR D ALENE ID 83814 has complied with the terms and conditions
of the permit, issued pursuant to Application for Permit dated June 23, 1981; and
has submitted Proof of Beneficial Use on September 15, 1982. An examination indicates
that the works have a diversion capacity of 3.210 cfs of water from:

BOISE RIVER tributary to SNAKE RIVER

source, and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
AESTHETIC	01/01 to 12/31	3.21 CFS	2324.0 AF

LOCATION OF POINT(S) OF DIVERSION: Lot 3(NWNE), Sec. 25, Township 04N, Range 01E
ADA County

PLACE OF USE: AESTHETIC

TWN RGE SEC

04N 01E	24	Lot 4(SWSW)	Lot 3(SESW)	Lot 2(SWSE)
	25	Lot 3(NWNE)		

CONDITIONS/REMARKS:

1. The maximum diversion volume is defined as the maximum allowable volume of water that may be diverted annually from the source under this right. The use of water confirmed by this right is limited to the amount which can actually be beneficially used. The maximum diversion volume may be adjusted to more accurately describe the beneficial use or to implement accepted standards of diversion and use efficiency.
2. This water right is appurtenant to the described place of use.
3. This right is subject to all prior water rights and may be forfeited by five years of non-use.
4. Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho law.
5. Measuring devices of a type approved by this Department shall be maintained at the point of diversion and point of effluent discharge.
6. The issuance of this right in no way grants any right-of-way or easement across the land of another.

MICROFILMED

JUL 26 1994

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

WATER RIGHT NO. 63-09751

CONDITIONS/REMARKS:

7. Use of water under this water right will be regulated by the watermaster of State Water District No. 63.
8. Diversion and use of water is authorized only when flows in the Boise River warrant delivery of water under a date of priority of June 23, 1981. If this priority cannot be satisfied, diversion must cease unless a) the use is entirely non-consumptive and all water is returned to the river, or b) the consumptive amount of water is replaced from another source or right which is deliverable. In such case, a determination of consumptive use must be made and an acceptable method of replacement must be approved by the department prior to delivery under another source or right.
9. Return flow is discharged into the Boise River via Riverside Creek in the NESE, S23, T04N, R01E.
10. Return flow shall meet Idaho Water Quality Standards.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. Witness the seal and signature of the Director, affixed at Boise, this 15th day of JUNE, 1994.


Acting for  R. Keith Higginson, Director

MICROFILMED
JUL 26 1994



D9

NOT A COPY




GLENWOOD LAKE INLET

JOHNSON ENGINEERING

SCALE 1" = 100'


MAY 1981



C. DIAGRAMS


1. Measurement Location

Scale: _____ = _____



2. Cross-Section of Measurement

Scale $\frac{1}{2}$ in. = 1 ft.



10 cells

#2-9 ARE 1' wide, i.e. 4.3' - 5.3' with measurement at 4.8'
 #1 is .3' wide
 #10 is .1' wide } NO flow

D. SUMMARY INFORMATION

1. Measurement rated

_____ excellent ☒ good ^{to fair} _____ fair _____ poor

2. Remarks:

3. Width: 8.4 ft. Area: 11.1 ft² Discharge in cubic feet per second: 3.26

DATE

5/26/88

SIGNATURE OF PERSON CONDUCTING MEASUREMENT

Steve Lister

28 1994


C. DIAGRAMS

1. Measurement Location

Scale: _____ = _____

2. Cross-Section of Measurement

Scale _____ = _____



D. SUMMARY INFORMATION

1. Measurement rated _____ excellent X good _____ fair _____ poor

2. Remarks: _____

3. Width: 2.4 ft Area: 2.13 ft² Discharge in cubic feet per second: 1.77 cfs

06/23/93
DATE

Kelly K. Christian
SIGNATURE OF PERSON CONDUCTING MEASUREMENT

JUN 28 1994

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT APPROVED
To appropriate the public waters of the State of Idaho

1. Name of applicant RIVERSIDE VILLAGE ASSOCIATES Phone 345-8111

Post office address P. O. Box 8866 Boise, Id. 83707

2. Source of water supply Boise River which is a tributary of Snake River

3. Location of point of diversion is NW $\frac{1}{4}$ of NE $\frac{1}{4}$ of Section 25 Township 4N

Range 1E B.M. Ada County, additional points of diversion if any: _____

4. Water will be used for the following purposes:

Amount 3.0 for aesthetics purposes from Sept 16 to April 14 (both dates inclusive)
(cfs or acre-feet per annum)

Amount 6.0 for aesthetics purposes from Apr. 15 to Sept. 15 (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

Amount _____ for _____ purposes from _____ to _____ (both dates inclusive)
(cfs or acre-feet per annum)

5. Total quantity to be appropriated:

a. 3.0+3.0 = 6.0 cubic feet per second and/or b. _____ acre-feet per annum.
During the irrigation season and high river flows.

6. Proposed diverting works:

a. Description of ditches, flumes, pumps, headgates, etc. A ditch from the Boise River to
Village Lake that will provide a water source.

b. Height of storage dam _____ feet, active reservoir capacity _____ acre-feet; total reservoir
capacity _____ acre-feet, materials used in storage dam: _____

Period of year when water will be diverted to storage _____ to _____ inclusive.
(Month/Day) (Month/Day)

c. Proposed well diameter is _____ inches; proposed depth of well is _____ feet.

7. Time required for the completion of the works and application of the water to the proposed beneficial
use is one years (minimum 1 year - maximum 5 years).

8. Description of proposed uses:

a. If water is not for irrigation:

(1) Give the place of use of water:

NW	NE	25
SW	SW	24
SE	SE	24

 $\frac{1}{4}$ of $\frac{1}{4}$ of Section 24 Township 4N

Range 1E B.M.

(2) Amount of power to be generated: _____ horsepower under _____ feet of head.

(3) List number of each kind of livestock to be watered _____

(4) Name of municipality to be served _____, or number of families to be
supplied with domestic water _____.

(5) If water is to be used for other purposes describe: to provide continuous flow of water
in the waterway along Riverside Drive and to keep water flowing through Village
Lake and prevent stagnant algae water.

MICROFILMED

[illegible]

c. Describe any other water rights used for the same purposes as described above.

10. Remarks The purpose is to provide a water source from the Boise River to Village Lake. A ditch will be excavated to allow the maximum of 3 CFS during low water river flows and 6 CFS during the irrigation season or high water flows. The water flows will be controlled to allow a maximum of 3 CFS during the low water flows of the river and greater during the irrigation season. This application is in addition to an application previously submitted and approved.

UNCLASSIFIED

Proposed Priority 6/23/1981

Received by rr Date 6-23-81 Time 10:30 am
Preliminary check by GRB Fee \$ 145.00 *19487
Receipted by rr Date 6-25-81
Publication prepared by NR Date 6-25-81
Published in The Idaho Statesman
Publication dates 7/9/81 & 7/16/81
Publication approved JP Date 7/27/81
Protests filed by: None

Copies of protests forwarded by _____
Hearing held by _____ Date _____
Recommended for approval denial by DOS TC

ACTION OF THE DIRECTOR, DEPARTMENT OF WATER RESOURCES

This is to certify that I have examined Application for Permit to appropriate the public waters of the State of Idaho No. 63-9751, and said application is hereby APPROVED.

1. Approval of said application is subject to the following limitations and conditions:

- a. SUBJECT TO ALL PRIOR WATER RIGHTS.
- b. Proof of construction of works and application of water to beneficial use shall be submitted on or before October 1, 19 82.
- c. The rate of diversion, if water is to be used for irrigation under this permit, when combined with all other water rights for the same land shall not exceed 0.02 cubic feet per second for each acre of land.
- d. Other: 1. Water diverted under this permit must be returned to the Boise River in same quantity as diverted. 2. Measuring devices and lockable controlling works of a type acceptable to the Department of Water Resources shall be permanently installed and maintained at the point of diversion and at the point where water is returned to the Boise River. 3. The issuance of this permit in no way grants any right-of-way or easement across the land of another. 4. Use of water under this permit is subject to control by the watermaster of State Water District No. 63, Boise River.

Witness my hand this 14th day of September, 19 81.

A. Glen Saxton
Chief, Operations Bureau

RECORDED

LICENSE REVIEW CHECKLIST

Permit # 63-9751


Date 2-16-94

Brenda Chapman

NAME	Yes	No	Or Address Change?
	☐	☒	
PRIORITY DATE		☒	Advance? <u> </u> Advanced to: <u> </u>
	☐	☒	Order to Reinstate Needed?
	☐	☒	Incorrect Fee for rate recommended?
SOURCE		☒	Changes? Clarification of Originally Intended source <u> </u>
	☐	☒	Notice of Intent to Void - Source change.
P/D		☒	Amendment Needed? <u> </u>
	☐	☒	Overlap(s) <u> </u>
P/U		☒	Amendment Needed? <u> </u>
	☐	☒	Overlap(s) <u> </u>
TOTAL CFS	☒	☐	Measurement Done? <u>Pigmy Meter</u>
			Allowable Amount: <u>3.21 CFS</u>
			Capacity of System: <u>3.21</u>
TOTAL VOLUME	☒	☐	Season of Use: <u>(CHANGE to 1-1 to 12-31)</u>
			Calculations: <u>7.0 acres 5.20 cfm x 15' = 78 af</u>
			Flow limit: <u>3.21 x 365 x 1.9835 = 2324</u>
USES		☒	Change(s) in Nature of Use? <u>Per Jim</u>
	☐	☒	Amendment Needed? <u>Johnson - is not necessary -</u>
REMARKS		☒	Multiple P/Ds in 1/4 1/4? <u> </u>
	☐	☒	Special Overlap <u> </u>
CONDITIONS	☒	☒	Measuring/Locking Devices <u>AD3</u>
	☒	☒	W/Master Control - District <u>63</u> / <u>BOISE RIVER</u>
	☐	☒	Irrigation Overlap
	☐	☒	Water Quality
	☒	☐	Other <u>OD4, storage purchase</u>

COMMENTS:

RECOMMENDED	CFS	DIV VOL	LICENSE
<u>Geathetics</u>	<u>3.21</u>	<u>2324</u>	☒
<u> </u>	<u> </u>	<u> </u>	
<u> </u>	<u> </u>	<u> </u>	1ST AMEND LETTER <u> </u>
<u> </u>	<u> </u>	<u> </u>	2ND AMEND LETTER <u> </u>



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
BENEFICIAL USE FIELD REPORT

KEYPUNCHED

A. GENERAL INFORMATION

1. Owner: Idaho Forest Industries, Inc. Permit No. 63-9751
Current Address: Box 1030, Coeur d'Alene, ID 83814 Phone No. 765-1414
2. Accompanied by: John Evans EXAM. DATE: 12/16/86
Address: 4912 Riverfront Place, Boise, ID 83703 Phone No. 336-0383
Relationship to Permit Holder: manager
3. Source: Boise River tributary to Snake River

B. OVERLAP REVIEW

1. Other water rights with same place of use: 63-9718
_____ ☐ Copies Attached
2. Other water rights with same point of diversion: _____
_____ ☐ Copies Attached ☐ Copies of Field Exam's Attached

C. SYSTEM DESCRIPTION

1. Diversion System Diagram: Indicate all major components and distances between components. Indicate weir size/ditch size/pipe i.d. as applicable. ☒ Alternative diagram attached see attached aerial photo, diagrams

RECORDED

JUN 28 1994

Scale: 1" = _____

2. ☒ Copy of U.S.G.S. Quadrangle Attached ☒ Aerial Photo Attached
Showing location(s) of point(s) of diversion and (required for irrigation of 10 acres or more).
place(s) of use (required).
☒ Photo of Diversion and System Attached
(required for all but single household domestic groundwater, and stockwater.

System Description (continued)

3. Narrative: Description (As operating at time of measurement. Indicate pressure, number of sprinklers, etc.)

Point of diversion consists of a ditch connecting the Boise River with Village Lake (see aerial photograph). Water from Village Lake is conveyed via underground pipe to a series of seven lakes at Riverside Village. Lakes are used for aesthetic purposes. After leaving the lakes, water flows through ditches to Riverside Creek which discharges into the Boise River.

☐ See Remarks on page 4 for continuation

4.

Well or Diversion Identification No.*	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge Size
~~#1~~	~~Barkley~~	~~7~~	~~8146456~~		~~8"~~

N/A
Gravity
flow
system

*Code to correspond with No. on map and aerial photo

5. Point(s) of Diversion:

Ident. No.	Gov't. Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3		NW	NE	25	4N	1E	Ada	Aerial Photograph

6. Place(s) of Use:

Indicate Method of Determination

Aerial Photograph

Twp.	Rge.	Sec.	NE¼				NW¼				SW¼				SE¼				Totals
			NE¼	NNW¼	SW¼	SE¼	NE¼	NNW¼	SW¼	SE¼	NE¼	NNW¼	SW¼	SE¼	NE¼	NNW¼	SW¼	SE¼	
4N	1E	24												X (L.S.)	X (L.S.)		X (L.S.)		
4N	1E	25		X (L.S.)															

JUN 28 1994

Do not use this space

Do not use this space

D. FLOW MEASUREMENTS

☐ Additional Data Sheets Attached

1.

Measurement Equipment	Type	Make	Model No.	Serial No.	Size	Calib. Date

2. Measurements:

5/26/88: measured 3.21 cfs flowing into pond system from Boise River;
1.77 cfs measured flowing from lake system back into river
9/86: B+A Engineers (Joe Canning) measured 2.68 cfs inflow;
1.09 cfs outflow

E. FLOW CALCULATIONS

☐ Additional Computation Sheets Attached

1. Measured Method:

2. Alternate Method for Checking Purposes:

F. PUMP EFFICIENCY DATA (Optional)

Discharge Pressure: _____ psi x 2.31 = _____ ft (1); Dynamic pumping level: _____ ft (2)

Total Head: (1) + (2) = _____ (3); Flow rate: _____ cfs (4)

Water HP: (3) x (4) ÷ 8.8 = _____ (5)

Meter Input KW: 3.6 x _____ KH x _____ CTR or _____ MULT x _____ PTR x _____ N/ _____ T = _____ (6)

Meter Input HP: (6) x 1.34 = _____ (7)

Panel Input KW: _____ Ave PF x _____ Ave Volts x _____ Ave Amps x .001732 = _____ (8)

Panel Input HP: (6) x 1.34 = _____ (7) Efficiency: (5)/(7) x 100 = _____ %

G. VOLUME CALCULATIONS

1. Volume Calculations for Irrigation:

$V_{I.R.} = (\text{Acres Irrigated}) \times (\text{Irrigation Requirement}) =$ _____

$V_{D.R.} = [\text{Diversion Rate (cfs)}] \times (\text{Days in Irrigation Season}) \times 1.9835 =$ _____

$V = \text{Smaller of } V_{I.R.} \text{ and } V_{D.R.} =$ _____

2. Volume Calculations for Other Uses:

Acrylics: - per conversation with John Evans, avg. lake depth is 15 ft.
- area: 5.2 acres
Vol. = 5.2 acres x 15 ft = 78.0 a-f.

JUN 28 1994

H. REMARKS AND OVERLAP REVIEW ANALYSIS

Note: The recommendations below ~~do~~ better describe the water use. However, I recommend that no charge to the permit holder be made since IDWR approved the permit application as a simple direct flow right while the application describes lakes (i.e. storage).

Note: see attached evaporative loss calculation sheet

I. RECOMMENDATIONS

1. Recommended Amounts

Beneficial Use	Period of Use		Rate of Diversion Q (cfs)	Annual Volume V (afa)
	From	To		
~~Div. to Storage Aesthetics~~	~~4/15~~	~~9/15~~	3.21	
~~Div. to Storage Aesthetics~~	~~9/15~~	~~4/14~~	~~3.00~~	
Aesthetics storage	1/1	12/31		78.0
Totals:			3.21	78.0

2. Recommended Amendments (see remarks)

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☐ None
☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☒ Other *as nature of use*

J. AUTHENTICATION

Field Examiner's Name Brad E. Dingee
 Signature Brad E. Dingee
 Certification Date _____
 Field Report Preparation Date 6/8/88

CONSULTANT SEAL


- K. Licensing recommendation shall be prepared by an Idaho Department of Water Resources employee on a computer printout attached hereto.



JUN 28 1994


63-9751

Point of diversion,
Boise River is in
background; ditch leads
to Village Lake.



Village Lake.

(See 63-9718
exam for
orig. photo.)



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Transfer No.

69237

RECEIVED

MAR 12 2001

APPLICATION FOR TRANSFER OF WATER RIGHT

PART 1

WATER RESOURCES
WESTERN REGION

Name of applicant

RIVERSIDE VILLAGE HOMEOWNERS ASSOC.

Phone (208) 853-0211

Post Office address

4884 Lake Park Place, Garden City, ID 83714

A. PURPOSE OF TRANSFER

1. ☒ Change point of diversion ☐ Add diversion point(s) ☐ Change place of use

☐ Change nature of use ☐ Change period of use ☐ Other _____

2. Describe the reason for the proposed changes Deposition of sediment on the north side of the river is gradually blocking water flow to the diversion location. Moving the diversion point to a location that is not affected by the diversion will restore the original flow.

B. DESCRIPTION OF RIGHT(S) OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

- | 1. Right Number | Priority | Amount (cfs/ac-ft) | Nature of Use | Period of Use |
|-----------------|----------|--------------------|---------------|----------------|
| 63-9751 | 06/23/81 | 3.21 cfs | AESTHETIC | 01/01 to 12/31 |
| _____ | _____ | _____ | _____ | _____ to _____ |
| _____ | _____ | _____ | _____ | _____ to _____ |
| _____ | _____ | _____ | _____ | _____ to _____ |
2. Total amount of water being transferred 3.21 cubic feet per second and/or _____ acre-feet per annum.
3. Source of water Boise River tributary to Snake River
4. Point(s) of Diversion:

Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Local name for diversion
1st	NE	NE	NE	25	AN	1E	Ada	Village Pond Diversion

5. Lands irrigated or place of use: NO CHANGE

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				NE 1/4	NW
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4		

SEE ATTACHED WATER R

transfer
not processed
yet - per
data base
search 6/20/07-
kw

Total acres _____

RECEIVED

MAR 12 2001

APPLICATION FOR TRANSFER OF WATER RIGHT

PART 1

WATER RESOURCES
WESTERN REGION

Name of applicant

RIVERSIDE VILLAGE HOMEOWNERS ASSOC.

Phone

(208) 853-0211

Post Office address

4884 Lake Park Place, Garden City, ID 83714

A. PURPOSE OF TRANSFER

1. ☒ Change point of diversion ☐ Add diversion point(s) ☐ Change place of use
☐ Change nature of use ☐ Change period of use ☐ Other

2. Describe the reason for the proposed changes Deposition of sediment on the north side of the river is gradually blocking water flow to the diversion location. Moving the diversion point to a location that is not affected by the diversion will restore the original flow.

B. DESCRIPTION OF RIGHT(S) OR PORTION THEREOF, AFTER THE REQUESTED CHANGE

- | 1. Right Number | Priority | Amount (cfs/ac-ft) | Nature of Use | Period of Use |
|-----------------|----------|--------------------|---------------|----------------|
| 63-9751 | 06/23/81 | 3.21 cfs | AESTHETIC | 01/01 to 12/31 |
| | | | | to |
| | | | | to |
| | | | | to |

2. Total amount of water being transferred 3.21 cubic feet per second and/or _____ acre-feet per annum.

3. Source of water Boise River tributary to Snake River

4. Point(s) of Diversion:


Lot	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Local name for diversion
1st	NE	NE	NE	25	4N	1E	Ada	Village Pond Diversion

5. Lands irrigated or place of use: NO CHANGE

Twp.	Rge.	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	

Total acres _____

11. Map of proposed project: show clearly the proposed point of diversion, place of use, section number, township and range number.



Scale: 2 inches equal 1 mile.

BE IT KNOWN that the undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

Developer

(Applicant)