



DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



T5N
T4N

MICROFILMED
SEP 01 1992

Idaho Department of Water Resources



**T05N, R01E,
S32**

Claim No: 63-18615

Prepared By: Kimberly Brown

Date: August 9, 2005



Place of Use




Section Lines



1/4 1/4



Point of Diversion



1987 NAPP

**Ada County Assessor
Land Records/GIS****Main Menu**

[Main Page](#)
[Help Index](#)
[FAQ](#)
[About Us](#)
[Contact Us](#)
[Disclaimer](#)

Property Search

[Search by Parcel](#)
[Search by Address](#)
[Search by Subdivision](#)
[Online Documents](#)

[Interactive Map](#)

Property Details for Parcel S0232438600 and Year 2006

[\[Back to Parcel Search\]](#) [\[Print View\]](#)

Details

Valuation

Tax Districts

Characteristics

Parcel: S0232438600

Year: 2006

Zone Code: RUT

Total Acres: 1.1

Tax Code Area: 270

Property Description:

PAR #8600 SE4

SEC 32 5N 1E



[View Interactive Map of this Parcel](#)

Address: 666 W BEACON LIGHT RD EAGLE , ID 83616

Subdivision: 5N 1E 32

Land Group Type: SECT

Township/Range/Section: 5N1E32

*0.9 acre -
2002 Tax lot*



[Contact Us](#) | [Disclaimer](#)



This is the domestic well,
12' - 15' from
house.


Idaho Department of Water Resources

Claim Number: 63-18615
Legal: T05N, R01E, S32
Reviewed By:

-  Point of Diversion
-  Place of Use
-  Section Lines
-  Quarter Quarter Lines



1987 Napp Photo



0 0.25 Miles

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A63-18615
Date Received: 9/07/1989
Receipt No: CO01151 CO1151
Received By: gaa

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: OSCAR D. PETERSON 208-939-6614
Address: 666 W. BEACON LIGHT
RT. 1
EAGLE, ID 83616

2. Date of Priority: OCT 01, 1962

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
05N	01E	32	SW	SE			ADA

5. Description of diverting works:
1 WELLS 6" AND 8" 213' WITH 5 HP. SUB. PUMP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	10/15	0.060		
DOMESTIC	01/01	12/31	0.040		

7. Total Quantity Appropriated is:
0.100 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 7.0 Acre Feet Per Annum.

9. Non-irrigation uses:
D/ HOUSE.

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
05N	01E	32	SW	SE		IRR	2.0

A63-18615

Page 1

Date: 09/07/89

MICROFILMED
SEP 01 1992

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
05N	01E	32	SE	SE	DOMEST	

Section Acres 2.0

Total Acres 2.0

11. Place of use in counties: ADA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: BENEFICIAL USE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): *Osward H. Peterson* Date: 7/7/88
_____ Date: _____

State of Idaho)
County of Ada) SS.

Subscribed and sworn (or affirmed) before me this 7 day

of Sept. 19 89

John Del Carlo
Notary Public

Seal

Residing at Bow Id

My Commission Expires 4/2/94

DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY



T 5 N
T 4 N

MICROFILMED

SEP 01 1992

11/02/2005

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: November 18, 2005

Water right number: 63-18615

~~OSCAR D PETERSON
666 W BEACON LIGHT
RT 1~~

~~EAGLE ID 83616~~

~~Telephone Number: (208) 939-6614~~

*Michael O. Wilder
666 W. Beacon Light Rd
Eagle, Id 83616
or 941-9604*

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

 I AGREE with this proposed recommendation: no changes need to be made.

DATE: 11-15-05 SIGNATURE: Barbara A. Wilder

Please print your name: BARBARA A. WILDER

IDWR Regional Office, 2735 Airport Wy, Boise, ID 83705, 2083342190

08/09/2005

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 63-18615

NAME AND ADDRESS: OSCAR D PETERSON
666 W BEACON LIGHT
RT 1
EAGLE ID 83616

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 0.040 CFS

The quantity of water under this right shall not exceed 13,000 gallons per day.

PRIORITY DATE: 10/01/1963

POINT OF DIVERSION:

T05N R01E S32 SWSE Within ADA County

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE

PERIOD OF USE

QUANTITY

DOMESTIC

01/01 12/31

0.040 CFS

Domestic use is for 1 home.

PLACE OF USE: DOMESTIC Within ADA County

T05N R01E S32 SWSE

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

The quantity of water decreed for this water right is not a determination of historical beneficial use.

EXPLANATORY MATERIAL: BASIS OF CLAIM - Beneficial Use

PARCEL NO: S0232438600.

Idaho Department of Water Resources

**T05N, R01E,
S32**

Claim No: 63-18615

Prepared By: Kimberly Brown


Date: August 9, 2005



Place of Use




Section Lines



1/4 1/4



Point of Diversion



300 0 300 600 Feet



1987 NAPP

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-18615

WATER RIGHT NUMBER: 63-18615

Owner Type~~Current~~ OwnerName and Address

OSCAR D PETERSON ✓
666 W BEACON LIGHT
RT 1
EAGLE, ID 83616
(208)939-6614

Current Owner

Michael D. Wilder
666 W. Beacon Light Rd.
Eagle, ID 83616

Priority Date: 10/01/1967 ✓

Basis: Beneficial Use ✓

Status: Active

Source

GROUND WATER ✓

TributaryBeneficial Use

IRRIGATION ✓

DOMESTIC ✓

From To

4/01 to 10/15 ✓

1/01 to 12/31 ✓

Diversion Rate

0.060 CFS ✓

0.040 CFS ✓

Annual VolumeTotal Diversion: 0.100 CFS ✓

0.04

Location of Point(s) of Diversion

GROUND WATER

ADA County ✓

SW1/4SE1/4 ✓

Sec. 32, Twp 05N, Rge 01E, B.M. ✓

Place of Use~~IRRIGATION~~

REMOVE irrigation claim due to no evidence of priority.
Plus, 2 acres of irrigation is not possible - #63-7017 covers 39.0 acres
≠ this domestic covers 1/2 acre around home.

Twp	Rge	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
✓ 05N	01E	32												2.0	2.0

Total Acres: 2

DOMESTIC

Twp	Rge	Sec	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
✓ 05N	01E	32												X	

incorrect QQ

Conditions of Approval:

ADD X01 - Domestic use is for 1 home.

Remarks:

ADD N13 & N11-

Parcel No: 80232438600.

Field Exam Date 8.8.05

(in office review)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION FIELD REPORT

Prior to Field Exam

- ☒ Copy of Claim, claim has been signed, sealed, and dated by notary?
- ☒ Check fees paid \$52.00
- ☐ Well logs (if needed)
- ☒ Copy of topo or NAPP
- ☒ Check of Govt. Lots, if needed, Govt. Plat/Tax lot information
- ☒ Check POD & POU overlap, see below – include overlapping right for exam
- ☐ Evidence of Priority – if none, talk with claimant

CLAIMANT INFORMATION – verify contact information is complete

Claim No(s) 63 - 18615

Owner: Oscar D. Peterson Phone No. (208) 939-6614

Current Address: 666 W. Beacon Light, Rt. 1, Eagle

- ☐ No change NAME IS THE SAME
- ☒ NEW OWNER Michael D. Wilder
- ☒ No change Address
- ☐ NEW ADDRESS
- ☐ How long owned property?

Accompanied by: N/A

PRIORITY DATE

- ☐ No change – Complete evidence submitted or not necessary
- ☐ Incomplete – Claimant should be asked when water was first used and submit proof of date.
- ☐ Priority date is acceptable/within mandatory filing dates?

The Wilders are
aware that
evidence is
required (see

Convention Memo).

Priority date, per claimant, is: 10/01/1962

(If priority date, based on your exam, seems questionable, explain below.)

Since evidence of priority has not been provided, Ada County Assessor land
Records show that the house was built in 1963 (not 1962), and licensed water right
#63-7017 covers the irrigation of 39 acres out of the Wilders 40 acres; I am

Source: Ground Water Tributary to

- ☒ No Change – SAME SOURCE
- ☐ Source found is different than claimed:

POINT OF DIVERSION

- ☒ No change
- ☐ POD found is different than claimed:
- ☐ If different, when did POD change?

1963 - Mandatory Permit
Statute date
comes into
play -
recommending
this claim
as a domestic
use for
0.04 cfs.
Therefore,
39.5 acres
of 40 are
covered for
irrigation.

DIVERSION AND DELIVERY SYSTEM

Points of Diversion:

ID #	Govt Lot #	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks GPS ID

Description of diverting works

1 well 6" and 8" 213' with 5 HP sub. pump

OVERLAP REVIEW

Other water rights with the same point of diversion: 63-7017, 63-20227, 63-19437

Does overlap add acres or uses to existing system, increase rate of flow or volume, or other? Explain:

All different POBs - no overlap.

WATER USES

- ☐ No change
☐ Different Uses

Remove irrigation of 2 acres

Use Domestic From _____ To _____ Amount 0.04 CFS _____ AFA
 Use _____ From _____ To _____ Amount _____ CFS _____ AFA
 Use _____ From _____ To _____ Amount _____ CFS _____ AFA

TOTAL VOLUME - Groundwater only

- ☐ Incomplete on claim, the total is, Amount _____ CFS _____ AFA
☒ Changes found, the new total is, Amount 0.04 CFS _____ AFA
☐ More than 1" per Acre? Yes _____ (claimant must complete excess flow sheet)

NON-IRRIGATION USES:

- ☐ No change
☒ Changes Exam found: Domestic # of homes 1 Stock # _____
 Types _____ Additional comments: _____

Domestic use is for 1 home.

PLACE OF USE:

- ☐ No Change
☒ Changes shown below:

house - Parcel No: 80232438600.

The home located at: 666 W. Beacon Light Rd.
 is located in the SWSE, S32; not the SESE,
 S32 as claimed.

Place of Use			NE				NW				SW				SE				Totals
TWP	RGE	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
																	X		
																	D		

Overlap with other water rights: 63-7017, 63-19437, 63-20227

Does overlap increase rate of flow, volume, additional acres, different source for same acres? Explain:

Separate PUs - no overlap.

Delivery System Narrative:

Intrepid
Easting
Northing

Well or Diversion Identification No GPS ID	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge size
A0013292		5			
309741					
293831					

FLOW MEASUREMENTS: N/A

Attach appropriate documents

NARRATIVE/REMARKS/COMMENTS

(OVER)

Domestic use is for 1 home.

The quantity decreed shall not exceed 13,000 gal/day
is not a determination of historical beneficial use.

Parcel No: 80232438600.

AFTER EXAM THE FILE SHOULD CONTAIN:

- ☒ Completed claim checklist
- ☐ Photographs of POD's and POU
- ☐ GPS readings
- ☒ Completed map and or GIS layout showing POD's and POU

DATE EXAM CONDUCTED: 8.9.05 (in office review)

FIELD EXAMINER: Kimberly Brown

**Ada County Assessor
Land Records/GIS****Main Menu**

[Main Page](#)
[Help Index](#)
[FAQ](#)
[About Us](#)
[Contact Us](#)
[Disclaimer](#)

Property Search

[Search by Parcel](#)
[Search by Address](#)
[Search by Subdivision](#)
[Online Documents](#)

[Interactive Map](#)

Property Details for Parcel S0232438600 and Year 2006

[\[Back to Parcel Search\]](#) [\[Print View\]](#)

Details

Valuation

Tax Districts

Characteristics

Parcel: S0232438600
Year: 2006
Zone Code: RUT
Total Acres: 1.1
Tax Code Area: 270
Property Description:
PAR #8600 SE4
SEC 32 5N 1E



[View Interactive Map of this Parcel](#)

*0.9 acre -
2002 Tax lot*

Address: 666 W BEACON LIGHT RD EAGLE, ID 83616
Subdivision: 5N 1E 32
Land Group Type: SECT
Township/Range/Section: 5N1E32

[Contact Us](#) | [Disclaimer](#)



Ada County Assessor Land Records/GIS

Main Menu

[Main Page](#)
[Help Index](#)
[FAQ](#)
[About Us](#)
[Contact Us](#)
[Disclaimer](#)

Property Search

[Search by Parcel](#)
[Search by Address](#)
[Search by Subdivision](#)
[Online Documents](#)

[Interactive Map](#)

Residential Characteristics

[Back to Parcel Search](#)

Year Built:	1963
Year Remodel:	1971
Effective Age:	1965
Construction Class:	4
Number of Bedrooms:	5
Number of Bathrooms:	1.0
Number of FirePlaces:	2
Air Conditioning:	N
Car Storage Sq Ft #1:	625
Car Storage Sq Ft #2:	0
General Purpose Building Sq Ft:	0
Porch Sq Ft:	0
Deck Sq Ft:	0
Deck Covered:	N
Patio Sq Ft:	200
Patio Covered:	N
Pool Sq Ft:	0
Total Sq Ft:	3264
Main Floor Sq Ft:	1856
Upper Floor Sq Ft:	0
Finished Lower Floor Sq Ft:	0
Unfinished Lower Floor Sq Ft:	0
Finished Basement Floor Sq Ft:	0
Unfinished Basement Floor Sq Ft:	1408
Finished Attic Sq Ft:	0
Unfinished Attic Sq Ft:	0

[Contact Us](#) | [Disclaimer](#)

**Ada County Assessor
Land Records/GIS****Main Menu**

[Main Page](#)
[Help Index](#)
[FAQ](#)
[About Us](#)
[Contact Us](#)
[Disclaimer](#)

Property Search

[Search by Parcel](#)
[Search by Address](#)
[Search by Subdivision](#)
[Online Documents](#)

[Interactive Map](#)

Land Characteristics[Back to Parcel Search](#)

Residential Acres: 1.1
Commercial Acres: 0.0
Other Acres Acres: 0.0
Street: None
Utility: None
Water Source:
Sewer: None
SideWalks: N
Curb-Gutters: N
Topography:
View:
Water Influence: 3
Water Frontage Feet: 0
Corner: N

[Contact Us](#) | [Disclaimer](#)

overlap review -

IDAHO DEPARTMENT OF WATER RESOURCES ADJUDICATION CLAIM POU REVIEW REPORT ADJUDICATION CLAIM NUMBER: 63-18615

08/09/2005

1

Right #	Type	Twp	Rge	Sec	QQ	Q	Lot	Purpose of Use	Acres/Total	Name
120G	Claim	05N	01E	32	SW	SE		IRRIGATION	5/8394	FARMERS UNION DITCH CO LTD
123C	Claim	05N	01E	32	SW	SE		IRRIGATION	5/8394	FARMERS UNION DITCH CO LTD
123E	Claim	05N	01E	32	SW	SE		IRRIGATION	40/1020	CAPITOL VIEW IRRIGATION INC
124Q	Claim	05N	01E	32	SW	SE		IRRIGATION	5/8394	FARMERS UNION DITCH CO LTD
125J	Claim	05N	01E	32	SW	SE		IRRIGATION	5/8394	FARMERS UNION DITCH CO LTD
126F	Claim	05N	01E	32	SW	SE		IRRIGATION	5/8394	FARMERS UNION DITCH CO LTD
164E	Claim	05N	01E	32	SW	SE		IRRIGATION	5/8394	FARMERS UNION DITCH CO LTD
165M	Claim	05N	01E	32	SW	SE		IRRIGATION	5/8394	FARMERS UNION DITCH CO LTD
98AG	Claim	05N	01E	32	SW	SE		IRRIGATION	5/8394	FARMERS UNION DITCH CO LTD
-248	Claim	05N	01E	32	SW	SE		IRRIGATION	5/8394	FARMERS UNION DITCH CO LTD
-297	Claim	05N	01E	32	SW	SE		IRRIGATION	5/8394	FARMERS UNION DITCH CO LTD
2406	Claim	05N	01E	32	SW	SE		IRRIGATION	4/29248	DRAINAGE DIST NO 2
7017	Claim	05N	01E	32	SW	SE	separate POU	IRRIGATION	19/39	CHAD MOFFAT
~~18615~~	~~Claim~~	~~05N~~	~~01E~~	~~32~~	~~SW~~	~~SE~~		~~IRRIGATION~~	~~2/2~~	~~OSCAR D PETERSON~~
18700	Claim	05N	01E	32	SW	SE		IRRIGATION	40/1020	CAPITOL VIEW IRRIGATION INC
21729	Claim	05N	01E	32	SW	SE		IRRIGATION	5/8394	FARMERS UNION DITCH CO LTD
21730	Claim	05N	01E	32	SW	SE		IRRIGATION	5/8394	FARMERS UNION DITCH CO LTD
2406	Water Right	05N	01E	32	SW	SE		IRRIGATION	4/29248	DRAINAGE DIST NO 2
7017	Water Right	05N	01E	32	SW	SE	different POU	IRRIGATION	19/39	OSCAR D PETERSON
19437	Water Right	05N	01E	32	SW	SE		DOMESTIC		LESTER G HILL
20227	Water Right	05N	01E	32	SW	SE		DOMESTIC		LARRY PICKERING
123E	Claim	05N	01E	32	SE	SE		IRRIGATION	40/1020	CAPITOL VIEW IRRIGATION INC
18700	Claim	05N	01E	32	SE	SE		IRRIGATION	40/1020	CAPITOL VIEW IRRIGATION INC
~~18615~~	~~Claim~~	~~05N~~	~~01E~~	~~32~~	~~SE~~	~~SE~~		~~DOMESTIC~~		~~OSCAR D PETERSON~~

different POUs - no overlap

overlap review -

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM POD REVIEW REPORT
ADJUDICATION CLAIM NUMBER: 63-18615

08/09/2005

1

Water Right #	Type	Twp	Rge	Sec	QQ	Q	Lot	Source	Name
63-7017	Claim	05N	01E	32	SW	SE	<i>different pod</i>	GROUND WATER	CHAD MOFFAT
~~63-18615~~	~~Claim~~	~~05N~~	~~01E~~	~~32~~	~~SW~~	~~SE~~		~~GROUND WATER~~	~~OSCAR D PETERSON~~
63-20227	Claim	05N	01E	32	SW	SE		GROUND WATER	CLARICE PICKERING
63-19437	Claim	05N	01E	32	SW	SE		GROUND WATER	LESTER G HILL
~~63-20227~~	~~Water Right~~	~~05N~~	~~01E~~	~~32~~	~~SW~~	~~SE~~		~~GROUND WATER~~	~~LARRY PICKERING~~
~~63-19437~~	~~Water Right~~	~~05N~~	~~01E~~	~~32~~	~~SW~~	~~SE~~		~~GROUND WATER~~	~~LESTER G HILL~~

separate POBs - no overlaps

Form 238-7
9/82

STATE OF IDAHO

DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

USE TYPEWRITER OR
BALLPOINT PEN

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER

Name Oscar Peterson

Address Valley Hi Rd. Eagle, ID

Owner's Permit No. _____

2. NATURE OF WORK

☒ New well ☐ Deepened ☐ Replacement

☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)

3. PROPOSED USE

☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal

☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

☐ Other _____ (specify type)

4. METHOD DRILLED

☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary

☒ Cable ☐ Dug ☐ Other _____

5. WELL CONSTRUCTION

Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____

Thickness	Diameter	From	To
<u>.200</u> inches	<u>6</u> inches	<u>1.5</u> feet	<u>200</u> feet
<u>.250</u> inches	<u>5</u> inches	<u>195</u> feet	<u>204</u> feet
<u>.250</u> inches	<u>5</u> inches	<u>212</u> feet	<u>216</u> feet
_____ inches	_____ inches	_____ feet	_____ feet

Was casing drive shoe used? ☒ Yes ☐ No

Was a packer or seal used? ☒ Yes ☐ No

Perforated? ☐ Yes ☒ No

How perforated? ☐ Factory ☐ Knife ☐ Torch

Size of perforation _____ inches by _____ inches

Number	From	To
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet
_____ perforations	_____ feet	_____ feet

Well screen installed? ☒ Yes ☐ No

Manufacturer's name Johnston

Type Stainless Model No. _____

Diameter 2 1/2 Slot size _____ Set from _____ feet to _____ feet

Diameter 5 Slot size 25 Set from 204 feet to 212 feet

Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____

Placed from _____ feet to _____ feet

Surface seal depth 45 Material used in seal: ☐ Cement grout

☐ Bentonite ☒ Puddling clay ☐ _____

Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing

☒ Overbore to seal depth

Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld

☐ Cemented between strata

Describe access port well cap

6. LOCATION OF WELL

Sketch map location must agree with written location.

N

W

E

S

Subdivision Name _____

Lot No. _____ Block No. _____

County Ada

S.W. 1/4 S.E. 1/4 Sec. 32, T. 5 N N/S, R. 12 E W.

7. WATER LEVEL

Static water level 59 feet below land surface.

Flowing? ☐ Yes ☒ No G.P.M. flow _____

Artesian closed-in pressure _____ p.s.i.

Controlled by: ☐ Valve ☐ Cap ☐ Plug

Temperature _____ °F. Quality _____

Describe artesian or temperature zones below.

8. WELL TEST DATA

☒ Pump ☐ Bailer ☒ Air ☐ Other _____

Discharge G.P.M.	Pumping Level	Hours Pumped
<u>70</u>		<u>2</u>

9. LITHOLOGIC LOG

Bore Diam.	Depth		Material	Water	
	From	To		Yes	No
8	0	4	topsoil clay		X
8	4	8	hardpan		X
8	8	52	brown sandy clay		X
6	52	71	gravel		X
6	71	126	yellow clay		X
6	126	129	sand	X	
6	129	163	yellow clay		X
6	163	164	muddy sand	X	
6	164	188	sandy yellow clay		X
6	188	193	fine muddy sand	X	
6	193	197	yellow clay		X
6	197	213	sand	X	
6	213		brown clay		X

RECEIVED

APR 20 1987

Department of Water Resources

RECEIVED

APR 22 1987

Department of Water Resources

Western Regional Office

10.

Work started 7/8/86 finished 8/18/86

11. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name Engleman Well Dr Firm No. 47

Rt. 3 Box 3397A

Address Nampa, ID 83651 Date 8/20/86

Signed by (Firm Official) [Signature]


and

(Operator) [Signature]

USE ADDITIONAL SHEETS IF NECESSARY — FORWARD THE WHITE COPY TO THE DEPARTMENT

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

WELL OWNER Name <u>Osar Peterson</u> Address <u>Valley Hi Rd. Eagle, ID</u> Owner's Permit No. _____		7. WATER LEVEL Static water level <u>68</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																																																																																																																			
NATURE OF WORK ☐ New well ☒ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Air ☐ Other _____ <table><tr><td>Discharge G.P.M.</td><td>Pumping Level</td><td>Hours Pumped</td></tr><tr><td><u>160</u></td><td><u>180 ft.</u></td><td><u>24</u></td></tr><tr><td> </td><td> </td><td> </td></tr><tr><td> </td><td> </td><td> </td></tr></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	<u>160</u>	<u>180 ft.</u>	<u>24</u>																																																																																																																												
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																																																																			
<u>160</u>	<u>180 ft.</u>	<u>24</u>																																																																																																																																			
PROPOSED USE ☐ Domestic ☒ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr><tr><td>10</td><td>149</td><td>150</td><td>sand</td><td>x</td><td></td></tr><tr><td>10</td><td>150</td><td>153</td><td>sandy clay</td><td></td><td>x</td></tr><tr><td>10</td><td>153</td><td>158</td><td>muddy sand</td><td>x</td><td></td></tr><tr><td>10</td><td>158</td><td>164</td><td>white ~~sandy~~ clay</td><td>///</td><td>x</td></tr><tr><td>10</td><td>164</td><td>178</td><td>sand</td><td>x</td><td></td></tr><tr><td>10</td><td>178</td><td>181</td><td>white clay</td><td></td><td>x</td></tr><tr><td>10</td><td>181</td><td>182</td><td>sand</td><td>x</td><td></td></tr><tr><td>10</td><td>182</td><td>198</td><td>yellow sandy clay</td><td></td><td>x</td></tr><tr><td>8</td><td>198</td><td>211</td><td>sand</td><td>x</td><td></td></tr><tr><td>8</td><td>211</td><td>212</td><td>white clay</td><td></td><td>x</td></tr><tr><td>8</td><td>212</td><td>226</td><td>sand</td><td>x</td><td></td></tr><tr><td>8</td><td>226</td><td>230</td><td>gray clay</td><td></td><td>x</td></tr><tr><td>8</td><td>230</td><td>232</td><td>sand</td><td>x</td><td></td></tr><tr><td>8</td><td>232</td><td>233</td><td>clay streak</td><td></td><td>x</td></tr><tr><td>8</td><td>233</td><td>270</td><td>coarse white sand</td><td>x</td><td></td></tr><tr><td>8</td><td>270</td><td>280</td><td>finer sand</td><td>x</td><td></td></tr><tr><td>8</td><td>280</td><td>295</td><td>coarser sand</td><td>x</td><td></td></tr><tr><td>8</td><td>295</td><td>307</td><td>fine muddy sand, clay</td><td>x</td><td></td></tr><tr><td>8</td><td>307</td><td>319</td><td>coarse sand</td><td>x</td><td></td></tr><tr><td>8</td><td>319</td><td></td><td>yellow clay</td><td></td><td>x</td></tr></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	10	149	150	sand	x		10	150	153	sandy clay		x	10	153	158	muddy sand	x		10	158	164	white ~~sandy~~ clay	///	x	10	164	178	sand	x		10	178	181	white clay		x	10	181	182	sand	x		10	182	198	yellow sandy clay		x	8	198	211	sand	x		8	211	212	white clay		x	8	212	226	sand	x		8	226	230	gray clay		x	8	230	232	sand	x		8	232	233	clay streak		x	8	233	270	coarse white sand	x		8	270	280	finer sand	x		8	280	295	coarser sand	x		8	295	307	fine muddy sand, clay	x		8	307	319	coarse sand	x		8	319		yellow clay		x
Bore Diam.	Depth		Material		Water																																																																																																																																
	From	To		Yes	No																																																																																																																																
10	149	150	sand	x																																																																																																																																	
10	150	153	sandy clay		x																																																																																																																																
10	153	158	muddy sand	x																																																																																																																																	
10	158	164	white ~~sandy~~ clay	///	x																																																																																																																																
10	164	178	sand	x																																																																																																																																	
10	178	181	white clay		x																																																																																																																																
10	181	182	sand	x																																																																																																																																	
10	182	198	yellow sandy clay		x																																																																																																																																
8	198	211	sand	x																																																																																																																																	
8	211	212	white clay		x																																																																																																																																
8	212	226	sand	x																																																																																																																																	
8	226	230	gray clay		x																																																																																																																																
8	230	232	sand	x																																																																																																																																	
8	232	233	clay streak		x																																																																																																																																
8	233	270	coarse white sand	x																																																																																																																																	
8	270	280	finer sand	x																																																																																																																																	
8	280	295	coarser sand	x																																																																																																																																	
8	295	307	fine muddy sand, clay	x																																																																																																																																	
8	307	319	coarse sand	x																																																																																																																																	
8	319		yellow clay		x																																																																																																																																
METHOD DRILLED ☐ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☒ Cable ☐ Dug ☐ Other _____																																																																																																																																					
WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr><tr><td><u>.250</u> inches</td><td><u>8</u> inches</td><td><u>1</u> feet</td><td><u>256</u> feet</td></tr><tr><td><u>.250</u> inches</td><td><u>10</u> inches</td><td><u>55</u> feet</td><td><u>185</u> feet</td></tr><tr><td><u>.250</u> inches</td><td><u>6</u> inches</td><td><u>246</u> feet</td><td><u>256</u> feet</td></tr><tr><td><u>.259</u> inches</td><td><u>6</u> inches</td><td><u>266</u> feet</td><td><u>286</u> feet</td></tr></table> Casing drive shoe used? ☒ Yes ☐ No Casing packer or seal used? ☒ Yes ☐ No Casing perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table><tr><th>Number</th><th>From</th><th>To</th></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></table> Well screen installed? ☒ Yes ☐ No Manufacturer's name <u>Johnston</u> Type <u>Stainless</u> Model No. _____ Diameter <u>6</u> Slot size <u>25</u> Set from <u>256</u> feet to <u>266</u> feet Diameter <u>6</u> Slot size <u>25</u> Set from <u>286</u> feet to <u>294</u> feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Cased from _____ feet to _____ feet Surface seal depth <u>185</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☒ Slurry pit ☒ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port <u>Well cap</u>		Thickness	Diameter	From	To	<u>.250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>256</u> feet	<u>.250</u> inches	<u>10</u> inches	<u>55</u> feet	<u>185</u> feet	<u>.250</u> inches	<u>6</u> inches	<u>246</u> feet	<u>256</u> feet	<u>.259</u> inches	<u>6</u> inches	<u>266</u> feet	<u>286</u> feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet																																																																																																				
Thickness	Diameter	From	To																																																																																																																																		
<u>.250</u> inches	<u>8</u> inches	<u>1</u> feet	<u>256</u> feet																																																																																																																																		
<u>.250</u> inches	<u>10</u> inches	<u>55</u> feet	<u>185</u> feet																																																																																																																																		
<u>.250</u> inches	<u>6</u> inches	<u>246</u> feet	<u>256</u> feet																																																																																																																																		
<u>.259</u> inches	<u>6</u> inches	<u>266</u> feet	<u>286</u> feet																																																																																																																																		
Number	From	To																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																			
_____ perforations	_____ feet	_____ feet																																																																																																																																			
LOCATION OF WELL Sketch map location <u>must</u> agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Ada</u> <u>1/4 SE 1/4 Sec. 32, T. 5 N, R. 1 E, E.W.</u>		10. Work started <u>3/ 28/86</u> finished <u>7/1/86</u>																																																																																																																																			
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Engleman Well Dr</u> Firm No. <u>47</u> <u>Rt. 3 Box 3397A</u> Address <u>Nampa, ID 83651</u> Date <u>8/15/86</u> Signed by (Firm Official) <u>Roy Engleman</u> and (Operator) <u>Tony Engleman</u>																																																																																																																																					

SD-1603-3

Idaho Department Of Water Resources
Detail Receipt Summary Screen

Date: 12/17/03
Time: 15:00:09

Rec/No - C011151 AR/No -
From: - PETERSON, OSCAR

Receipt Type - CK Doc/No - 2035
Remarks -

MOST CURRENT RECEIPT

Receipt Date: 09/07/1989

Type Of Payment	Fund	FD	PCA	Obj	Subsid	Fee
ADJUDICATION FEE	9337		410162	6490		166.00

Total Due - 166.00

WR/No	WR Fee	WR/No	WR Fee	WR/No	WR Fee
A6318615	52.00	A6318617	25.00	A6307017	89.00

(Enter=Continue)

(GOLD7=Selection Screen)

(GOLD8=Cancel)



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

December 18, 2003

MICHAEL D WILDER
666 W BEACON LIGHT RD
EAGLE ID 83616

RE: Snake River Basin Adjudication Water Right Number A63-18615

Dear Mr. Wilder,

According to 2002 Ada County Tax Lot information, you are the current owner of the property located at 666 W. Beacon Light Rd. If this information is correct, you will need to fill out the enclosed Change In Water Right Ownership form and return it to the Western Region office, with the necessary documents, to the following address:

Attn. Kimberly Brown
Department of Water Resources
2735 Airport Way
Boise, ID 83705

If you have any questions, please contact me at 334-2190.

Sincerely,

Kimberly L. Brown

Kimberly L. Brown
Water Resource Agent
Western Region

*I also requested that
Mr. Wilder call me, since
I have a few questions...*

CONVERSATION MEMORANDUM

RE: Snake River Basin Adjudication Water Right Nos. A63-7017 & -18615

December 17, 2003

Ralph Wilder came into the office after receiving the evidence of priority letter I recently sent. Therefore, I explained the concept of and need for evidence of priority for #63-18615. After broaching the subject of evidence, I took this opportunity to talk about the two claims. Concerning the number of wells on his property, Mr. Wilder said that there are only two; not three.

Concerning #63-7017, he said that they no longer use Capital View Irrigation District water, but that the previous owner, Oscar Peterson, did. (The Wilders obtained the property after 1987.)

Regarding #63-18615, Ralph Wilder said that the home and 0.86 acre belongs to his son, Michael Wilder (I took this opportunity to mention that a *Change in Water Right Ownership* form needed to be filed for both claims). Ralph Wilder informed me that the domestic well, which is 213 ft. deep, has a 5 HP submersible pump, and services the home on the "south side of the canal," went "kaput" when it became plugged. A new well was drilled in 1986 (see enclosed Well Driller's Report). Mr. Wilder stated that the domestic well is used internally and to irrigate less than ½ acre because there is a "no-man's patch" located next to the home.

December 18, 2003

Barbara Wilder called and, based on my question concerning the irrigation of 2 acres for #63-189615, she said that she believes that her son Michael, who owns the home, only irrigates around the house; but she said that she would talk to him and see if he is irrigating 2 acres. I said I would send a *Change in Water Right Ownership* form to Michael Wilder for #63-18615. I also brought up the subject of providing evidence of priority for #63-18615 and Mrs. Wilder said that she would look for some evidence to substantiate the claimed 1962 priority date.

Kimberly Brown, Senior Water Resource Agent, Western Region



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

November 25, 2003

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

OSCAR D. PETERSON
666 W. BEACON LIGHT
RT. 1
EAGLE, ID 83616

RE: EVIDENCE OF PRIORITY
Snake River Basin Claim No(s): A63-18615

Dear Claimant(s),

In the past, you submitted the above referenced claim(s) during the Snake River Basin Adjudication (SRBA) claims taking. Enclosed is a computer generated print-out of the claim(s) for your reference only, it is not necessary to return this print-out or re-file it. You indicated, when this claim was filed, that the water right(s) was based on either a "Statutory Claim" or "Beneficial Use" of the water. Water rights of this type are established by historical use of the water for a beneficial use purpose, dating back to the time the water was first used; this date being the "Priority Date" as shown on the enclosed print-out. Your claim(s) has not been confirmed by a previous filing with the Department of Water Resources since there is no decree, license, or permit on file to verify the use of this water. For this reason, the Department is required to gather evidence from claimants supporting the date of priority for claims based on historical beneficial use of water.

Enclosed is a pamphlet entitled "**Evidence of Priority**" which describes why evidence of the priority date is necessary, along with examples of types of evidence that can be submitted to fulfill this requirement. While I encourage you to read the entire pamphlet, I direct your attention to the two sections entitled "**What Kind of Evidence is Required**" and "**Some Examples of Documents Which May Be Evidence of the Priority Date.**"

If no evidence of your priority date is submitted, or we do not hear from you within the time limit below, your priority date, as claimed, may not be recommended to the SRBA court for decree. This could jeopardize your water use under this right(s) if water availability problems arise in the future.

The required evidence supporting the priority date(s) requested needs to be submitted by December 23, 2003. Please let me know if you may not be able to submit proof of priority or have any questions not covered by this letter and the enclosed pamphlet, by the date indicated above.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

Respectfully Submitted,

Kimberly L. Brown

Kimberly L. Brown
Water Resource Agent
Adjudication Bureau

Enclosure: "Evidence of Priority" pamphlet
Notice of Claim A63-18615

NOTE: If you no longer own the property upon which this claim was filed, please contact this office immediately. Idaho State law requires that the Department be notified of a change of owner or address on a water right.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098


Return Service Requested

603-7017
18615


Lake W. Beacon Light Rd.
Eagle 83616

Sent Again 6-11-02

PRESORTED
FIRST CLASS



OSCAR D PETERSON
666 W BEACON LIGHT
RT 1
EAGLE ID 83616



RECEIVED
JUN 06 2002
WATER RESOURCES
WESTERN REGION





IDAHO DEPARTMENT OF WATER RESOURCES

SNAKE RIVER BASIN ADJUDICATION - BASIN 63



RIGHT ID 63 18615
POD ID 173740
Quad Eagle 1
Claim Type Small
Easting 309741
Northing 293831
GPSID A0013292

Diversion Description

1 WELL, 6" AND 8" CASING, 213' WITH 5 HP. SUB. PUMP. 666 W. Beacon right.

Assumptions

Pressure head.

Invoice

2000-055-01

Phase-0 (No Attention)
Phase-I (Ready to Go to Field)
Phase-II (Site Visit - Data Missin
Phase-III (Complete w/issues)
Phase-IV (Total Complete)

Linked
Photos

Photos\173740a.JPG

EPE (ft)

15

Date (M/D/Y)

11/28/01

Time

13.10

Flow Rate (CFS)

0.10

Open Channel Flow

☐ Complete one box from both Area and Calculation sections

Cross Sectional Area

☐ Circular Channel

- ☐ Less than half full
☐ Half full
☐ More than half full
☐ Full

Diameter 0

Depth 0

☐ Rectangular Channel

Width 0

Depth 0

Flow Calculation

☐ Continuity

Velocity

0

☐ Orifice

(Use only for head over a pipe flowing full with free discharge)

Depth of Water
above orifice
centerline

0

☐ Weir

(Use only for water flowing freely over weir)

Height of water
above nappe

0

Width of weir

0

☐ Manning

(If used, include photo of representative channel section)

Channel Slope

Channel
Description

Concrete lined	.016
Smooth earth	.025
Earth	.033
Rough bed, weeds on sides	.04
Smooth natural stream	.033
Rough natural stream	.1

Pumped System ☒

HP 5

Pressure Head (psi) 40

Elevation Head (ft) 213

Motor Mfg

Motor Serial #

Pump Type Submersible

Pump Mfg

Pump Serial#

New Contact Information ☐

New Contact Comments

This Form and the associated query are the exclusive intellectual property of Intrepid Engineering Services, and may not be copied, modified, or distributed without the express written consent of Intrepid Engineering Servc, Inc.



INTREPID
Engineering Services, Inc. (IES)
Enabling People and Solutions

RIGHT ID

63 18615



This is the domestic well,
12'-15' from
house.

IDAHO DEPARTMENT OF WATER RESOURCES
WESTERN REGION
2735 Airport Way
Boise, Idaho 83705-5082

RETURN SERVICE REQUESTED

63-18615



RECEIVED

NOV 15 2001

WATER RESOURCES
WESTERN REGION

OSCAR D PETERSON
666 W BEACON LIGHT
EAGLE, ID 83616

NO SUCH
NUMBER

Done as Quest
search.

Sent again 11-16-01



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 9, 2001

RE: Investigation of Water Right Claims in the Snake River Basin Adjudication, Basin 63

Dear Claimant:

As you may be aware, the Idaho Department of Water Resources (IDWR) is commencing its Snake River Basin Adjudication (SRBA) investigation of water rights in the Boise River Basin (Basin 63). This investigation is a major effort, and IDWR has hired a contractor, Intrepid Engineering Services, to assist us with this task.

The purpose of this letter is to advise you that Intrepid might be contacting you to conduct a field investigation of your water use. This investigation is meant to provide important information to the IDWR Senior Water Resource Agent who will be making a recommendation for your water rights. Accordingly, we request that you provide Intrepid with access to your water diversion system so that their personnel can conduct this field examination. Intrepid will be gathering information on the rate of flow, diversion location and place of use of your water rights, and will be reporting this information to IDWR.

If you have sold your property in the Boise River Basin, we request that you forward this letter to the purchaser, so that the purchaser can report the new name and address to our office. If you are unable to forward this letter, please send any information regarding a new owner to our Western Regional Office located at 2735 Airport Way, Boise, 83705, (208) 334-2190.

The process of adjudicating your water rights is straightforward for most people, resulting in the issuance of decreed water rights on your property. Experience has shown that water users who work with our agency early in the process to ensure that their recordings are correct have a better experience than those who wait until IDWR has filed its findings with the SRBA Court. Thus, we encourage you to work with our staff and with Intrepid to ensure that the results accurately reflect your water uses.

Sincerely,

Jan Shurte
Adjudication Section Supervisor
Western Regional Office

IDWR - WESTERN REGION

CONTRACTOR: Karan Waters

CLAIM/ID: A63-18615 Date: 8-24-01

	TNS	RNG	SEC	NE				NW				SW				SE				Sum
				NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
Claim	5N	1E	32															2		2
GIS																		2.6		2.6
Claim																				
GIS																				
Claim																				
GIS																				
Claim																				
GIS																				

Number of POD's 1

Total Claimed Acres: 2

Overlapping POU Claim #'s:

A63-07017

Total GIS Acres: 2.6

COMMENTS:

per claim map + image

Idaho Department of Water Resources

Claim Number: 63-18615
Legal: T05N, R01E, S32
Reviewed By:

☉ Point of Diversion

☐

Place of Use

☐

Section Lines

☐

Quarter Quarter Lines

1987 Napp Photo



0 0.25 Miles

