

THEORETICAL HORSEPOWER EQUATION WORKSHEET (cjh 1/92)

Water Right No.: 63-25321
 Examiner: RON HOWERTON
 Date of Field Exam: 8/261/2002

P/D No.:	OPTION 1	OPTION 2	OPTION 3
PUMP HORSEPOWER	20	20	20
BOOSTER HORSEPOWER	0	0	0
PUMPING LEVEL	85	85	85
DISCHARGE PRESSURE	50	60	80
RATE OF FLOW (cfs)	0.61	0.55	0.46



Photo 1. 63-25321 Field Exam 8/26/02. Photo's by RDH. Southeast end of Industrial Commission building. Well is under grate in parking lot. View is to the Northeast.



Photo 2. Well under grate. Casing cannot be seen however data from Mayne Pump Company shows a 14-inch casing with 5-inch out flow pipe. Located in the SWSENE, T03N, R02E, S10.




Photo 3. Close-up of pressure gage inside Industrial Commission reading at 50 PSI.




Photo 4. Wide-view of pressure gage and valves.




Photo 5. Cooling controls.



Photo 6. Type of system control, Trane Centravac.


IDAHO DEPARTMENT OF WATER RESOURCES

Claims: 63-25321

Date Prepared: 8-26-02

Prepared By: Ron Howerton

**T03N, R02E
S10**



● Point of Diversion




Place of use



Section



Quarter/Quarter



0 0.25 0.5 0.75 Miles


1987 NAPP

IDAHO DEPARTMENT OF WATER RESOURCES


Claims: 63-25321

Date Prepared: 8-26-02

Prepared By: Ron Howerton



**T03N, R02E
S10**



● Point of Diversion



Place of use



Section



Quarter/Quarter

0 0.25 0.5 0.75 Miles

1987 NAPP

T03N, R02E, S10

2000 PHOTO

63-25321
Industrial Commission
317 Main St.

SWNE

SENE

Cooling Well

SWSENE



T03N, R02E, S10

2000 PHOTO

63-25321
Industrial Commission
317 Main St.

SWNE

SENE

Cooling Well

SWSENE



IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A63-25321
Date Received: 9/13/1989
Receipt No: T014112
Received By: _____

COPY FOR
YOUR FILES

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

COPY FOR
YOUR FILES

1. Name: STATE OF IDAHO
Address: DIV. OF PUBLIC WORKS
502 N. FOURTH ST.
BOISE, ID 83720

208-334-3453

2. Date of Priority: APR 29, 1957

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
03N	02E	10	NE	SE	SE	2	ADA

5. Description of diverting works:
WELL, 195' DEEP

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
COOLING	01/01	12/31	1.000		

7. Total Quantity Appropriated is:
1.000 C.F.S. (and/or) A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:
COOLING, OFFICE BUILDINGS

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
03N	02E	10	NE	SE		COOL	
			SE	SE		COOL	

A63-25321

Page 1

Date: 07/19/91

MICROFILMED

SEP 14 1992

11. Place of use in counties: ADA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: BENEFICIAL USE

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number A63-25321Date Received 9/13/89Receipt Number 7014112*late fees* CO19865

RECEIVED
MAR 08 1991

NOTICE OF CLAIM
TO A
WATER RIGHT
ACQUIRED UNDER STATE LAW

Department of Water Resources

RECEIVED
SEP 13 1989

Department of Water Resources

Please type or print clearly

1. Name of Claimant (s) State of Idaho, Div. Public Works Phone (208) 334-3453Mailing Address 502 N. 4th Street, Boise, Idaho Zip 837202. Date of Priority (Only one (1) per claim) April 29, 19573. Source of water supply (a) Groundwater
which is tributary to (b) _____4. a. Location of existing point of diversion is: Township 3N Range 2E Section 10,
NE 1/4 of SE 1/4 of SE 1/4, Govt. Lot, 2 B.M., County of Ada

Additional points of diversion if any: _____

b. If instream flow, beginning point of claimed instream flow is:

Township _____ Range _____ Section _____, _____ 1/4 of _____ 1/4 of _____ 1/4,

Govt. Lot _____ B.M., County of _____

ending point is: Township _____ Range _____ Section _____, _____ 1/4 of _____ 1/4 of _____

_____ 1/4, Govt. Lot _____ B.M., County of _____

5. Description of existing diversion works (Dams, Reservoirs, Ditches, Wells, Pumps, Pipelines, Headgates, Etc), including the dates of any changes or enlargements in use, the dimensions of the diversion works as constructed and as enlarged and the depth of each well. The State of Idaho acquired part of the property on April 29, 1955 and the remaining property was acquired June 16, 1966 after filing condemnation proceeding. It is believed that in 1957 the first well was dug to a depth of 50 feet and placed into service. This initial well was inadequate and in 1967 a new well was dug to a depth of 195 feet. This new well was placed into beneficial use and replaced the initial well.

MICROFILMED

SEP 14 1992

HOW YOU WILL RECEIVE NOTICES IN THE SNAKE RIVER BASIN ADJUDICATION

All documents filed in the Snake River Basin Adjudication other than notices of claims are filed with the court. Notices of claims to water rights filed in the Snake River Basin Adjudication are filed with the Idaho Department of Water Resources. Copies of all documents filed in the Snake River Basin Adjudication will not be mailed to all parties (claimants) in the adjudication.

By order of the court, any document filed with the court will be mailed only to those parties who may be directly affected by it. A monthly docket sheet will be prepared by the department which contains a summary of all documents filed with the court in the previous month and the dates and locations of hearings scheduled for the following three months. The docket sheet will be filed with the district court clerk in each county within the Snake River Basin in Idaho. Copies of the docket sheet may be obtained from any of the offices of the department either in person or by mail; a small fee will be charged to cover the cost of mailing and/or copying. If you wish to receive a copy of the docket sheet each month, you should mark the appropriate place on your notice of claim form. You will be charged a small annual subscription fee to cover the cost of copying and mailing. Copies of any document listed on the docket sheet may be obtained from any of the offices of the department either in person or by mail; a small fee will be charged to cover the cost of mailing and/or copying.

Copies of all notices of claims filed with the department will be available for inspection from all offices of the department. Copies of the notices of claims may be obtained in person or by mail, but you will be charged for the cost of copying and mailing. (A claimant will not be charged for a copy of his or her own notice of claim, and a person who acquires property with water rights for which a notice of claim was filed will not be charged for a copy of the notice of claim filed by the previous owner.)

After the notices of claims have been reviewed, the director will prepare and file a report with the court. Part 1 of the report will contain the director's recommendations as to each water right claimed under state law. Part 2 of the report will list each federal reserved water right claimed. A number of reports will be prepared, one or more for each sub-basin in the Snake River Basin. When the report for your sub-basin is filed with the court, you will be mailed a notice informing you that the report for your sub-basin has been filed. The notice will be sent to the most recent address shown by the department's files. Attached to the notice will be a copy of those portions of the report describing the water rights you have claimed. If you do not agree with the way your water right is described, you may file an objection to the report with the court. You can also file an objection if you disagree with the way other claimant's water rights are described, and the notice will tell you where a copy of the full report is available for inspection. The notice will tell you when and where to file your objection. The notice of filing for each sub-basin report will also be published state-wide in local newspapers.

6. Water is claimed for the following purposes:

(both dates are inclusive)

(cfs)

(acre feet)

For Domestic purposes from 1-1 to 12-31 amount 1 cfs or _____

For _____ purposes from _____ to _____ amount _____ or _____

For _____ purposes from _____ to _____ amount _____ or _____

For _____ purposes from _____ to _____ amount _____ or _____

7. Total quantity claimed (a) 1 (cfs) and/or (b) _____ (acre feet)

8. Total consumptive use claimed is N/A acre feet per annum.

9. Non-irrigation uses; describe fully (eg. Domestic: Give number of households served; Stockwater: Type and number of livestock Etc.) Domestic use for Industrial Administration Building, state office

building use 317 Main Street, cooling, ~~drinking, etc.~~ *MM*

10. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RNG	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
3N	2E	10													L			L	

Total number of acres irrigated _____

11. In which county (ies) are lands listed above as place of use located? Ada

12. Do you own the property listed above as place of use? Yes _____ No X

If your answer is No, describe in Remarks below the authority you have to claim this water right.

13. Describe any other water rights used at the same place and for the same purposes as described above.

or None (X)

14. Remarks:

State of Idaho sold property and has entered into lease-purchase agreement with the Idaho State Building Authority. Under terms of long term lease agreement - the State of Idaho has possessory interest, authority and responsibility to maintain claim, The water is used for heating, cooling, and other office use. *MM*

Last Name _____ Ident No. _____

Copies: White -State, Yellow-Claimant

It is very important that you inform the department in writing of any change in your address. This is to make sure that you receive the notices affecting your water rights that are to be mailed by the department.


If you are acquiring property with water rights in the Snake River Basin water system in Idaho (either by purchase, gift, inheritance, or other means), it is very important that you inquire of the department whether a notice of claim has been filed. If not, you must file a notice of claim or the water right may be declared by the court to no longer exist. If a notice of claim has been filed, it is very important that you file a written notice of change in ownership with the department. The notice of change in ownership must be accompanied by some evidence of the change in ownership, such as a copy of the deed or a property tax statement showing the name of the new owner. Again, this is to make sure that you receive the notices affecting your water rights that are to be mailed by the department.

The cost of the subscription to the docket sheet is \$7.50 for calendar year 1988. The cost of the subscription may increase a small amount for calendar year 1989 if the cost of copying and/or mailing should increase.

If you are planning to file a motion or other pleading (not a notice of claim) with the court (not IDWR), the court has issued an order setting a special procedure that is different from the usual civil rules. A copy of the order may be obtained from any office of IDWR; you may be charged for the cost of mailing and/or copying.

Map of Project: show clearly the point of diversion, place of use, section number, township, and range number.

Scale: 2 inches equals 1 mile



MICROFILMED

SEP 14 1992

Last Name _____ Ident No. _____

Copies: White-State, Yellow-Claimant

15. Basis of Claim (check one) Beneficial Use X Posted Notice _____ License _____ Permit _____

Decree _____

If applicable provide IDWR Water Right Number _____

Court _____ Case Number _____ Decree Date _____

Plaintiff vs Defendant _____

16. Signature (s)

(a.) By signing below, I/We acknowledge that I/We have received, read, and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments NONE

For Individuals: I do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant (s) _____ Date _____

_____ Date _____

For Organizations: I do solemnly swear or affirm that I am Chief, Bureau of Building Services

Title

of State of Idaho _____, that I have signed the foregoing

Organization

document in the space below as Chief, Bureau of Bldg. Svcs State of Idaho

Title

Organization

and that the statements contained in the foregoing document are true and correct.

Signature of Authorized Agent X [Signature]

Title and Organization Chief, Bureau of Building Services Date 9/6/89

State of Idaho/or _____)
County of Ada) SS.

Subscribed and sworn (or affirmed) before me this 6th day of September 19 89

SEAL

Notary Public [Signature]

Residing at Boise

My Commission Expires 11-1-94

Please Print Name

17. Notice of Appearance:
Notice is hereby given that I, Michael R. Jones will be acting as attorney at law on behalf of the claimant signing above, and that all notices required by law to be mailed by the director to the claimant signing above should be mailed to me at the address listed below.

Signature [Signature]

Address 502 N. 4th St Boise, ID 83720

Date 9-6-89

MICROFILMED

SEP 14 1992

Last Name _____ Ident. Number _____

Copies White-State, Yellow-Claimant

4/5/1989

SRBA CLAIMS RECEIVING CHECKLIST #2

CLAIMANT'S NAME Public Works CLAIM IDENT. NO. A63-
DATE RECEIVED 9/13/89 CR # T014118 AMOUNT \$ _____

- | | YES | NO | Require Info? |
|--|---|-------------------------------------|---------------|
| 1. Is the name and address complete with zip code? | ☒ | ☐ | * |
| 2. Is a priority date entered?
Is the priority date acceptable in view of mandatory filing dates?
See Adjudication Memo #1 and #4 to determine if a permit is required. | ☐ | ☒ | * |
| 3. (a) Is a source entered? | ☒ | ☐ | * |
| (b) Is a tributary to entered? (if required) | ☒ N/A | ☐ | |
| 4. Is the legal description of the p.d. sufficient? | ☒ | ☐ | * |
| 5. Is there a description of the diverting works? | ☒ | ☐ | |
| 6. Are the water uses appropriate for the form? The short form is limited to domestic and stockwater uses with direct diversion. All claims that include storage or instream stockwater must use long form. | ☒ | ☐ | * |
| Is the period of use included? | ☒ | ☐ | |
| Is a quantity claimed for each use? | ☒ | ☐ | * |
| 7. Is a total quantity claimed entered? | ☒ | ☐ | |
| 8. If required is a consumptive use entered? | ☒ N/A | ☐ | |
| Is the consumptive use correct? | ☒ N/A | ☐ | |
| 9. Are the non-irrigation uses listed properly? If this claim is on the short form, and more than one domestic use is listed, single ownership must be stated. If not under single ownership, see Adjudication Memo # 4. | ☒ N/A | ☐ | * |
| 10. Is (are) the place(s) of use and purpose(s) indicated? | ☒ | ☐ | * |
| 11. Is (are) the county(ies) entered? | ☒ | ☐ | |
| 12. Is the ownership of p.u. checked? | ☒ | ☐ | |
| 13. Are other water rights listed or "none" indicated? | ☒ | ☐ | |
| 14. If required, are remarks correct? (If the claimant does not own the place of use, authority for filing the claim must be explained in the remarks.) | ☒ N/A | ☐ | |
| 15. Is the basis of the claim indicated? | ☒ | ☐ | |
| 16. If the claimant requested a monthly docket sheet, is payment enclosed? (If yes, describe payment status in "Comments" below.) | ☒ N/A | ☐ | |
| 17. Is the claim signed by the claimant, and is the signature appropriate? Organizations must complete the organization block. | ☒ | ☐ | * |
| 18. Has the claim been signed, sealed, and dated by a notary? | ☒ | ☐ | * |
| 19. Was this claim filed on time, or was an extension granted? | ☐ | ☒ | * |
| 20. Is the fee enclosed correct? | ☐ Exempt | ☒ | * |
| 21. If this claim is based on an existing water right, has the identification number been entered? | ☒ N/A | ☐ | |
| 22. Should this claim be data entered? | ☐ | ☒ | |

Claim checked by: RMFDate: 2/5/91

Claim must be returned to claimant:

☒ (Yes) ☐ (No)

Claimant must be notified of modifications:

☐ (Yes) ☐ (No)

Receipt Prepared by: _____

Date: _____

Claim data entered by: _____

Date: _____

Sent to claimant by: _____

Date: _____

Checked by: _____

Date: _____

MICROFILMED

SEP 14 1992

Comments: _____



DIRK KEMPTHORNE
GOVERNOR

TIM MASON

STATEWIDE FACILITIES MANAGER
DIVISION OF PUBLIC WORKS
DEPARTMENT OF ADMINISTRATION

502 N 4TH STREET
P O BOX 83720
BOISE, ID 83720-0072

(208) 332-1930
fax: (208) 334-4031
cell: (208) 867-2930
tmason@adm.state.id.us

State of Idaho

Department of Administration

Division of Public Works

502 N. 4th Street (83702)

PO Box 83720

Boise ID 83720 0072

Return Service Requested

To:

RON HOWERTON

SENIOR WATER RIGHT AGENT

IDAHO DEPT OF WATER RESOURCES

2735 AIRPORT WAY

BOISE ID 83705

08/27/2002

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 63-25321

NAME AND ADDRESS: STATE OF IDAHO
DEPT OF ADMINISTRATION
DIVISION OF PUBLIC WORKS
502 N 4TH ST
BOISE ID 83720-0072

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 0.60 CFS
256.4 AFY

PRIORITY DATE: 04/29/1957

POINT OF DIVERSION:

T03N R02E S10 SWSENE Within ADA County

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE

PERIOD OF USE

QUANTITY

COOLING

01/01 12/31

0.600 CFS
256.40 AFY

PLACE OF USE: COOLING Within ADA County

T03N R02E S10

SWNE

T03N R02E S10

SENE

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS
NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT
ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY
DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE
ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.

EXPLANATORY MATERIAL: Beneficial Use

COOLING IS FOR THE INDUSTRIAL COMMISSION BLDG. LOCATED ON 317
MAIN STREET.

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-25321 V1

WATER RIGHT NUMBER: 63-25321 V1

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	STATE OF IDAHO DEPT OF ADMINISTRATION DIVISION OF PUBLIC WORKS 502 N 4TH ST BOISE, ID 83720-0072 (208) 332-1930

Priority Date: 04/29/1957

Basis: Beneficial Use

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
COOLING	01/01 to 12/31	0.600 CFS	256.40 AF
	<u>Total Diversion:</u>	0.600 CFS	256.40 AF

Location of Point(s) of Diversion

GROUND WATER	SW1/4SE1/4NE1/4	Sec. 10, Twp 03N, Rge 02E, B.M.
ADA County		

Place of Use

COOLING

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	02E	10			X	X													

Conditions of Approval:

1. C18 THIS PARTIAL DECREE IS SUBJECT TO SUCH GENERAL PROVISIONS NECESSARY FOR THE DEFINITION OF THE RIGHTS OR FOR THE EFFICIENT ADMINISTRATION OF THE WATER RIGHTS AS MAY BE ULTIMATELY DETERMINED BY THE COURT AT A POINT IN TIME NO LATER THAN THE ENTRY OF A FINAL UNIFIED DECREE. SECTION 42-1412(6), IDAHO CODE.

Remarks:

1. Explanatory COOLING IS FOR THE INDUSTRIAL COMMISSION BLDG. LOCATED ON 317 MAIN STREET.

IDAHO DEPARTMENT OF WATER RESOURCES
 Adjudication Recommendation Report 63-25321 V1

Comments:

1. rhowerto 8/27/2002 LEGAL TRACTS

Comment: ALL LEGAL TRACTS WERE CLAIMED INCORRECTLY, VERIFIED CORRECT TRACTS PER FIELD EXAM AND 2000 & 1987 IMAGERY.

Dates and Other Information:

Decreed Date:
 Enlargement Use Priority Date:
 Enlargement Statute Priority Date:
 Defendant:
 Plaintiff:
 Civil Case Number:
 Judicial District:
 Notice of Error Flag:
 State or Federal: S
 Owner Name Connector:
 Water District Number:
 Generic Max Rate Per Acre:
 Generic Max Volume Per Acre:
 Swan Falls Trust or Nontrust:
 Swan Falls Dismissed:
 DLE Act Number:
 Carey Act Number:
 Mitigation Plan: False

Element Reviewed/Verified Dates:

<u>Element</u>	<u>Last Reviewed Date</u>	<u>Reviewer</u>	<u>Last Verified Date</u>	<u>Verifier</u>	<u>Status</u>
Priority Date	8/27/2002 10:08:57 AM	rhowerto			Active
POD	8/27/2002 10:09:38 AM	rhowerto			Active
Source	8/27/2002 10:11:05 AM	rhowerto			Active
POU	8/27/2002 10:11:44 AM	rhowerto			Active
Use	8/27/2002 10:12:19 AM	rhowerto			Active
Season	8/27/2002 10:13:03 AM	rhowerto			Active
Quantity	8/27/2002 10:14:24 AM	rhowerto			Active
Summary			08/27/2002	rhowerto	Active
Priority Date	9/11/2002 1:56:42 PM	rhowerto			Active
Summary			09/11/2002	rhowerto	Active
POD	9/11/2002 1:57:57 PM	rhowerto			Active
POU	9/11/2002 1:57:58 PM	rhowerto			Active
Source	9/11/2002 1:57:59 PM	rhowerto			Active
Use	9/11/2002 1:57:59 PM	rhowerto			Active
Quantity	9/11/2002 1:58:00 PM	rhowerto			Active
Season	9/11/2002 1:58:00 PM	rhowerto			Active

Verification Log:

<u>Element</u>	<u>Date Time Stamp</u>	<u>Reviewer</u>	<u>Log text</u>
----------------	------------------------	-----------------	-----------------

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-25321 V1

Contacts	8/27/2002 9:44:41 AM	rhowerto	(No) 1. Do you want to schedule an appointment? Comment for 1: FX 8/26/02
POD	8/27/2002 10:04:28 AM	rhowerto	Edited point location
POU	8/27/2002 10:06:01 AM	rhowerto	Edited shape boundary
Priority Date	8/27/2002 10:08:58 AM	rhowerto	(No) 1. Should this water use have been included in a later court decree of the water rights from this source? (No) 4. Is the basis of claim decree or license? (No) 7. Is the basis of claim a Application or Permit? (No) 8. Is the basis of claim a posted notice? (No) 9. Is the Priority Date claimed after the date a permit is required for the source and the water use? (No) 12. Does the claim file contain sufficient evidence of Priority Date? (No) 13. Has additional evidence of priority date been submitted? (Yes) 14. Can any portion of the claim be recommended as a valid water right? (Yes) 15. Is the basis of claim coded correctly? (No) 16. Is a Priority Date remark and/or condition required?
POD	8/27/2002 10:09:38 AM	rhowerto	(No) 1. Is the basis of this claim a Decree or License? (No) 2. Is the basis of this claim a Application or Permit? (No) 6. Is there evidence that there has been a change in the POD? (No) 9. Does the file contain all the necessary information to verify the POD? (No) 10. Is a POD remark and/or condition required?
Source	8/27/2002 10:11:06 AM	rhowerto	(No) 1. Is the basis of claim Decree or License? (No) 2. Is the basis of claim an Application or Permit? (No) 6. Is the basis of claim a Posted Notice? (No) 7. Is there evidence that there has been a change in the source? (No) 10. Does the file contain all the necessary information to verify the source? (No) 11. Is a Source remark and/or condition required? Description for Question 10 - FX 8/26/02
POU	8/27/2002 10:11:44 AM	rhowerto	(No) 1. Is the basis of this claim a Decree or License? (Yes) 2b. Is the POU required? (No) 3. Is the basis of claim a Application or Permit? (No) 7. Is there evidence that there has been a change in the POU? (No) 13. Does the file contain all the necessary information to verify the POU? (No) 14. Is a POU remark and/or condition required?

Description for Question 13 - FX 8/26/02

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-25321 V1

Use	8/27/2002 10:12:20 AM	rhowerto	(No) 1. Is the basis of this claim a Decree or License? (No) 2. Is the basis of this claim a Application or Permit? (No) 6. Is there evidence that there has been a change in the Purpose of Use? (No) 11. Does the file contain all the necessary information to verify the Water Use? (Yes) 13. Is a Purpose of Use remark and/or condition required? Description for Question 10,11,12 - FX 8/26/02
Season	8/27/2002 10:13:04 AM	rhowerto	(No) 1. Is the basis of claim Decree or License? (No) 2. Is the basis of claim a Application or Permit? (No) 6. Is there evidence that there has been a change in the Period of Use? (Yes) 12. Does the file contain all the necessary information to verify the Period of Use? (No) 13. Is the basis of claim a decree, license, or a transferred beneficial use right that has had the Period of Use administratively determined? (No) 15. Is irrigation claimed as a Purpose of Use? (No) 18. Is a Period of Use remark and/or condition required? Description for Question 15 - STANDARD
POD	8/27/2002 10:14:25 AM	rhowerto	(No) 1. Is the basis of this claim a Decree or License? (No) 2. Is the basis of this claim a Application or Permit? (No) 6. Is the basis of claim a posted notice? (Yes) 7. Is a flow measurement required? (Yes) 9. Is the source Groundwater and does the purpose of use require a diversion volume limit? (No) 10. Is a irrigation a purpose of use? (No) 12. Is a Quantity remark or condition required? Description for Question 7 - HORSEPOWER & COOLING SPREADSHEET Description for Question 10 - COOLING SPREADSHEET
Summary	8/27/2002 10:53:25 AM	rhowerto	(No) 1. Is the basis of this claim a Decree, License, Permit, Application or Posted Notice? (Yes) 3. Is the water being used for all of the purposes claimed and to the extent claimed? (Yes) 5. Is an additional remark and/or condition required? (Yes) 6. Would you like to view the recommended right? (No) 7. Is this a split or combined right? (No) 8. Do you have documents you would like to attach or link to the file? (Yes) 9. Would you like to set the verification date?
POD	9/11/2002 1:57:56 PM	rhowerto	(No) 1. Is the basis of this claim a Decree or License?
POU	9/11/2002 1:57:57 PM	rhowerto	(No) 1. Is the basis of this claim a Decree or License?

Source

9/11/2002 1:57:58 PM

rhowerto

(No) 1. Is the basis of claim Decree or License?

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-25321 V1

Use	9/11/2002 1:57:59 PM	rhowerto	(No) 1. Is the basis of this claim a Decree or License?
Season	9/11/2002 1:57:59 PM	rhowerto	(No) 1. Is the basis of claim Decree or License?
Quantity	9/11/2002 1:58:00 PM	rhowerto	(No) 1. Is the basis of this claim a Decree or License?
Priority Date	9/11/2002 1:56:41 PM	rhowerto	(No) 1. Should this water use have been included in a later court decree of the water rights from this source? (No) 4. Is the basis of claim decree or license? (No) 7. Is the basis of claim a Application or Permit? (No) 8. Is the basis of claim a posted notice? (No) 9. Is the Priority Date claimed after the date a permit is required for the source and the water use? (No) 12. Does the claim file contain sufficient evidence of Priority Date? (Yes) 13. Has additional evidence of priority date been submitted? (Yes) 15. Is the basis of claim coded correctly? (No) 16. Is a Priority Date remark and/or condition required?
Summary	9/11/2002 1:57:38 PM	rhowerto	(No) 1. Is the basis of this claim a Decree, License, Permit, Application or Posted Notice? (Yes) 3. Is the water being used for all of the purposes claimed and to the extent claimed? (No) 5. Is an additional remark and/or condition required? (Yes) 6. Would you like to view the recommended right? (No) 7. Is this a split or combined right? (No) 8. Do you have documents you would like to attach or link to the file? (Yes) 9. Would you like to set the verification date?

**STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION FIELD REPORT**

Prior to Field Exam

- ☒ Copy of Claim, claim has been signed, sealed, and dated by notary?
- ☒ Check fees paid
- ☒ Well logs (if needed) NONE FOUND
- ☒ Copy of topo or NAPP
- ☒ Check of Govt. Lots, if needed, Govt. Plat/Tax lot information
- ☒ Check POD & POU overlap, see below – include overlapping right for exam
- ☐ Evidence of Priority – if none, talk with claimant

CLAIMANT INFORMATION -- verify contact information is completeClaim No(s) 63-25321

Owner: _____ Phone No. _____

Current Address: _____

- ☐ No change NAME IS THE SAME
- ☐ NEW OWNER _____
- ☐ No change Address
- ☐ NEW ADDRESS _____
- ☐ How long owned property? _____

Accompanied by: TIM MASON – STATEWIDE FACILITIES MGR.
332-1930**PRIORITY DATE**

- ☒ No change – Complete evidence submitted or not necessary
- ☐ Incomplete – Claimant should be asked when water was first used and submit proof of date.
- ☐ Priority date is acceptable/within mandatory filing dates?

Priority date, per claimant, is: _____

(If priority date, based on your exam, seems questionable, explain below.)

Source: _____ Tributary to _____

- ☒ No Change – SAME SOURCE
- ☐ Source found is different than claimed: _____

POINT OF DIVERSION

- ☐ No change
- ☒ POD found is different than claimed: BAD CLAIM INFO
- ☐ If different, when did POD change? B/C CLAIM NOT A TRANSFER

DIVERSION AND DELIVERY SYSTEM

Points of Diversion:

ID #	Govt Lot #	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks GPS ID
		SW	SE	NE	10	3N	2E	ADA	FX - 2000 Photo

Description of diverting works

195 DEEP WELL, 14 inch casing, 5 inch out flow
PIPE to COOLING SYSTEM

OVERLAP REVIEWOther water rights with the same point of diversion: NONE

Does overlap add acres or uses to existing system, increase rate of flow or volume, or other? Explain:

WATER USES☐ No change☒ Different Uses

Use COOLING From _____ To _____ Amount .6 CFS _____ AFA
 Use _____ From _____ To _____ Amount _____ CFS _____ AFA
 Use _____ From _____ To _____ Amount _____ CFS _____ AFA

TOTAL VOLUME - Groundwater only☐ Incomplete on claim, the total is, Amount _____ CFS _____ AFA☒ Changes found, the new total is, Amount .6 CFS 256.4 AFA☐ More than 1" per Acre? Yes _____ (claimant must complete excess flow sheet)**NON-IRRIGATION USES:**☒ No change☐ Changes Exam found: Domestic # of homes _____ Stock # _____

Types _____ Additional comments: _____

PLACE OF USE:☐ No Change☒ Changes shown below:

POW CHANGE WAS BAD CLAIM DATA - NOT TRANSFER

Place of Use			NE				NW				SW				SE				Totals
TWP	RGE	SEC	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
3N	2E	10			C	C													

Overlap with other water rights: NONE

Does overlap increase rate of flow, volume, additional acres, different source for same acres? Explain:

Delivery System Narrative: WELL IS IN PARKING LOT OF INDUSTRIAL COMMISSION LOCATED AT 317 MAIN STREET. SEE PHOTOS PIPELINE INTO BLDG'S COOLING SYSTEM. DESIGN AT 70'

Well or Diversion Identification No GPS ID	Motor Make	Hp	Motor Serial No.	Pump Make	Pump Serial No. or Discharge size
	JACUZZI	20	UNK	MODEL T2	5 INCH
				2056X4	

Sub
pump

FLOW MEASUREMENTS:

Attach appropriate documents

NARRATIVE/REMARKS/COMMENTS

SPACE HEATING SPREADSHEET (EXCEL)
HP EQUATION WORKSHEET (")

BOTH FORMS IN FILE, FLOW CALCULATE
IS WITHIN .01 CFS. OF EACH OTHER.


AFTER EXAM THE FILE SHOULD CONTAIN:

- ☒ Completed claim checklist
- ☒ Photographs of POD's and POU
- ☐ GPS readings
- ☒ Completed map and or GIS layout showing POD's and POU

DATE EXAM CONDUCTED: 8-26-02

FIELD EXAMINER: Ron Howerton

Ron Howerton
Sr Water Agent



RECEIVED

SEP 10 2002

WATER RESOURCES
WESTERN REGION

AFFIDAVIT

IN THE MATTER OF)
NOTICE OF CLAIM TO)
A WATER RIGHT NO.(S))A63-25321

State of Idaho)

County of _____)

Timothy P. Mason, in his capacity as Statewide Facilities Manager, Dept. of Administration, State of Idaho being first duly sworn, deposes and says:

The property now known as the Industrial Administration Building was acquired by the State in the late 1950's when the current building was constructed. At that time, it had two stories above ground and was served by a chiller in the basement. The water supply for that chiller was provided by the well (approximately fifty feet deep) in question which was placed into service in 1957. In the sixties, two additional stories were added, served by a second and distinct chiller which was also supplied from the well. The well was unable to support both chillers so a new well was dug to a depth of approximately 195 feet and placed into service in 1967 to provide water for both systems. That well remains in operation, providing water to the cooling systems during the cooling season.


(Signature)

Subscribed and sworn to before me this

day 6TH of SEPTEMBER 20 02.


(Notary Public)

Residing at ADA COUNTY, STATE OF IDAHO

My Commission Expires 11-23-05.



Howerton, Ron

From: Howerton, Ron
Sent: Tuesday, August 27, 2002 9:56 AM
To: 'tmason@adm.state.id.us'
Cc: Howerton, Ron
Subject: Proof of date of priority

Importance: High

Tim,

I thought I'd give you some information we had on the Industrial Commission Cooling Claim so you could prepare some evidence for 63-25321 date of priority.

The claimed date of priority is 04/29/1957.

Information given on the claim says: "The state of Idaho acquired part of the property on April 29, 1957 and the remaining property was acquired June 16, 1966 after filing condemnation proceedings. It is believed that in 1957 the first well was dug to a depth of 50 feet and placed into service. This initial well was inadequate and in 1967 a new well was dug to a depth of 195 feet. This new well was placed into beneficial use and replaced the initial well."

You can mail in the proof to me as shown below:

Thank you,

Ron Howerton
Senior Water Right Agent
Idaho Dept. of Water Resources
2735 Airport Way
Boise ID 83705
(208) 334-2190
rhowerto@idwr.state.id.us

RESIDENTIAL SPACE HEATING/COOLING REQUIREMENTS FOR COLD OR GEOTHERMAL SOURCES

Worksheet created by Cindy Hodges, 11/93.

Data entered by: Ron Howerto
Exam Date: 08/26/02
File No: 63-25321 Industrial Commission Bldg. 317 Main St
Computations for: Cooling

REQUIRED DATA:

Area of livable floor space, ft² (A) 92000
2 story? (N=1, Y=2) 4
House efficiency factor (e) * 0.44
Inside design temperature (Ti) 70
Average outside temperature (To) ** 80
Source temperature, degrees F (S) 62
Heating/cooling days per season (D) 215
Hours/day system operates (H) 24

* e values are as follows:

- 0.28 Best energy efficiency - extra insulation, caulked and weatherstripped, with storm windows and doors
- 0.44 Better energy efficiency - standard insulation, caulked and weatherstripped, with storm windows and/or doors
- 0.67 Average residence - standard insulation, no weatherproofing but with storm windows or double panes
- 1.11 Poor energy efficiency - minimal insulation, no weatherproofing or storm windows (older homes, shops or greenhouses)

** Suggested average outside temperatures:

WINTER

4 deg F Boise
6 deg F Grand View
-8 deg F Cascade

SUMMER

80 deg F Boise
90 deg F Grand View
70 deg F Cascade

CALCULATED DATA:

DESIGN HEAT LOAD (BTU/hr required)
Formula: $E = [e \times (Ti - To)] \times A$
Applies factor of 0.8 for two-story dwelling

E = 323,840 BTU/hour

TEMPERATURE DROP ACROSS SYSTEM
Formula: $Ts = 0.3 \times [S - Ti]$

Ts = 2.4 degrees F

FLOW RATE REQUIRED (at given source temperature)

Formula: $Q = E / (500 \times Ts) \times 448.8$

Q = 0.60 cfs

DIVERTED VOLUME OVER SEASON

Formula: $V_{div} = Q \times D \times H / 24 \times 1.9835$

Vdiv = 256.4 AFA

RESIDENTIAL SPACE HEATING/COOLING REQUIREMENTS FOR COLD OR GEOTHERMAL SOURCES

Worksheet created by Cindy Hodges, 11/93.

Data entered by: Ron Haverston
 Date: 8/26/02
 File No: 63-25321 Inv. Comm Bldg 317 Main St
 Computations for: ☒ COOLING ☐ HEATING

REQUIRED DATA:

Area of livable floor space, ft² (A) 92,000 USABLE 104,000 GROSS - provided by FACILITIES MGR - TIM MASON
 2 story? (N=1, Y=2) 4
 House efficiency factor (e) * .44
 Inside design temperature (Ti) 70
 Average outside temperature (To) ** 80
 Source temperature, degrees F (S) 620
 Heating/cooling days per season (D) MAR 15 to Oct 15 (215)
 Hours/day system operates (H) 24

PLEASE SUBMIT A DIAGRAM
 OF YOUR SYSTEM
 OR SYSTEM BLUE PRINT.
 provided by grounds tech.

* e values are as follows:

- 0.28 Best energy efficiency - extra insulation, caulked and weatherstripped, with storm windows and doors
- 0.44 Better energy efficiency - standard insulation, caulked and weatherstripped, with storm windows and/or doors
- 0.67 Average residence - standard insulation, no weatherproofing but with storm windows or double panes
- 1.11 Poor energy efficiency - minimal insulation, no weatherproofing or storm windows (older homes, shops or greenhouses)

** Suggested average outside temperatures:

WINTER	SUMMER
4 deg F Boise	80 deg F Boise
6 deg F Grand View	90 deg F Grand View
-8 deg F Cascade	70 deg F Cascade

195' DEEP
 pump SET AT 85'

THEORETICAL HORSEPOWER EQUATION WORKSHEET (cjh 1/92)

Water Right No.: 63-25321
 Examiner: RON HOWERTON
 Date of Field Exam: 8/261/2002

P/D No.:	OPTION 1	OPTION 2	OPTION 3
PUMP HORSEPOWER	20	20	20
BOOSTER HORSEPOWER	0	0	0
PUMPING LEVEL	85	85	85
DISCHARGE PRESSURE	50	60	80
RATE OF FLOW (cfs)	0.61	0.55	0.46

Jacuzzi

MAYNE PUMP CO. INC.

501 N. ORCHARD
BOISE, IDAHO 83704
PHONE: 375-2842

September 21, 1979

Idaho State Department of Employment
317 Main Street
Boise, ID

Att: E. T. Reeves

This letter is to confirm testing your well with the existing Jacuzzi, Model 20S6x4 - T2 submersible pump. The following results were obtained:

Static Water Level - 23 Ft.

290 GPM @ 50 P.S.I. - 43 Ft. to Water

262 GPM @ 60 P.S.I. - 43 Ft. to Water

245 GPM @ 70 P.S.I. - 40 Ft. to Water

192 GPM @ 80 P.S.I. - 40 Ft. to Water

The original design figures were 285 GPM @ 175 Ft. (76 P.S.I.) when the pump was installed new. As can be seen by the bottom figures above, the pump is only pumping 192 GPM @ 80 P.S.I. which is about 93 GPM below the original pump capacity. With the sand problem that you have in the well it is our assumption that the pump bowl impellers are wore enough to cause this reduction in capacity. It would be necessary to pull the pump out of the well, dismantle, and physically exam it to determine for sure. We would also have to do this to determine a repair cost. However, if it would be found to have to replace the complete pump end, the cost would be \$1,028 plus labor.

If you decide for us to do this or if we can be of any further assistance, please feel free to contact us.

Yours truly,

Bud L. Morford

Bud L. Morford
Asst. General Manager

BLM/bjm

5" PIPE

7/31/92

CASING ABOUT 14"

20'

↓

WATER LEVEL

85'

↓

PUMP
SCREEN

MOTOR 20 HP - 2300
180V 3 PH




Photo 1. 63-25321 Field Exam 8/26/02. Photo's by RDH. Southeast end of Industrial Commission building. Well is under grate in parking lot. View is to the Northeast.




Photo 2. Well under grate. Casing cannot be seen however data from Mayne Pump Company shows a 14-inch casing with 5-inch out flow pipe. Located in the SWSENE, T03N, R02E, S10.




Photo 3. Close-up of pressure gage inside Industrial Commission reading at 50 PSI.



Photo 4. Wide-view of pressure gage and valves.




Photo 5. Cooling controls.




Photo 6. Type of system control, Trane Centravac.


IDAHO DEPARTMENT OF WATER RESOURCES

Claims: 63-25321

Date Prepared: 8-26-02

Prepared By: Ron Howerton

T03N, R02E
S10



● Point of Diversion

Place of use

Section

Quarter/Quarter



0.75 Miles

0.5

0.25

0



1987 NAPP


IDAHO DEPARTMENT OF WATER RESOURCES

Claims: 63-25321

Date Prepared: 8-26-02

Prepared By: Ron Howerton

T03N, R02E
S10



● Point of Diversion



Place of use



Section




Quarter/Quarter



0 0.25 0.5 0.75 Miles


1987 NAPP



2000 PHOTO

63-25321
Industrial Commission
317 Main St.

Cooling Well



2000 PHOTO

63-25321
Industrial Commission
317 Main St.

Cooling Well

SD-1603-3

Idaho Department Of Water Resources
Detail Receipt Summary Screen

Date: 08/20/02
Time: 08:54:40

Rec/No - T014112 AR/No -
From: - PUBLIC WORKS

Receipt Type - ET Doc/No -
Remarks - ELECTRONIC TRANSFER

MOST CURRENT RECEIPT

Receipt Date: 01/19/1990

Type Of Payment	Fund	FD	PCA	Obj	Subsid	Fee
ADJUDICATION CLAIM	9337		410162	6490		906.00

Total Due - 906.00

WR/No	WR Fee	WR/No	WR Fee	WR/No	WR Fee
A6303284	53.00	A6309341	607.00	A6325321	150.00
A6307168	71.00	A6318388	25.00		

(Enter=Continue)

(GOLD7=Selection Screen)

(GOLD8=Cancel)



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

July 12, 2002

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

Re: Water Right Claim No(s). A63-18388 & A63-25321
SNAKE RIVER BASIN ADJUDICATION Filings

STATE OF IDAHO
DIV PUBLIC WORKS
502 N 4TH ST
BOISE ID 83720

Dear Claimant:

We are currently in the process of reviewing the above referenced claim(s), which were filed during the Snake River Basin Adjudication (SRBA) claims filing. However, due to the problem explained below we may not be able to recommend this claim to the SRBA Court in Twin Falls for decree. A claim profile report is enclosed for your review.

In our first part of our investigation for the above referenced claim(s), IDWR (IDAHO DEPARTMENT OF WATER RESOURCES) hired a contractor "Intrepid Engineering Services, Inc.". Their job was to locate the claimed water source, make contact with the owner if possible and measure the amount of flow for IDWR to help speed up our large amount of fieldwork for beneficial use claims. Beneficial use claims normally have never been investigated by IDWR and thus no license or decreed right exists for these beneficial use claims and we need to verify the claimed elements of the claimed beneficial uses for the court.

"Intrepid" Contractor findings:

They did not find the well for the above claim, thus, no beneficial use.

If you agree that the claimed well source no longer exists and/or has been capped off and/or no longer has any beneficial use, please sign and return the enclosed Request for Withdrawal of Claim form in the enclosed return envelope. Our investigation then will be closed for this claim after we receive your "signed" Withdrawal of Claim form.

However, if you believe our contractor may have missed finding this well source or any replacement well source and/or the claimed beneficial use, then please contact me at 334-2190 ASAP to set up an appointment for a field exam. If I do not get the withdrawal form or hear from you within 30 days of the date of this letter I will assume that our contractor was correct and your claim to beneficial use may not be recommended. It is highly important that you respond.

Sincerely,

Ron Howerton

Ron Howerton

Senior Water Right Agent

Enclosures/Attachment



IDAHO DEPARTMENT OF WATER RESOURCES

SNAKE RIVER BASIN ADJUDICATION - BASIN 63

RIGHT ID 63 25321
POD ID 232186
Quad Boise South 2
Claim Type Large
Easting
Northing
GPSID

Diversion Description

WELL, 195' DEEP. Spoke with division of Public Works at listed number. They have no knowledge of wells or water rights.

Assumptions

POD does not exist.

Invoice

2000-055-01

Phase-0 (No Attention)
Phase-I (Ready to Go to Field)
Phase-II (Site Visit - Data Missin
Phase-III (Complete w/issues)
Phase-IV (Total Complete)

Linked

Photos

EPE (ft)

Date (M/D/Y)

Time

Flow Rate (CFS)

0.00

Open Channel Flow

☐ Complete one box from both Area and Calculation sections

Cross Sectional Area

☐ Circular Channel

- ☐ Less than half full
☐ Half full
☐ More than half full
☐ Full

Diameter 0

Depth 0

☐ Rectangular Channel

Width 0

Depth 0

Flow Calculation

☐ Continuity

Velocity

0

☐ Orifice

(Use only for head over a pipe flowing full with free discharge)

Depth of Water above orifice centerline 0

☐ Weir

(Use only for water flowing freely over weir)

Height of water above nappe 0

Width of weir 0

☐ Manning

(If used, include photo of representative channel section)

Channel Slope

Channel Description

Concrete lined	.016
Smooth earth	.025
Earth	.033
Rough bed, weeds on sides	.04
Smooth natural stream	.033
Rough natural stream	.1

Pumped System

☐

HP

0

Pressure Head (psi)

Elevation Head (ft)

Motor Mfg

Motor Serial #

Pump Type

Pump Mfg

Pump Serial#

New Contact Information

☐

New Contact Comments

This Form and the associated query are the exclusive Intellectual property of Intrepid Engineering Services, and may not be copied, modified, or distributed without the express written consent of Intrepid Engineering Servc, Inc.



INTREPID
Engineering Services, Inc. (IES)
Enabling People and Solutions

RIGHT ID

63 25321



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

DIRK KEMPTHORNE
Governor

KARL J. DREHER
Director

November 9, 2001

RE: Investigation of Water Right Claims in the Snake River Basin Adjudication, Basin 63

Dear Claimant:

As you may be aware, the Idaho Department of Water Resources (IDWR) is commencing its Snake River Basin Adjudication (SRBA) investigation of water rights in the Boise River Basin (Basin 63). This investigation is a major effort, and IDWR has hired a contractor, Intrepid Engineering Services, to assist us with this task.

The purpose of this letter is to advise you that Intrepid might be contacting you to conduct a field investigation of your water use. This investigation is meant to provide important information to the IDWR Senior Water Resource Agent who will be making a recommendation for your water rights. Accordingly, we request that you provide Intrepid with access to your water diversion system so that their personnel can conduct this field examination. Intrepid will be gathering information on the rate of flow, diversion location and place of use of your water rights, and will be reporting this information to IDWR.

If you have sold your property in the Boise River Basin, we request that you forward this letter to the purchaser, so that the purchaser can report the new name and address to our office. If you are unable to forward this letter, please send any information regarding a new owner to our Western Regional Office located at 2735 Airport Way, Boise, 83705, (208) 334-2190.

The process of adjudicating your water rights is straightforward for most people, resulting in the issuance of decreed water rights on your property. Experience has shown that water users who work with our agency early in the process to ensure that their recordings are correct have a better experience than those who wait until IDWR has filed its findings with the SRBA Court. Thus, we encourage you to work with our staff and with Intrepid to ensure that the results accurately reflect your water uses.

Sincerely,

Jan Shurte
Adjudication Section Supervisor
Western Regional Office

MEMORANDUM

From: Roxanne McCarthy
To: File
Re: signature authority for Mike Despot
Date: July 18, 1991

=====

The original claims for the State of Idaho, Division of Public Works, were signed by Jay Shields. Mr. Shields was the Bureau Chief at the time of signing and has since retired. Mike Despot is the new Bureau Chief and his initials appear on the corrections to these forms.

MICROFILMED
SEP 14 1992