

08/31/2006

NOTICE OF ERROR
REPLY

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS:

Water right number: 24-10751

KEVIN TONER
136 MADISON AVE 3RD FLOOR

NEW YORK NY 10016
Telephone Number: (212) 842-8903

YODON THONDEN
136 MADISON AVE 3RD FLOOR

NEW YORK NY 10016
Telephone Number: (212) 842-8903

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

IRRIGATED ACRES SHOULD BE
24 NOT 14. QUANTITY SHOULD BE HIGHER

2. Describe the changes you wish to make in the proposed recommendation:

ACREAGE AND QUANTITY SHOULD BE
RESTORED TO CLAIMED AMOUNT.

3. Give a brief explanation as to why you disagree with these portions:

2 ACRES IN 20 NESE ELIMINATED WITHOUT
EVIDENCE. 4 ACRES IN SESE ELIMINATED
WITHOUT EVIDENCE

☐ I AGREE with this proposed recommendation: no changes need to be made.


DATE: _____

SIGNATURE: _____

Please print your name: _____

KEVIN TONER

IDWR Regional Office, 900 N Skyline Dr Ste A, Idaho Falls, ID 83402, 2085257161



EXTRA 10 ACRES ARE COVERED BY RIGHT
10753. BOTH SHOULD BE APPROVED WITH
A MAXIMUM AGGREGATE CONDITION OF
0.02 CPS P/A.