



12 July 1996

POLYSONIC MEASUREMENT OF PANCHERI, INC.
WELL A33-02066. STEVE GARRISON - OPERATOR,
A. RUBERRY PHOTO.

SIGNAL STRENGTH UP
8.75

SIGNAL STRENGTH DOWN
8.83

SETUP NO. 1

PIPE O.D. 10.000 IN

PIPE WALL THICKNESS
0.094 IN

PIPE I.D. 9.812 IN

PIPE MATERIAL
CARBON STEEL

PIPE SOUND VELOCITY
10597.129 F/S

LINER MATERIAL
NONE

11
LINER THICKNESS
0.000 IN

INSIDE ABS ROUGHNESS
0.00015000

FLUID MATERIAL
WATER

FLUID SOUND VELOCITY
4863.330 F/S

FLUID VISCOSITY
1.132 Cst

TRANSDUCER TYPE
STANDARD

TRANSDUCER MOUNTING
U

TRANSDUCER SPACING
7.765 IN

FLOW 2.743 CFS
5.223 F/S

11:53:15 07-12-96

Min. Rate 0.00 CFS
Max. Rate 2.82 CFS
Avg. Rate 2.76 CFS
FLOW RATE 2.77 CFS
NET TOT(X1) 517485 GAL
POS TOT(X1) 191765 GAL
NEG TOT(X1) 6809 GAL

11:55:15 07-12-96

Min. Rate 0.00 CFS
Max. Rate 2.82 CFS
Avg. Rate 2.76 CFS
FLOW RATE 2.76 CFS
NET TOT(X1) 519971 GAL
POS TOT(X1) 194252 GAL
NEG TOT(X1) 6809 GAL

11:57:15 07-12-96

Min. Rate 0.00 CFS
Max. Rate 2.83 CFS
Avg. Rate 2.78 CFS
FLOW RATE 2.82 CFS
NET TOT(X1) 522467 GAL
POS TOT(X1) 196748 GAL
NEG TOT(X1) 6809 GAL

PANCHERI INC. Well A33-02066




Photo 1. Shows LOCATION OF SECTION MONUMENT TO FRANKS.




Photo 2. Shows RELATIONSHIP OF SECTION MONUMENT TO WELL A33-02065.



Photo 3. Shows RELATIONSHIP OF SECTION MONUMENT TO PIVOT AND PIVOT RADII

PANCHERI, INC.
A33-02066

Photos taken: 12 Oct 95 ABR



Butler

St. Petersburg

20 Dec 95

40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870

Motor: FAIRBANKS-MORSE
40 H.P.

40 H.P.

No: F91362

Pump: JOHNSTON 10" DISCH
NO TAG


Backstg:

Мотор: Линейный 50HP

SN: 2096219

Pump: Paco 10.25"

29-80123-040000






STATE OF IDAHO

Department of Water Resources

Eastern Region

Claimant: Pancheri Inc.

Water Right(s): 33-02066A



LEGEND




Point of Diversion- GW



Point of Diversion- SW

SESE

Place of Use



Section Line



Quarter-section line

Place(s) of Use: T.9N., R.27E.
Sec. 21 (parts of) W2

Point(s) of Diversion: T.9N., R.27E.
Sec. 21 NENWNW



GIS Place of Use Illustration
1987/1988 NAPP photography
Prepared by: A. Ruberry
Date: September 1999

33-20024
DISTRICT COURT SRBA
FIFTH JUDICIAL DISTRICT
COUNTY OF TWIN FALLS, STATE OF IDAHO

OCT 25 2000

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA

Case No. 39576

Subcase(s): 33-00024 et al

Pancheri Inc

ORDER SETTING HEARING

The court sets the following hearing in the above subcase(s):

- ☒ Status Conference
☐ Settlement Conference
☐ Scheduling Conference

Date: Dec. 20, 2000 11 am

Location: SRBA Court phone

DATED: 10/25/2000.

Brigitte Bilyeu
BRIGETTE BILYEU, Special Master
Snake River Basin Adjudication

CERTIFICATE OF SERVICE

I certify that a true and correct copy of this Order was hand delivered to the following:

Representative of:
Director of IDWR
PO Box 83720
Boise, ID 83720-0098

Kent Easter

Representative of:
United States Dept. of Justice
Environment & Natural Resources Div.
550 West Fort Street, MSC 033
Boise, ID 83724

Deputy Clerk
Deputy Clerk

December 2, 1999

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: December 10, 1999

Water right number: 33-02066A

PANCHERI INC
C/O JERRY PANCHERI PRES
HC 65 BOX 2104
HOWE ID 83244

Daytime Telephone Number:

Evening Telephone Number:

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

____ I AGREE with this proposed recommendation; no changes need to be made.


DATE: 12/21/99 SIGNATURE: Rod Pancheri
Please print your name: _____



T.9N., R.27E.

S 17	S 16
S 20	S 21

191/20



RECORDED WATER RIGHT VS. ADJUDICATION CLAIM REVIEW SHEET

REVIEWER: A.B. RICHENBERG DATE: 12/04/96

CLAIM NUMBER: A33-02066 WATER RIGHT NUMBER 33-02066

ACTUAL PLACE OF USE

CLAIMED P.O.U.				NE				NW				SW				SE				Totals
Water Right	Twn.	Rge.	Sec.	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
33-02066	9N	27E	21					30	30	32	31	30	33	32	31					249

RECORDED P.O.U.				NE				NW				SW				SE				Totals
Water Right	Twn.	Rge.	Sec.	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
33-02066	9N	27E	21									40	35	40	40					155
			28					40	40	40	40									160
																				315

If the P.O.U. doesn't match, determine if there has been an expansion in place of use or if there has been an unrecorded transfer, and determine when the change occurred.



Any apparent transfers in place of use? YES. When? CIRCA 1979
Analysis:

ACCORDING TO JERRY PANCHEN; HE BOUGHT THIS PROPERTY ABOUT 15-16 YEARS AGO AND INSTALLED THE PIVOT. CHANGES TO ROW WERE MADE THEN. NO CHANGES TO ROW. ONLY TO MANAGING, IRRIG. SYST., AND ACREAGE. USED AS IS SINCE - TO DATE. NW 1/4 SEC. 21 NOT INCLUDED IN LICENSE. NW 1/4 SEC. 28 IS LICENSED BY THIS RIGHT BUT NOT IRRIG. BY THIS SYSTEM.

→ SPLIT 02066 TO A&B FOR CONVENIENCE OF A&J, CP3

Has there been an expansion in use? NO. When?
Analysis:

NO EXPANSION BUT DEFINITE CHANGE TO PLACE OF USE RESULTING IN SPLIT OF RIGHT FOR A&J, CONVENIENCE.



Polysonic TAPS A33-02066

Panchemo Inc.

02/12/96

Panchemo Inc. WSA A33-02066

SIGNAL STRENGTH UP
8.75

SIGNAL STRENGTH DOWN
8.83

SETUP NO. 1

PIPE O.D 10.000 IN

PIPE WALL THICKNESS
0.094 IN

PIPE I.D 9.812 IN

PIPE MATERIAL
CARBON STEEL

PIPE SOUND VELOCITY
10597.129 F/S

LINER MATERIAL
NONE

11
LINER THICKNESS
0.000 IN

INSIDE ABS ROUGHNESS
0.00015000

FLUID MATERIAL
WATER

FLUID SOUND VELOCITY
4863.330 F/S

FLUID VISCOSITY
1.132 cSt

TRANSDUCER TYPE
STANDARD

TRANSDUCER MOUNTING
U

DUCEER SPACING
7.765 IN

FLOW 2.743 CFS
5.223 F/S

11:53:15 07-12-96

Min. Rate 0.00 CFS
Max. Rate 2.82 CFS
Avg. Rate 2.76 CFS
FLOW RATE 2.77 CFS
NET TOT(X1) 517485 GAL
POS TOT(X1) 191765 GAL
NEG TOT(X1) 6809 GAL

11:55:15 07-12-96

Min. Rate 0.00 CFS
Max. Rate 2.82 CFS
Avg. Rate 2.76 CFS
FLOW RATE 2.76 CFS
NET TOT(X1) 519971 GAL
POS TOT(X1) 194252 GAL
NEG TOT(X1) 6809 GAL

11:57:15 07-12-96

Min. Rate 0.00 CFS
Max. Rate 2.83 CFS
Avg. Rate 2.78 CFS
FLOW RATE 2.82 CFS
NET TOT(X1) 522467 GAL
POS TOT(X1) 196748 GAL
NEG TOT(X1) 6809 GAL

NENWNW SEC. 21
T. 9N. R. 27E.

Looking Southernly



12 July 1996

POLYSONIC MEASUREMENT OF PANCHERI, INC.
WELL A33-02066. STEVE GARRISON. OPERATOR,
A. RIBERRY PHOTO.

SIGNAL STRENGTH UP
8.75

SIGNAL STRENGTH DOWN
8.83

SETUP NO. 1

PIPE O.D. 10.000 IN

PIPE WALL THICKNESS
0.094 IN

PIPE I.D. 9.812 IN

PIPE MATERIAL
CARBON STEEL

PIPE SOUND VELOCITY
10597.129 F/S

LINER MATERIAL
NONE

11
LINER THICKNESS
0.000 IN

INSIDE ABS ROUGHNESS
0.00015000

FLUID MATERIAL
WATER

FLUID SOUND VELOCITY
4863.330 F/S

FLUID VISCOSITY
1.132 Cst

TRANSDUCER TYPE
STANDARD

TRANSDUCER MOUNTING
↓

TRANSDUCER SPACING
7.765 IN

FLOW 2.743 CFS
5.223 F/S

11:53:15 07-12-96

Min. Rate 0.00 CFS
Max. Rate 2.82 CFS
Avg. Rate 2.76 CFS
FLOW RATE 2.77 CFS
NET TOT(X1) 517485 GAL
POS TOT(X1) 191765 GAL
NEG TOT(X1) 6809 GAL

11:55:15 07-12-96

Min. Rate 0.00 CFS
Max. Rate 2.82 CFS
Avg. Rate 2.76 CFS
FLOW RATE 2.76 CFS
NET TOT(X1) 519971 GAL
POS TOT(X1) 194252 GAL
NEG TOT(X1) 6809 GAL

11:57:15 07-12-96

Min. Rate 0.00 CFS
Max. Rate 2.83 CFS
Avg. Rate 2.78 CFS
FLOW RATE 2.82 CFS
NET TOT(X1) 522467 GAL
POS TOT(X1) 196748 GAL
NEG TOT(X1) 6809 GAL

Pancheri Inc. Well A33-02066

Photo 1. Shows LOCATION OF
SECTION MONUMENT TO FEATHERS.



Photo 2. Shows RELATIONSHIP
OF SECTION MONUMENT TO WELL
A33-02065.



Photo 3. Shows RELATIONSHIP
OF SECTION MONUMENT TO RIVER
AND RIVER RADIIIS



PANCHERI INC.
A33-02066

Photos taken: 12 Oct 95 SBR

12 Oct. 95

QUESTIONS FOR DECREED RIGHTS

RIGHTNUMBER: 02066, OWNER Pancho B

P R O P E R T Y D E S C R I P T I O N :
SECTION(S) _____, T. _____ N., R. _____ E.

1. WHEN DID YOU ACQUIRE THE PROPERTY? 15-16 yrs ago
2. WHEN WAS THE WATER LAST USED ON THIS LOCATION, AS LICENSED, DECREED, OR, AS TRANSFERRED? 15-16 yrs. Ago
3. WAS THERE A TRANSFER FILED? NO YES, WHEN?
IS THE RIGHT SPLIT? NO YES, HOW?
4. WHERE WAS THIS RIGHT USED (PRE 1987)? AS IT IS NOW.
WHERE IS THE RIGHT USED NOW?
5. WHICH POINT OF DIVERSION WAS USED (PRE 1987)? 02066
WHICH POINT OF DIVERSION IS NOW USED?
6. ANY CHANGES IN THE PLACE OF USE (PRE 1987)?
ANY CHANGES AFTER 1987? NO
7. ANY CHANGES IN THE POINT OF DIVERSION (PRE 1987)?
ANY CHANGES AFTER 1987? NO
- 8.

33-02066A

17	16
20	21

POINT OF
DIVERSION
A33-0206

221 NHEL
T-370 NW
J. O. ANDREASON

PLACE OF USE

CLAIM NUMBER: **A33-02066A**
DATE: **12 Oct. 95** I **9N.** R **27E.**
SOURCE OF DOC: **ASCS**

STATION 

NHEL
NW
(5)
1214

20	24
29	28

NHEL
NW
⑧
123.3

POINT OF
DIVERSION
A33-02065

State of Idaho License and Certificate of Water Right

33-02066

Water License No. G-23246

Amount 4.08 c.f.s.

Water District No. _____

Priority November 17, 1952

THIS IS TO CERTIFY that FRANK E. REED
of Howe, Idaho, made application for a permit to appropriate the
public waters of the State of Idaho, dated November 17, 1952; that Permit No. G-23246
was issued under said application; that Certificate of Completion of works, with a carrying capacity of
4.08 second feet, was issued thereunder on September 26, 1958, showing that said works
were completed on the 19th day of November, 1957; and that on the 19th
day of November, 1957. FRANK E. REED

of Howe, State of Idaho, made proof to the satisfaction of the
State Reclamation Engineer of Idaho, of the right to use the waters of _____
a tributary of subterranean, for the purpose of Irrigation.
under Use Permit No. G-23246 of the Department of Reclamation
and that said right to the use of said waters has been perfected in accordance with the laws of Idaho,
and is hereby confirmed by the State Reclamation Engineer of Idaho and entered of record in Volume
10 of Licenses at page 6433, on the 26 day of September, 1958.
The right hereby confirmed dates from November 17, 1952.

The Point of Diversion is located
in the NW 1/4 NW 1/4, Sec. 21, Twp. 9 N., R. 27 E., B. M. County.
That the amount of water to which such right is entitled and hereby confirmed, for the purposes
aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and
not exceed 4.08 cubic feet per second.

Description and location of use:

Description and location of use:					
Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
9 N.	27 E.	21	NE 1/4 SW 1/4	40	40
			NW 1/4 SW 1/4	40	35
			SW 1/4 SW 1/4	40	40
			SE 1/4 SW 1/4	40	40
		28	NE 1/4 NW 1/4	40	40
			NW 1/4 NW 1/4	40	40
			SW 1/4 NW 1/4	40	40
			SE 1/4 NW 1/4	40	40
			Total number of acres irrigated		

The right to the use of the water aforesaid hereby confirmed is restricted to the land
of use herein described, as provided by the laws of Idaho.

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this

20th day of

September, 1958.

/s/ Geo. N. Carter

State Reclamation Engineer

(SEAL)

33-2066

November 22, 1957

Re: Permit No. Q-23245

Mr. Frank E. Reed
Horse,
Idaho

Dear Mr. Reed:

We acknowledge receipt of the Deposition of Holder and two witnesses, also affidavit of publication in the Arco Advertiser, all submitted in proof of Completion of Works and Application of Water to Beneficial Use on Permit No. Q-23246.

Before final action is taken in the matter, the law requires that a field examination be made by an engineer from this department.

We cannot tell just when this examination will be made, but our field engineer will try and contact you at the time he makes the examination so that arrangements may be made to show him over the grounds.

Very truly yours,


MARK R. KULP
State Reclamation Engineer
By

Edna P. Rutledge (Mrs.)
Chief Clerk

EPR:lw

Q23246

R-27E



Subdivisions = 8

Area = 315 acres

$Q = 204''$ or

4.08 cfs.

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF ENGINEER

Permit No. G-23246This proof is for Completion of Works & Beneficial Use In Water District No. _____

1. Name of applicant Frank E. Reed
2. Source of water supply: Subterranean flow from a well
3. Location of point of diversion: Is in the NE 1/4 SW 1/4 of Section 21
T. 9 North R. 27 East County of Butte

4. Describe works as they exist, giving dimensions and capacities of same: 40 hp. F. Morse
Motor # F 91562
F. Morse Turbine # A R 1835 delivery to south
thru 10" x 5' pipe into open ditch to fields by
gravity

5. Water is used for: Irrigation
6. State whether or not water has been turned into works of diversion: yes
7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

SW 1/4 Section 21; NW 1/4 Section 28, Township 9 North, Range 27 East, B.M.

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks:

Crops are hay & grain.

This examination was made on the _____ day of July, 1926

(Signed) E. H. Humphrey Examiner.

423046

August 25, 1953

Re: Permit No. G-23246

Mr. Frank E. Reed
Boise
Idaho

Dear Mr. Reed:

Our field engineer's report on his inspection of the completion of works and beneficial use of the water under the terms of Permit No. G-23246 shows the well located in the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 21, Township 9 North, Range 27 East, B.M., is capable of conveying 204 minor inches (4.06 c.f.s.) of water for irrigation of 315 acres. The record of the permit describes the location of well in the NE $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 21, therefore, it is necessary that the permit be amended. We enclose an Application for Amendment to point of diversion for this purpose.

Upon receipt of the amendment, mentioned above, and the statutory fees, totaling \$21.00, we will issue the Certificate of Completion of Works (for which the fee is five dollars) and the License and Certificate of Water Right (fee is sixteen dollars—based at the rate of two dollars for each 40-acre subdivision) confirming the right with priority of November 17, 1952, to the use of 4.06 second feet of subterranean water, with the point of diversion in the NW $\frac{1}{4}$ SW $\frac{1}{4}$ of Section 21, for irrigation of 315 acres in the SW $\frac{1}{4}$ Section 21 and NW $\frac{1}{4}$ Section 28, Township 9 North, Range 27 East, B.M.

Very truly yours,

GEO. N. CARTER
State Reclamation Engineer
By

Chief Clerk

KPH:als
Enc.

cc: Harley M. McDowell
P. O. Box 2161
Boise, Idaho

123246

6/23

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

PAGE: 1
GENERAL INFORMATION

LAST: REED
ADDRESS:
CITY: HOME
PHONE NUMBER: 208-000-0000

TUNER CODE: B
LAST: PANCHERI INC
ADDRESS: 7 JERRY PANCHERI PIES
CITY: HOME
PHONE NUMBER: 208-767-3419

OWNER CODE: C
LAST: FOSTER
ADDRESS: HOLDEN KIDWELL HAHN & CRAPO
CITY: 20 BOX 50130
PHONE NUMBER: 208-523-0620

OWNER CODE: A

FIELD EXAM REQUIRED?

VERIFICATION REQUIRED DUE TO REMARKS?

CLAIM REMARKS:

WELL IN NW1/4 SEC 21 USED PRIMARILY FOR NORTH PIVOT. WELL IN NW1/4 SEC 28 NOW USED PRIMARILY FOR THE SOUTH PIVOT. BOTH WELLS CAN BE USED TO DELIVER WATER TO EITHER PIVOT IN CASE ONE GOES DOWN. NO TRANSFER WAS FILED FOR THIS CHANGE. CONCERNED ATTORNEY MAILING ADDRESS DMS

DATABASE
Y
EXAMINER
Y () N ()

FIRST: FRANK E
STATE: ID ZIP: 83244

FIRST:
STATE: ID ZIP: 83244

FIRST: KENT W
STATE: ID ZIP: 83405

00:00:00
09/23/95

63
CLAIM NUMBER: A33-02066

SPLIT FOR ADJUDICATION

CONVENIENCE.

R33-02066A

3.23 cfs 249AC

NORTH PIVOTS

A33-02066b

4.08 cfs 315AC.

R33-02066B

0.85 cfs 66AC

SO. PIVOTS (NORTH PIVOTS)

OVERLAP W/ 33-02065

THESE TWO WELLS ARE NOT
CONNECTED - THEY CANNOT SERVE
PIVOTS IN OPPOSITE DIRECTIONS (POWERS)
EACH DOES HOWEVER SERVE TWO
PIVOTS (PER SYSTEM) SEE MAPS.
NOT INTERCHANGEABLE,

CONTACT PERSON: A. Furey

PHONE NUMBER: () - - -

DATE OF FIELD EXAM: Oct 12-13-95

APPOINTMENT MADE: Y() N()

TIME: : A() P()

ACCOMPANIED BY: MST J. Pancher

PHONE NUMBER: () - - -

RELATIONSHIP TO CLAIMANT: Owner, Pros.

DIRECTIONS TO PROPERTY / NOTES:

MST Furey at Kevin Ryan 12 Oct 95 at 11:00 AM. Discussion Road Plans Pivots versus and Bingham Ch.
FIELD EXAM 12-13 October 1995.

A. AT CLAIM: # A33-02066 PRIORITY DATE: 11-17-1952 STAGE: L

B. WR RECORD: # 33-02066 PRIORITY DATE: 11-17-1952 STAGE: L

C. CAN THE PRIORITY DATE CLAIMED BE CONFIRMED BY A DECREE OR LICENSE?

D. HAS THERE BEEN A LATER COURT DECREE OF THE WATER RIGHT(S) FROM THIS WATER SOURCE?

E. IS THERE ANY INDICATION THAT THERE HAS BEEN A FIVE YEAR PERIOD OF CONTINUOUS NONUSE? (IF YES, DESCRIBE BELOW)

F. IF THIS CLAIM IS BASED ON A PERMIT, WHERE IS THE PERMIT IN THE LICENSING PROCESS?

PROOF OF BENEFICIAL USE SUBMITTED

FIELD EXAM COMPLETED

FIELD EXAM SENT TO STATE OFFICE

LICENSE ISSUED

A IF THE PERMIT WILL NOT BE LICENSED PRIOR TO THE DIRECTOR'S REPORT, USE CONDITION CODE 401 AND RECOMMEND AS PERMITTED.

G. IF THIS CLAIM IS BASED ON BENEFICIAL USE, IS ADDITIONAL EVIDENCE OF THE PRIORITY DATE REQUIRED?

A FOR CLAIMS BASED ON BENEFICIAL USE, DESCRIBE THE EVIDENCE OF PRIORITY SUBMITTED, INCLUDING THE ANALYSIS OF THE EVIDENCE.

H. IS THE STAGE OF THE CLAIM CODED CORRECTLY?

NOTES: *Priority claimed matches license.*

Y(✓) N()

Y() N(✓)

Y() N(✓)

N/A() Y() N()

N/A() Y() N()

N/A() Y() N()

N/A() Y() N()

N/A(✓) Y() N()

Y(✓) N()

** License 26 Sept. 1958*

RECOMMENDED PRIORITY DATE

11-17-1952

REVIEWED BY

As claimed

[Signature]

DATE

20 Dec 95

A. CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP. RGE.	SEC.	1/4	1/4	1/4	1/4	LOT	POB FLAG	COUNTY	DIVERSION NAME	DIVERSION NUMBER
A33-02066	05N 27E	3	NW	NW	NW	NW			BUTTE		
A33-02066	05N 27E	19	NW	NW	NW	NW			BUTTE		
A33-02066	05N 27E	20	NW	NW	NW	NW			BUTTE		
A33-02066	05N 27E	21	NW	NW	NW	NW			BUTTE		
A33-02066	05N 27E	28	NW	NW	NW	NW			BUTTE		
A33-02066	05N 27E	3	NW	NW	NW	NW			BUTTE		
A33-02066	05N 27E	19	NW	NW	NW	NW			BUTTE		
A33-02066	05N 27E	20	NW	NW	NW	NW			BUTTE		
A33-02066	05N 27E	21	NW	NW	NW	NW			BUTTE		
A33-02066	05N 27E	28	NW	NW	NW	NW			BUTTE		

Don't
even work
this way!

OTHER AT CLAIMS WITH SAME AT POD
A PREFIX
A

NR RECORDS IN SAME 40 ACRE TRACT

AAA

A 59 A PREFIX CLAIMS WITH THIS POD
AAA 19 NR RECORDS IN SAME 40 ACRE TRACT

SOURCE: GROUNDWATER

TRIP:

B. NR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP. RGE.	SEC.	1/4	1/4	1/4	1/4	LOT	POB FLAG	COUNTY	DIVERSION NAME	DIVERSION NUMBER
33-02066	09N 27E	21	NW	NW	NW	NW			BUTTE		

OTHER NR RECORDS WITH SAME NR POD

AJ CLAIMS IN SAME 40 ACRE TRACT
A PREFIX

NONE

A33-02066
A33-02066
A33-02093
A33-02108
A33-02113
A33-02117
A33-07027
A33-07015

A33-07027
A33-10109

SOURCE: GROUNDWATER

TRIB:

C. IS THE CLAIMED POD WITHIN THE SAME 40 ACRE TRACT THAT IS DESCRIBED IN THE WATER RIGHT FILE? N/A() Y() N(☒)

* IF NO, AND IF THE CHANGE IS VERIFIED AS AN ACCOMPLISHED CHANGE IN POD, DESCRIBE THE INJURY ANALYSIS PERFORMED AND ENTER FLAG "C" WITH THE APPROPRIATE EXPLANATORY CODE.

D. CAN THE CLAIMED POD BE VERIFIED USING THE WATER RIGHT FILE OR GPS DATA? N/A() Y(☒) N(☒)E. SHOULD THE CLAIMED POD BE VERIFIED BY FIELD EXAM? Y(☒) N()F. IS THE CLAIMED SOURCE THE SAME AS DESCRIBED IN THE WATER RIGHT FILE? N/A() Y(☒) N()

* IF NO, AND IF THE CHANGE IS VERIFIED AS AN ACCOMPLISHED CHANGE IN SOURCE, DESCRIBE THE INJURY ANALYSIS PERFORMED AND ENTER FLAG "C" WITH THE APPROPRIATE EXPLANATORY CODE.

G. CAN THE CLAIMED SOURCE BE VERIFIED USING THE WATER RIGHT FILE? Y(☒) N()H. SHOULD THE CLAIMED SOURCE BE VERIFIED BY FIELD EXAM? Y() N(☒)

I. HOW WAS THE POD AND SOURCE VERIFIED?

LICENSING FIELD EXAM (DATE OF FIELD EXAM ? July 1956)AJ FIELD EXAM (DATE OF FIELD EXAM 12-13-04-95) NAME OF EXAMINER Asbury Y(☒) N()OTHER (DESCRIBE IN NOTES BELOW) Y(☒) N()

NOTES: E.) FIELD EXAM VERIFIED LOCATION OF P.O.D. IN NNNNNNN SEE Z.I. AS LICENSED. Answering to Permit For Wrong P.O.D. Location - Letter DATED 25 Aug 1953. THIS WORK AND 33-02065 ARE NOT
CONNECTED DESPITE CLAIMANT'S COMMENT ON Pg. 1.

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE: CHECK HERE IF RECOMMENDED AS CLAIMED ()

TWP.	RGE.	SEC.	1/4	1/4	LOT	POD FLAG	COUNTY	DIVERSION NAME	DIVERSION NBR
05N	29E	3	NW	NW			BUTTE		
05N	29E	14	NW	NE			BUTTE		
06N	29E	19	NW	NE			BUTTE		
06N	29E	20	NW	SW			BUTTE		
06N	29E	29	SW	SW			BUTTE		
06N	29E	33	NW	NW			BUTTE		
06N	29E	33	SW	NW			BUTTE		
09N	27E	9	NW	NW			BUTTE		
09N	27E	9	NW	NE			BUTTE		
09N	27E	21	NW	NW			BUTTE		
09N	27E	28	SW	SW			BUTTE		
2N	27E	21	NW	NW			BUTTE		

SOURCE: GROUNDWATER

TRIB:

REVIEWED BY: *Bob Barry*

DATE: 20 Dec. 95


SYSTEM DESCRIPTION: DESCRIBED BELOW (), SEE LICENSE FILE (), OR SEE ATT

Well Data:
Motor: FAIRBANKS-MORSE
40 H.P.
No. F91362
Pump: JOHNSTON 10" DISCH
No Tag

Booster:
Motor: LINCOLN SCMP
SN: 2096219
Pump: Inco 10.25"
29-80123-040000

Fancheri Div.
A33-02066A

Looking South



Photo



PURPOSE OF USE, PERIOD OF USE, DIVERSION RATE AND DIVERSION VOLUME REVIEW SHEET

CLAIM NUMBER: A33-02066

A. AJ CLAIMED USES:

PURPOSE OF USE	PERIOD OF USE (MONTH/DAY)	DIV. RATE FOR EACH USE	DIV. VOL. FOR EACH USE
A33-02066 IRRIGATION	FROM 04-01 TO 11-01	4.080 CFS	
TOTAL DIVERSION RATE/VOLUME		4.080 CFS	

10-31

B. MR RECORDED USES:

PURPOSE OF USE	PERIOD OF USE (MONTH/DAY)	DIV. RATE FOR EACH USE	DIV. VOL. FOR EACH USE
33-02066 IRRIGATION	FROM TO	4.080 CFS	
TOTAL DIVERSION RATE/VOLUME		4.080 CFS	

C. DOES THE CLAIMED PURPOSE OF USE CORRECTLY DESCRIBE THE WATER USE?

Y(✓) N()

D. IS THE CLAIMED PURPOSE OF USE THE SAME AS DESCRIBED IN THE WATER RIGHT FILE?

Y(✓) N()

A IF NO, AND IF THE ACTUAL WATER USE IS VERIFIED AS AN ACCOMPLISHED CHANGE IN PURPOSE OF USE, DESCRIBE THE INJURY ANALYSIS PERFORMED AND ENTER FLAG "C" WITH THE APPROPRIATE EXPLANATORY CODE.

E. SHOULD THE CLAIMED PURPOSE OF USE BE VERIFIED BY FIELD EXAM?

Y(✓) N()

F. DOES THE CLAIMED PERIOD OF USE CONFORM TO IDWR STANDARDS?

Y() N(✓)

G. SHOULD THE PERIOD OF USE BE RECOMMENDED TO IDWR STANDARDS?

Y(✓) N()

A IF THE RECOMMENDED PERIOD OF USE IS DIFFERENT THAN IDWR STANDARDS, EXPLAIN IN NOTES BELOW.

H. IS THE CLAIMED DIVERSION RATE FOR EACH USE THE SAME AS DESCRIBED IN THE WATER RIGHT FILE?

Y() N(✓)

A IF NO, DESCRIBE IN NOTES BELOW HOW THE RECOMMENDED DIVERSION RATE FOR EACH USE WAS DETERMINED.

I. SHOULD THE CLAIMED DIVERSION RATE FOR EACH USE BE VERIFIED BY FIELD EXAM?

Y() N(✓)

J. IS THE CLAIMED DIVERSION VOLUME FOR EACH USE THE SAME AS DESCRIBED IN THE WATER RIGHT FILE?

Y() N(✓)

A IF NO, DESCRIBE IN NOTES BELOW HOW THE RECOMMENDED DIVERSION VOLUME FOR EACH USE WAS DETERMINED.

K. SHOULD THE CLAIMED DIVERSION VOLUME FOR EACH USE BE VERIFIED BY FIELD EXAM?

Y() N(✓)

NOTES:

Recommendations Period of Use as April 1 to October 31, per Departmental Standards.

According to Jimmy Panchetti, 12 Oct 95, this property was acquired some 15-16 years ago. It was at this time that the system was changed and the PINTS added. It was BUSE used in this manner ever since (about 1979). Water was last used, as located, prior to Mr. Panchetti's acquisition in 1979.

AJ CLAIM TOTAL DIVERSION RATE: 4.080 CFS

WR ROOT RIGHT TOTAL DIVERSION RATE: 4.080 CFS

A. IS THE CLAIMED TOTAL DIVERSION RATE THE SAME AS DESCRIBED IN THE WATER RIGHT FILE? N/A() Y() N()

B. CAN THE CLAIMED TOTAL DIVERSION RATE BE VERIFIED USING THE WATER RIGHT FILE? N/A() Y() N()

* ALL CLAIMS BASED ON BENEFICIAL USE (INCLUDING POSTED NOTICES AND STATUTORY CLAIMS) REQUIRE A FLOW MEASUREMENT.

C. IS THERE ANY INDICATION THAT THERE HAS BEEN A FIVE YEAR PERIOD OF CONTINUOUS NONUSE OF THIS RIGHT, OR ANY PORTION OF THE DIVERSION RATE?

* IF AN AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS CLAIMED AND A FIELD EXAM IS NOT REQUIRED, EXPLAIN IN NOTES.

D. SHOULD THE CLAIMED DIVERSION RATE BE VERIFIED BY FIELD EXAM? Y() N()

FLOW MEASUREMENT

MEASUREMENT METHOD Per review 7-12-96, 2.78 cfs maximum READ (SURS Photo 4 Tape 15) SEE ATTACHED CALCULATIONS.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1a. IRRIGATION RATE
ACRES 236 x 0.02 CFS/ACRE = 4.72 CFS
(Taken from pou review)

IS A DIVERSION RATE PER ACRE GREATER THAN 0.02 CFS/ACRE CLAIMED? Y() N()

IF YES, IS AN ADDITIONAL WATER USE FORM FILLED AND ATTACHED? Y() N()

2. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME =

ACRES 236 x DIVERSION VOL. AE/A FOR AREA 3.5 =

TOTAL DIVERSION VOLUME 826 AE/A

3. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE =

ACRES 236 x CONSUMPTIVE VOL. AE/A FOR AREA 2.5 =

TOTAL CONSUMPTIVE USE 590 AE/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION: SEE BELOW () OR SEE ATTACHMENT ()

1b. CALCULATIONS

Licensed Div. Rate

$$\frac{4.08 \text{ cfs}}{315 \text{ ac}} = 0.0129 \text{ cfs/ac} \Rightarrow 0.013 \text{ cfs/ac}$$

4.72 cfs/ac @ 0.02 cfs/ac

As Used:

$$4.08 \text{ cfs on } 236 \text{ ac} = 0.017 \text{ cfs/ac}$$

SURS Split History on

Pg. 1 of this CVR,

NOTES: THIS RIGHT IS LIEQUISED FOR 315AC IN: SW¹/4 SEC 21 AND NW¹/4 SEC 28 @ 4.08 cfs or 0.0129 cfs/hr
THE RIGHT DOES NOT STRIKE THE NW¹/4 OF SEC 28 - RATHER, THE NW¹/4 OF SEC 21 IS REPRESENTED. ALONG
WITH THE SW¹/4 OF 21. TOTAL ACREAGE RELICITED BY THIS SOURCE IS 249.0 AC, AS 2 PLOTS, 1 PLOT QUANTIFIER,
NO RELOCATION IN SEC 28 FROM THIS SOURCE - SCS 33-02065.

XXX

RIGHT IS SPLIT FOR CONVEYANCE OF A.O.I.

A33-02066.A

A33-02066.B AS PPH w/ 33-02065 (same PPD/PPU)

OR RECORD CONDITIONS/REMARKS:

RECOMMENDATIONS: CHECK HERE IF RECOMMENDED AS CLAIMED ()

REC. PURPOSE OF USE	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV VOL. AE/A	REC. CONS. USE
IRRIGATION	~~04-01~~ 11-01 04-1 10-31	DATABASE 4.080	DATABASE EXAMINER	DATABASE EXAMINER 0.0
TOTAL FOR THIS RIGHT		~~4.080~~ 3.23	8715	0.0

NON-IRRIGATION USES CLAIMED: NONE

NON-IRRIGATION USES RECOMMENDED: CHECK HERE IF RECOMMENDED AS CLAIMED ()

REVIEWED BY: *Asst. Dir.*

DATE: 5/20/99

FLAG: C

CHARGE FROM TO 1987 OF P.O.U. WHO BENEFIT OF TRANSFER - SEE ASCS PROXY

STANDARD CONDITIONS (CODE):

STANDARD REMARKS (CODE):

EXPLANATORY CONDITIONS (CODE):

CPS (A POU) CP3 (A POU)

EXPLANATORY REMARKS (CODE):

SPRINT TO ADD

A. CHECK ONLY THE FOLLOWING THAT APPLY:

ACCEPTED
AS CLAIMED
()
()
()
()
()
()

NEEDS
REVIEW
()
()
()
()
()
()

OWNERSHIP
CONFEIT/ABANDON
ADDITIONAL DIV. AMOUNT

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 33-02066

TOTAL DIVERSION RATE OF WR SPLITS

SPLITS:

DATABASE
4.080

EXAMINER

CFS

OLD RIGHT
NUMBERS

CURRENT
CLAIM NUMBERS

DIVERSION
RATE

CURRENT "R"
CLAIM NUM.

"R" DIV.
RATE

WR RIGHT
NUMBERS

DIVERSION
RATE

-

-

-

33-02066

4.080

TOTAL CFS

4.080

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW DESCRIBED BELOW () OR SEE ATTACHMENT ()?

DATABASE
N
FIELD
EXAMINER
Y() N()

NOTES:

THIS RIGHT IS NOW SPLIT - IT IS CLAIMED IN FULL BUT, DUE TO INCREASED AVERAGE
OF 249 AC THE TOTAL LICENSED DIV. RATE IS USED AT A DIVERSION RATE OF 0.013 cfs/ac
INSTEAD OF 4.08 cfs on 315 ac AT A DIV RATE OF 0.013 cfs/ac AS LIE.
DUE TO SYSTEM DESIGN OF TWO PIVOTS ON SAME MAINLINE THE ENTIRE 4080 cfs IS USED AT
THIS INCREASED DIV. RATE FOR ACRES. NO FLOOD IRRIGATION OCCURS. RATHER, A PORTION, 0.05 cfs,
AND 60 ac. ARE SPLIT OFF TO BE USED FROM 02066 WELL AS CP 3 (CIRCA 1979) AND CFS

AUTHENTICATION:

SIGNATURE:  DATE: 28 DEC 95

NAME OF FIELD EXAMINER: Aaron R. Rasmussen TITLE: Sr. Asst.

MAPS AND AERIAL PHOTOGRAPHS USED TO REVIEW THIS NOTICE OF CLAIM TO A WATER RIGHT

TYPE OF MAP OR PHOTOGRAPH (CHECK IF USED)	IF USED, SUPPLY APPROPRIATE DATE AND OTHER INFORMATION	COPY INCLUDED IN FILE?
☒ ORTHOPHOTOGRAPH	DATE OF PHOTO 1975 IDWR ID NO. V-824V-03 Y() N()	
☐ TOPOGRAPHIC	DATE FIELD CHECKED IDWR ID NO. Y() N()	
☒ MAP	DATE OF PHOTO 8-2-87 IDWR ID NO. V-83NW Y() N()	
☒ ASCS AERIAL PHOTO	DATE OF PHOTO 1987 Y() N()	
☐ ASCS COLOR SLIDE	DATE OF PHOTO Y() N()	
☐ BLN OR USES AERIAL PHOTO	DATE OF PHOTO Y() N()	
☒ TOWNSHIP SURVEY (GOVERNMENT PLAT)	DATE OF SURVEY checked Y() N()	
☐ SCS SOIL SURVEY MAP	DATE ISSUED Y() N()	
☐ SUBDIVISION PLAT MAP	DATE OF MAP Y() N()	
☐ OTHER	DATE Y() N()	
☐ OTHER	DATE Y() N()	
☐ OTHER	DATE Y() N()	

LIST OF ATTACHMENTS (CHECK IF ATTACHED)	IF ATTACHED, SUPPLY APPROPRIATE INFORMATION	NO. OF PAGES	NOTES
☒ LICENSING FIELD EXAM	DATE OF FIELD EXAM July 1953		
☒ WATER RIGHT LICENSE	DATE LICENSE SIGNED 26 SEPT 1958		
☐ IDWR APPROVED TRANSFER	DATE TRANSFER APPROVED None		
☒ SYSTEM DESCRIPTION	DATE DRAWN 12 Oct 1995	1	
☒ PHOTOGRAPHS	DATE(S) PHOTOS TAKEN 12 Oct 1995		
☒ SPLIT RIGHT REVIEW	DATE REVIEW COMPLETED		See pg. 1 of this CR
☐ HUBBLE ANALYSIS	DATE ANALYSIS COMPLETED		
☐ CONVEYANCE LOSS ANALYSIS	DATE ANALYSIS COMPLETED		
☐ FLOW MEASUREMENT CALCULATIONS	DATE SYSTEM MEASURED		
☐ OTHER LANDLIST ATTACHMENT	DATE 20 DEC 95	1	
☐ OTHER OWNER QUESTIONNAIRE	DATE 12 Oct 95	1	

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:00:06
09/29/95

PAGE: 14
QUICKLOOK INFORMATION

CLAIM NUMBER: A33-02066 ⁷⁶A

MR ELEMENT	DATA DISCREPANCY Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	ELEMENT DOCUMENTED WHOM/DATE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE			12-13 Oct 95 ASR	N	20 Dec 95 ASR	20 Dec 95 ASR	20 Dec 95 ASR	
POINT OF DIV	Y			~~Y~~				
SOURCE				N				
PLACE OF USE	Y			Y				
DIV: AMOUNT CES/VOLUME				Y				
CONSUMPTIVE USE	-							
PURPOSES OF USE				N				
PERIOD OF USE	Y			Y				
BASIS OF CLAIM	Y			N				
REMARKS	Y							

RIGHT IS SPLIT FOR
CONVOLUTION OF AOS, NO
REDUCTION IN CFS OR AC.

BARCODE UPDATED
WHOM/DATE

Presumption Final C

COND. / Remark
CFS

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

05:45:53
09/29/95
77

PAGE: 15
PROFILE REPORT

CLAIM NUMBER: A33-02066

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	PANCHERI INC	11/17/1952	IRRIGATION	04-01-11-01	4.08 CFS	
				04-01-10-31	4.08 CFS	
				TOTAL DIVERSIONS:		

Water Source: GROUNDWATER

Tributary to:

Point(s) of Diversion:

T06N R29E S03	NAME	WNSW
S14	NAME	WNSW
T06N R29E S19	NAME	WNSW
S20	NAME	WNSW
S21	NAME	WNSW
S22	NAME	WNSW
S23	NAME	WNSW
T06N R29E S24	NAME	WNSW
S25	NAME	WNSW
T06N R29E S26	NAME	WNSW
S27	NAME	WNSW
S28	NAME	WNSW

Place of use Legal Description for: IRRIGATION

T	R	S	NENE			NUNE			SUNE			SENE			NENW			NUNW			SWNW			SENW			NESW			NUNSW			SWSW			SESW			SUM
			Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac	Lt	Ac					
05N	29E	10	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	159.0					
05N	29E	11	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	12	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	13	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	14	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	15	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	16	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	17	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	18	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	19	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	20	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	21	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	22	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	23	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	24	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	25	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	26	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	27	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	28	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	29	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	30	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	31	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	32	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	33	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	34	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	35	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	36	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	37	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	38	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	39	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	41	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	42	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	43	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	44	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	45	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	46	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	47	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	48	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	49	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	50	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	51	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	52	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	53	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	54	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	55	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	56	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	40	160.0						
05N	29E	57	40	40	40	40	40	40	40	40	40																												

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

05:45:53
09/29/95
78

PAGE: 16
PROFILE REPORT CONTINUED

CLAIM NUMBER: A33-02066

Other Rights: SEE A33-00020

Remarks:

WELL IN NW1/4 SEC 21 USED PRIMARILY FOR NORTH PIVOT. WELL
IN NW1/4 SEC 28 NOW USED PRIMARILY FOR THE SOUTH PIVOT. BOTH
WELLS CAN BE USED TO DELIVER WATER TO EITHER PIVOT IN CASE ONE
GOES DOWN. NO TRANSFER WAS FILED FOR THIS CHANGE.
CONFIRMED ATTORNEY MAILING ADDRESS DMS

Dates:

Exam Made Date:

Misc:

Water District Number:

Verified Date:

Field Inspection Flag: C

Presumption Flag:

cc: Comments

REBUTTAL: THESE TWO WELLS REFUSED,
(A33-02065 AND A33-02066) ARE NOT CONSIDERED,
THEY ARE NOT, THEY CANNOT BE USED AS
STATES.

28 DEC 95

PRESUMPTION FLAG: C

COND./Remark

C05

C03




STATE OF IDAHO

Department of Water Resources

Eastern Region

Claimant: Pancheri Inc.

Water Right(s): 33-02066A



LEGEND



Point of Diversion- GW



Point of Diversion- SW

SESE

Place of Use




Section Line

Quarter-section line

Place(s) of Use: T.9N., R.27E.
Sec. 21 (parts of) W2

Point(s) of Diversion: T.9N., R.27E.
Sec. 21 NENWNW



GIS Place of Use Illustration
1987/1988 NAPP photography
Prepared by: A. Ruberry
Date: September 1999

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: R33-02066A
Date Received: 1/15/1990
Receipt No: X777777
Received By: _____

COPY FOR
YOUR FILES

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

COPY FOR
YOUR FILES

A3302066A

1. Name: PANCHERI INC
Address: % JERRY PANCHERI PRES
HOWE ID

208-767-3419

83244

2. Date of Priority: NOV 17, 1952

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
09N	27E	21	NE	NW	NW		BUTTE

5. Description of diverting works:
40 HP MOTOR, 10" PUMP, 50 HP BOOSTER TO TWO PIVOTS.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	04/15	10/31	3.560		871.50

7. Total Quantity Appropriated is:
3.560 C.F.S. (and/or) 871.50 A.F.A.

8. Total consumptive use is Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4 of	Lot	Use	Acres
09N	27E	21	NE	NW		IRR	30.0
			NW	NW		IRR	30.0
			SW	NW		IRR	32.0
			SE	NW		IRR	31.0
			NE	SW		IRR	30.0

10. Place of Use: Continued

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
09N	27E	21	NW		SW		IRR	33.0
			SW		SW		IRR	32.0
			SE		SW		IRR	31.0
Section Acres								249.0
Total Acres								249.0

11. Place of use in counties: BUTTE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:

14. Remarks:

15. Basis of Claim: LICENSE

Water Right Number: 23246

Water Right Number - A33-02066 Prefix Translation: ADJUDICATION CLAIM Old (D) Number - 23246

+ - - - - Last Name - - - - + + - - - - First Name - - - - + + - - - - Address - - - - - +

*** A - ATTORNEY ***
FOSTER

KENT W

1 - HOLDEN KIDWELL HAHN & CRAPO
2 - PO BOX 50130
3 -
City- IDAHO FALLS State- ID Zip- 83405
Phone - 208-523-0620*** C - CURRENT OWNER ***
SPLIT RIGHT1 -
2 -
3 -

State- ID Zip- 0

City- X
Phone - 208-000-0000*** O - ORIGINAL OWNER ***
REED

FRANK E

1 -
2 -
3 -

State- ID Zip- 83244

City- HOWE
Phone - 208-000-0000

PANCHERI INC

1 - % JERRY PANCHERI PRES
2 -
3 -

State- ID Zip- 83244

City- HOWE
Phone - 208-767-3419+ - - - - Priority Date - - - + + - - - - Region - - - + + - - - - Stage - - - + + - - - - Status - - - - +
11/17/1952 15 EASTERN Z - SEE REMARKS

+ - - - - Source - - - - + + - - - - Tributary - - - - - +

GROUNDWATER
SPLIT RIGHT

+ - - - - Point of Diversion - - - - - +

Trn	Rng	Sec	Tract	Lot	Rflg	County
05N	29E	3	NW NW			(23) BUTTE
		14	NW NE			(23) BUTTE
06N	29E	19	NW NE			(23) BUTTE
		20	NW SW			(23) BUTTE
		29	SW SW			(23) BUTTE
		32	NW NW			(23) BUTTE
		33	SW NW			(23) BUTTE
08N	27E	3	NW NW			(23) BUTTE
09N	27E	9	NE NW			(23) BUTTE
		21	NW NW			(23) BUTTE
		28	NW SW			(23) BUTTE

[illegible]

+ - - - - - Adjudication Rights Dates and Flags Area - - - - - +

Court Report Filing	- 00/00/0000	Field Inspection Made	- 00/00/0000	Civil Case Number	-	39576
Objection Filed Date	- 00/00/0000	Field Inspection Flag	-	Old Case Number	-	
Response Filed Date	- 00/00/0000	Verified Date	- 00/00/0000	Old Judicial District	-	
Claim Received Date	- 01/15/1990	Last Amended Date	- 00/00/0000	Temporary Right	- P	
		Receipt Number	- E011683	Water District	-	
		POU Ownership Flag	- Y	Federal/State Indicator	- S	
		Name Connector	- OR	Presumption Flag	- C	
				Notice of Error Flag	-	