




CLAIM NO(S) A33-07024
DATE: 3/21/94 T 5N R 30E
SOURCE OF DOC: ASCS
SIGNATURE: St. Lukens

INEL




STATE OF IDAHO

Department of Water Resources

Eastern Region

Claimant: Russell H. Mays

Water Right(s): 33-07024



LEGEND




Point of Diversion- GW



Point of Diversion- SW

SESE

Place of Use




Section Line

Quarter-section line

Place(s) of Use: T.5N., R.30E.
Sec. 7 N2, Sec. 8 N2

Point(s) of Diversion: T.5N., R.30E.
Sec. 7 SENENE, Sec. 8 NESENE



GIS Place of Use illustration
1987/1988 NAPP photography
Prepared by: A. Ruberry
Date: March 1999

A33-7024

R29E R30E

Lot 4

MICROFILMED

NOV 18 1992

T5N

658
7

Points of Discrepancy

NATIONAL

DEPICTING



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, P.O. Box 83720, Boise, Idaho 83720-0098

Phone: (208) 327-7900 FAX: (208) 327-7866

RECEIVED

OCT - 2 2002

Department of Water Resources

September 10, 2002

DIRK KEMPTHORNE
GOVERNOR

KARL J. DREHER
DIRECTOR

RUSSELL H MAYS
PO BOX 51
HOWE ID 83244-0051

RE: Snake River Basin Adjudication (SRBA)
Water Rights #31-255D, 31-252B, 33-2111, 33-2112, 33-4003, 33-7024,
33-10081, 33-10082, 33-10083

Dear Claimant:

Mail we sent to you was returned undeliverable. We have enclosed the returned mail. Although we have reached you at the address above, we need your written confirmation this is your correct mailing address before we can change our records.

Please sign your name at the bottom of this letter and return it to this office. Make corrections to your name and address if necessary before returning this letter, list any other water rights you have, and return this letter by September 23, 2002. Thank you for your help.

If your mail delivery address changes in any form, please contact us in writing so we can update our records. Be sure to list your water right numbers.

If there has been a change in ownership of the property connected with the water right claim referenced above, please call this office toll-free at 1/800-451-4129 so I can contact the new owner(s) regarding their water right(s) and updating our records.

Sincerely,

Sally Sherman

Sally Sherman
Technical Records Specialist
Adjudication Bureau

SS:region
Enclosure:

Returned Mail

#####

The address is correct as shown above or as otherwise changed.

Russell H Mays

Water Right Holder's Signature

208 767 3416

Telephone No.

SCANNED
OCT 02 2002

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098

Return Service Requested

31-2550
31-2526
33-2111
33-2113
33-4003
33-7024
33-10081
33-10082
33-10083


RECEIVED
SEP 10 2002
Department of Water Resources



- ☐ Not Deliverable As Addressed
- ☐ Unable To Forward
- ☐ Insufficient Address
- ☐ Moved, Left No Address
- ☐ Unclaimed ☐ Refused
- ☐ Attempted - Not Known
- ☐ No Such Street ☐ Number
- ☐ Vacant ☐ Illegible
- ☐ No Mail Receipts
- ☐ Box Closed - No Order
- ☒ Returned For Better Address
- ☐ Postage Due

RUSSELL H MAYS
HC 65 BOX 2105
HOWE ID 83244

PRESORTED
FIRST CLASS



Correct address
Po Box 51
Howe ID
83244-0051



A33-07024

RUSSELL H. MAYS
KAYALIN MAYS
HC 65 BOX 2105
HOWE

ID 83244



A3307024

☐ P/D change. Awaiting instructions on the use of I.C. 342-1425.

*often than this before
Q- He is now with
this claim*

☒ LOCATE SEC 1. P/D

LC. EXAM DONE 6/1981

SEE DQ-WBS (1977)

Presumption: C

CP3

*New Lineage Where Lines
Fall 1995-*

November 23, 1999

**NOTICE OF ERROR
REPLY**

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: December 10, 1999

Water right number: 33-07024

RUSSELL H MAYS
KAYALIN MAYS
HC 65 BOX 2105
HOWE ID 83244

Daytime Telephone Number:

Evening Telephone Number:


1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation; no changes need to be made.

DATE: 12/8/99 SIGNATURE: Russell H. Mays
Please print your name: Russell H. Mays



CLAIM NO(S) A33-07024
DATE: 3/21/94 T 5N R 30E
SOURCE OF DOC: ASCS
SIGNATURE: *Abdullah*

INEL

3
RUSSELL MAYS

CLAIM No. 33-07024 Lic.

MARCH 15, 1994

T.5N. R.30E. SEC. 8 AND SEC. 7 N² OF EACH

NAPP WBSSE

GROUNDWATER

P.O.D. NESENE SEC. 8 (#1)

GENERAL ELECTRIC MOTOR:

400 HP MODEL: 5K6326XC495A

SN: FKJ612024

JOHNSTON PUMP:

NO ID.

BOOSTER:

MOTOR: MARATHON

250 HP SN: EF-93074-6/12-1


MODEL: SOSUSTDS26EE W

PUMP: AURORA

NO. 7B-04796

TYPE. 411-BF SIZE: 8x17B

⊕ SURVEY MONUMENT
1/16 CORNER SEC. 8/9



RUSSELL MAYS

CLAIM NO: 33-07024 Lic.

MARCH 15, 1994

NAPP WBSSE

T.5N.R.30E. SEC. 7

GROUNDWATER

P.O.D. SENENE SEC. 7 (#2)

MOTOR: GENERAL ELECTRIC

PUMP: JOHNSTON


HP: 350

SN: NONE

SN: BAJ 224001

MODEL 5K 6317XC99A

SPOKE: TO RUSSELL MAYS SR.





State of Idaho
DEPARTMENT OF WATER RESOURCES
STATE OFFICE, 450 W. State Street, Boise, Idaho

JOHN V. EVANS
Governor

C. STEPHEN ALLRED
Director

Mailing address:
Statehouse
Boise, Idaho 83720
(208) 334-4440

October 13, 1981

RE: Permit No. 33-7024

Russell H. Mays
Howe,
Idaho 83244

Dear Mr. Mays:

A representative of this Department has made an examination of the works covered by your Permit No. 33-7024, and has found the following:

Amount of water that can be recognized as beneficially used under
Idaho law: 9.03 cfs Source: a groundwater source

The maximum quantity diverted shall not exceed 1962.0 acre feet per year.

Point(s) of diversion: NE $\frac{1}{4}$ NE $\frac{1}{4}$, NW $\frac{1}{4}$ NE $\frac{1}{4}$, Sec. 8, Twp. 5N, Rge. 30E, Butte Co.

Beneficial use: Irrigation of 654 acres within the NW $\frac{1}{4}$ Sec. 7; NE $\frac{1}{4}$, Sec. 8;
Twp. 5N, Rge. 30E

Priority date established: October 15, 1973

Conditions (if any):

If you do not concur with these findings please contact us within 10 days, otherwise a water license will be issued as set forth above.

Sincerely,

JIM JOHNSON
Water Distribution Supervisor

*10/20/81 Mr. Mays called.
OK to issue
license
RC*

2179
2179

State of Idaho
DEPARTMENT OF WATER RESOURCES
FIELD REPORT

33-7024

Permit No.

CONTACT WITH PERMIT HOLDER

	DATE	INITIALS	REMARKS
1 Appointment letter mailed:			
2 Telephone call made: (List Telephone No. used)			
3 Appointment scheduled for: (Date, time, location)			

EXAMINATION

Date 6-9-81 Accompanied by Russell H. Mays Total Q measured 9.03 cfs

If source is surface water, estimate total flow of source

Methods of measurement see below

Meets Permit requirements?

Measurement calculations:
 $V = 3.6 \text{ afa} \times 6.54 = 19.62 \text{ afa}$
 $V = (9.03 \text{ cfs}) (1.485 \text{ afa/cfs}) = 13.41 \text{ afa}$
 $= 3.833 \text{ afa}$
 Pump #1 $(D_m)^2 C \sqrt{h_{wc}} = (11.5)^2 (3.85) \sqrt{2.0} = 2277 \text{ gpm} + 993.8 \text{ gpm/cfs} = 5.07 \text{ cfs}$
 Pump #2 (Micrometer)
 $0.01 \text{ of } 1/10000 (43560 \text{ ft}^3/\text{af}) = 435.6 \text{ ft}^3/10000 = 3.96 \text{ cfs}$
 $(3.96 + 5.07) = 9.03 \text{ cfs}$

CAPACITY

WELL/DIVERSION NO.	HP	MOTOR MAKE	MOTOR SERIAL NO.	PUMP MAKE	PUMP SERIAL NO.	MEASURING DEVICE TYPE	CONDITION OF MEAS. DEV.	REMARKS
Pump #1	400	Gen Elect	FKJ612024	Johnston	NA	Annubar	Good	
Pump #2	250	Gen Elect	8AT224001	Johnston	NA	Micrometer	Good	MICROMETER SN 74-19-101
Booster Pump	250	Marathon	GF93074	Cutters	78-04796			

System Description Mainline - 2 mile 12" line; laterals 8 lines with 31 Birds each; Trgmatics (Two) 260 Birds each

Code with map on reverse side. Disregard code if only one.

RECOMMENDED AMOUNTS

Irrigation requirement = 3.0 AFA/Acre


USE
Irrigation
Q (cfs) 9.03 ✓ V (afa) 19.62 ✓ FROM April 1 TO Nov 1

Total

Remarks Applicant informed us that only Pump #1 and Pump #2 would be on together without the booster, or Pump #1 and the booster without Pump #2.


No overlapping rights

MAP (Attach Aerial Photo)



SCHEMATIC DIAGRAM OF SYSTEM

(Include distance from pump to measuring device, if applicable.)



Point(s) of diversion: NE 1/4 of NE 1/4 and NW 1/4 of NW 1/4 SECT 8 T5N R30E

Place(s) of Use

[illegible]

Recommended Amendments:

- ☐ Change P.D. as reflected above ☐ Add P.D. as reflected above ☒ None
- ☐ Change P.U. as reflected above ☐ Add P.U. as reflected above ☐ Other

Examiner's Signature _____

Checked by _____

Approved by _____

Date 6-17-81

File 6-17-81

Site 10581

6.5

Mainline

face of use

326.5

Permit #

33

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

PAGE: 1
GENERAL INFORMATION

LAST: LITTLE
ADDRESS:
CITY: N/A
PHONE NUMBER: 208-000-0000
OWNER CODE: D
FIRST: ANDREW D.
STATE: ID ZIP: 00000

LAST: MAY'S
ADDRESS: HC 65 BOX 2105
CITY: HOME
PHONE NUMBER: 208-767-3416
OWNER CODE: C
FIRST: RUSSELL H.
STATE: ID ZIP: 83244

LAST: MAY'S
ADDRESS: HC 65 BOX 2105
CITY: HOME
PHONE NUMBER: 208-767-3416
OWNER CODE: C
FIRST: KAYALIN
STATE: ID ZIP: 83244

FIELD EXAM REQUIRED?
VERIFICATION REQUIRED DUE TO REMARKS?
NO REMARKS IN CLAIM
DATABASE N
FIELD EXAMINER

CONTACT PERSON: Russell Mays, Sr. PHONE NUMBER: () - - - -
DATE OF FIELD EXAM: 3/15/94 APPOINTMENT MADE: Y() N()☒ TIME: - - - - A() P()
ACCOMPANIED BY: Ernie Carlson - DDWR PHONE NUMBER: () - - - -

RELATIONSHIP TO CLAIMANT: - - - -

DIRECTIONS TO PROPERTY / NOTES:

FIELD EXAM 3/15/94. VISITOR WORKS. #2 IS ELECTRICALLY BURNED. OWNER SAYS IT IS
A SUPERVISOR WORK.

- - - - -
- - - - -
- - - - -
- - - - -
- - - - -
- - - - -

A. AJ CLAIM: # A33-07024 PRIORITY DATE: 10-15-1973 STAGE: L
B. WR RECORD: # 33-07024 PRIORITY DATE: 10-15-1973 STAGE: L

C. FIELD EXAM REQUIRED?
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) FIELD EXAMINER

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N()
IF YES EXPLAIN.

NOTES: P.D. CLAIMED MATCHES RECORDS

RECOMMENDED PRIORITY DATE: 10-15-1973 AS CLAIMED

REVIEWED BY [Signature] DATE 3/21/84

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TAP.	RSE.	SEC.	1/4	1/4	1/4	LOT	CNTY
A33-07024	05N	50E	7		NE	NE		BUTTE
A33-07024	05N	50E	8		NE	NE		BUTTE

SE

OTHER AJ CLAIMS WITH SAME AJ POB
A PREFIX
R PREFIX
NONE
NONE
WR RECORDS IN SAME 40 ACRE TRACT

SOURCE: GROUNDWATER

TRIS:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TAP.	RSE.	SEC.	1/4	1/4	1/4	LOT	CNTY
33-07024	05N	50E	8		NW	NW		BUTTE
33-07024	05N	50E	8		NE	NE		BUTTE

OTHER WR RECORDS WITH SAME WR POB
A PREFIX
R PREFIX
NONE
NONE
AJ CLAIMS IN SAME 40 ACRE TRACT

SOURCE: GROUNDWATER

TRIS:

C. FIELD EXAM REQUIRED?

FIELD EXAMINER
AL

DUE TO POB DISCREPANCY? (Y/N)
DUE TO SOURCE DISCREPANCY? (Y/N)
Y N

NOTES:

No errors to P.O.D. - only to LOC. TRACTS

8-17-94 PD at NENE of S.8 is claimed as licensed. Reconned to 10-acre tract SENE NE.
D.W. Keys PD claimed at NENE of S.7 does not match licensed location. The 1977 USGS O.R. and
A. Ruben's 1994 Field Inspection indicate that the well is actually in NENE of S.7.
This is not a real change in P/D, just a clarification of the location. Need some
direction on how to handle this under I.C. 342-1425.

Nejamp
C * License Exam, dated 6/17/81, Errors in location were now listed SENE NE. Error to CD-WBS
* CONFIRMED WITH LICENSE EXAMINER, Keith Wilson, 24 March 95, HE CONcedes AN ERROR
WAS MADE IN LOCATING Well #2 BY LOCAL DESCRIPTION - Report to CD-WBS.

THP. RSE. SEC.

Note only: Primary were


[illegible]

" : Supplementen well

TAB:

SYSTEM DESCRIPTION:

SEE SKETCHES AND ASCS PHOTO FOR DETAILS.



NOT TO SCALE

T. 5N., R. 30E.

A. ROOT WATER RIGHT NUMBERS: A33-07024

B. POB LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	AR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECONNA. ACRES
05N	30E	7	NE	NE		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	40.0		40.0
05N	30E	7	N4	NE		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	41.0		40.0
05N	30E	7	S4	NE		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	40.0		40.0
05N	30E	7	SE	NE		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	40.0		40.0
05N	30E	7	NE	NW		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	40.0		40.0
05N	30E	7	N4	NW	1	HAYS, RUSSELL H.	A33-07024 747.0	33-07024 747.0	51.0		
05N	30E	7	N4	NW	1	HAYS, RUSSELL H.	A33-10038 1				
05N	30E	7	S4	NW	2	HAYS, RUSSELL H.	A33-07024 747.0	33-07024 747.0	50.0		
05N	30E	7	SE	NW		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	40.0		
05N	30E	8	NE	NE		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	37.0		40.0
05N	30E	8	N4	NE		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	40.0		40.0
05N	30E	8	N4	NE		RUBY CO.	33-020768 740.0				
05N	30E	8	S4	NE		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	40.0		40.0
05N	30E	8	SE	NE		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	37.0		40.0
05N	30E	8	NE	NW		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	41.0		40.0
05N	30E	8	NE	NW		RUBY CO.	33-020768 740.0				
05N	30E	8	N4	NW		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	42.0		40.0
05N	30E	8	S4	NW		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	43.0		40.0
05N	30E	8	SE	NW		HAYS, RUSSELL H.	A33-07024 740.0	33-07024 740.0	41.0		40.0
TOTAL ACRES							654.00	654.00	663.00		653.5

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y() N()

IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED? POB COUNTY: BUTTE

DATE: 3/8/84

DUE TO POB DISCREPANCY? (Y/N)

FIELD EXAMINER

Y

PRESUMPTION FLAG:

NOTES:

AACS photo taken show 654.5. SEC. 8 320.00 AC
SEC. 7 333.48 AC (LOT 1 46.73 AC, LOT 2 46.75 AC)
653.5 1 BOUND

RECOMMENDATIONS:

TOTAL ACRES: 653.5

REVIEWED BY: *MR. [Signature]*

DATE: 3/21/94

A. AJ CLAIMED USES:

PURPOSES
A33-07024 IRRIGATION

04/15 to 10/15

MONTH/DAY
FROM 04-11 TO 11-01

DIVERSION QUANTITY
9.030 CFS

TOTAL DIVERSION RATE/VOLUME CLAIMED

9.030 CFS

B. WR RECORDED USES:

PURPOSES
33-07024 IRRIGATION

MONTH/DAY
FROM 04-11 TO 11-01

DIVERSION QUANTITY
9.030 CFS

TOTAL DIVERSION RATE/VOLUME CLAIMED

9.030 CFS

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

DUE TO WATER-USE DISCREPANCY? (Y/N)
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)
DUE TO PERIOD FROM/D TO DISCREPANCY? (Y/N)

FIELD EXAMINER
DATABASE N
N
N

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

RECOMMEND TO WR STANDARDS OR OTHER?

Y() N()

Y() N()

EXPLAIN IN NOTES, BELOW

NOTES:

Recommends April 15 to October 15, per DWR Std.

Y() N()

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

AJ TOTAL CLAIMED DIVERSION RATE: 9.030 CFS
AR ROOT RIGHT TOTAL DIVERSION RATE: 9.030 CFS

*** IF NO OR IF STATUTORY CLAIM OR BENEFICIAL USE THEN FLOW MEASUREMENT REQUIRED. ***
** IF AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS **
** CLAIMED AND AN EXAM IS NOT REQUIRED, EXPLAIN IN NOTES. **

FLOW MEASUREMENT REQUIRED?

FIELD EXAMINER
DATABASE EXAMINER

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N) Y

FLOW MEASUREMENT

MEASUREMENT METHOD N/A, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N() IF YES COMPLETE OVERLAP? REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

NO CLAIMS FOUND WITH SAME PJU AND IRRIGATION USAGE

LIST ALL RIGHTS WITH SAME PJU BUT NOT USED FOR IRRIGATION.

C.AIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A33-10033	STOCKWATER	HAYS, RUSSELL 4.	FROM 01-01 TO 12-31	.050 CFS	

D.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1A. IRRIGATION RATE
ACRES 653.5 X 0.02 CFS/ACRE = 13.07 CFS
(TAKEN FROM P/U REVIEW)

DJES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N()

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 1635.0 AF/A

ACRES 653.5 X CONSUMPTIVE VOL. AF/A FOR AREA 2.5 =

TOTAL CONSUMPTIVE USE 1633.25 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = AF/A

ACRES 653.5 X DIVERSION VOL. AF/A FOR AREA 3.5 =

TOTAL DIVERSION VOLUME 2282.25 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N()

NOTES: (INCLUDE LIMITATIONS ON CONSUMPTIVE USE FOR COMBINED RIGHTS.)

1B. CALCULATIONS

13.07 CFS

9.03 CLAIMED

$\Rightarrow 0.0138 \frac{1}{in}$

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM	TO	REC. DIV RATE CFS	REC. DIV V/L AF/A	REC. CONS. USE
IRRIGATION	4/15	10/15	9.030	222225	163325
	~~04501~~	~~1101~~	9.030	222225	163325
TOTAL FOR THIS RIGHT					

REVIEWED BY: *[Signature]* DATE: 3/21/94

Flag = C

Cons. Code = C03

Remarks = None

A. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/FORFEITURE _____
ADDITIONAL DIV. AMOUNT _____

ACCEPTED AS CLAIMED ()
NEEDS REVIEW ()
()
()
()

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 33-07024
TOTAL DIVERSION RATE OF WR SPLITS

DATABASE 9.030
EXAMINER _____

CFS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A33-07024	9.030	-		33-07024	9.030
TOTAL CFS		9.030				

DIVERSION RATE REVIEW

FIELD EXAMINER ---

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW SHEET ATTACHED? (Y/N)

NOTES:

No Splits. Right Claimed in Full.

AUTENTICATION:

SIGNATURE: [Signature] DATE: 3/21/94

NAME OF FIELD EXAMINER: Arvid B. Ruggen TITLE: Sr. Asst.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:03:54
03/31/93

PAGE: 13
QUICKLOOK INFORMATION

2514
CLAIM NUMBER: A33-77024

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE			FIELD EXAM 03/15/94 ASR w/enc	N		ASR 3/21/94	ASR 3/21/94	ASR 3/21/94
POINT OF DIV	Y			Y *	6.S.2			
SOURCE					6.S.2			
PLACE OF USE	Y			N	6.S			
DIV. AMOUNT CFS/VOLUME				N	6.S.2			
CONSUMPTIVE USE				Y	6			
PURPOSES				Y	6			
PERIOD OF USE				N	5			
BASIS OF CLAIM				Y	6			
REMARKS				N	6			
				N	6			

VERIFIED BY CODES

- TOPO MAP/ORTHOPHOTO = 1
- ASCS MAP = 2
- MATERMASTER RECORDS = 3
- NAPP PHOTOS = 4
- FIELD EXAM = 5
- OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

PRESUMPTION CODE C

BARE CODES

RR 72 3/21/94 ASR

CONDITIONS/REMARKS

COP3




STATE OF IDAHO

Department of Water Resources

Eastern Region

Claimant: Russell H. Mays

Water Right(s): 33-07024



LEGEND



Point of Diversion- GW



Point of Diversion- SW

SESE

Place of Use




Section Line

Quarter-section line

Place(s) of Use: T.5N., R.30E.
Sec. 7 N2, Sec. 8 N2

Point(s) of Diversion: T.5N., R.30E.
Sec. 7 SENE, Sec. 8 NENE



GIS Place of Use illustration
1987/1988 NAPP photography
Prepared by: A. Ruberry
Date: March 1999

AJ0749NP
No. R33-07024

IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM PROFILE REPORT
(REGIONAL)

DATE: 03/30/99
PAGE: 1

OWNER CODE NAME & ADDRESS
C KAYALIN MAYS
C RUSSELL H MAYS
HC 65 BOX 2105
HOME ID 83244
(208) 767-3416

PRIORITY DATE
10/15/1973 IRRIGATION

USE PERIOD FROM TO
04-01 11-01

DIVERSION RATE
9.03 CFS

DIVERSION VOLUME
2287.25 AFA

TOTAL DIVERSION:
9.03 CFS 2287.25 AFA

Water Source: GROUNDWATER Tributary to: SENENE
T05N R30E S07 S08 NESENE

Point(s) of Diversion:
T05N R30E S07 S08 NESENE

Stage: LICENSE
BUTTE County
BUTTE County

Place of use Legal Description for: IRRIGATION

NE		NW		SW		SE	
T	R	S	ENE	ENE	ENE	ENE	ENE
05N 30E 7	40	40	40	40	40	40	40
05N 30E 8	40	40	40	40	40	40	40
TOTAL ACRES							653.5

POU County: BUTTE

Conditions of Approval:
C03 - RIGHT INCLUDES ACCOMPLISHED CHANGE IN POINT OF DIVERSION
- PURSUANT TO SECTION 42-1425, IDAHO CODE.

Dates: Exam Made Date: Verified Date: Objection Filed Date:

Misc: Water District Number: Field Inspection Flag: C
Presumption Flag:

Comments: Date: 03/24/1995 User-ID: ARUBERRY Subject: ERROR OF P/D'S
LICENSE EXAMINER ERRORED IN LOCATING THE P/D'S FOR WELLS.
WELL IN SECTION 7 IS ACTUALLY IN SENENE, SECTION 8 IS ACTUALLY IN
NESENE.

Audit: 03/30/99 ARUBERRY

POU R# 121
POU R# 149,150

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A33-07024
Date Received: 1/05/1990
Receipt No: E011490
Received By: Kaw

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: RUSSELL H. MAYS 208-767-3416
Address: HC 65 BOX 2105
HOWE, ID 83244

OR

Name: KAYALIN MAYS 208-767-3416
Address: HC 65 BOX 2105
HOWE, ID 83244

2. Date of Priority: OCT 15, 1973

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
05N	30E	7	NE	NE			BUTTE
		8	NE	NE			BUTTE

5. Description of diverting works:
WELL PUMP MAINLINE TO LATERALS WITH SPRINKLERS

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/01	11/01	9.030		

7. Total Quantity Appropriated is:
9.030 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 1635.0 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

A33-07024

Page 1

Date: 01/05/90

MICROFILMED

NOV 18 1992

A3307024



10. Place of Use:

Township	Range	Section	1/4	of	1/4	Lot	Use	Acres
05N	30E	7	NE		NE		IRR	40.0
			NW		NE		IRR	40.0
			SW		NE		IRR	40.0
			SE		NE		IRR	40.0
			NE		NW		IRR	40.0
			NW		NW	1	IRR	47.0
			SW		NW	2	IRR	47.0
			SE		NW		IRR	40.0
							Section Acres	334.0
		8	NE		NE		IRR	40.0
			NW		NE		IRR	40.0
			SW		NE		IRR	40.0
			SE		NE		IRR	40.0
			NE		NW		IRR	40.0
			NW		NW		IRR	40.0
			SW		NW		IRR	40.0
			SE		NW		IRR	40.0
							Section Acres	320.0
							Total Acres	654.0

11. Place of use in counties: BUTTE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not ☒ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): Russell V. Smays Date: 1-5-1990

Date: _____

State of Idaho)
County of Bonneville) SS.

Subscribed and sworn (or affirmed) before me this 5 day

of Jan 19 90

Betty J. Thompson
Notary Public

Seal

Residing at BETTY J. THOMPSON, NOTARY PUBLIC
RESIDING AT IDAHO FALLS, IDAHO
My Commission Expires MY COMMISSION EXPIRES: 6-30-94

4796