


SYSTEM DESCRIPTION:

Model: 5K62S7XH501A



Pump to Marking

ELECTRICAL

TRYB:

$$32 \times 5 \times 6 = 960 \text{ gpm} \div 438 = 2.14 \text{ cfs}$$


MARK STAUFFER
A33-07029

Looking North






STATE OF IDAHO

Department of Water Resources

Eastern Region

Claimant: Mark L. Stauffer

Water Right(s): 33-07029



LEGEND



Point of Diversion

SESE

Place of Use




Section Line



Quarter-section line

**Legal Description: T.6N., R.28E.
Sec. 12 SE**

**Point(s) of Diversion: T.6N., R.28E.
Sec. 12 SWSESE**



GIS Place of Use illustration
1987/1988 NAPP photography
Prepared by: A. Ruberry
Date: February 1999




STATE OF IDAHO

Department of Water Resources

Eastern Region

Claimant: Mark L. Stauffer

Water Right(s): 33-07029



LEGEND



Point of Diversion

SESE

Place of Use




Section Line



Quarter-section line

**Legal Description: T.6N., R.28E.
Sec. 12 SE**

**Point(s) of Diversion: T.6N., R.28E.
Sec. 12 SWSESE**



GIS Place of Use illustration
1987/1988 NAPP photography
Prepared by: A. Ruberry
Date: February 1999

A33-07029

MARK L. STAUFFER
CAROLYN L. STAUFFER
P.O. BOX 70
HOWE

ID 83244



A3307029

☒ ASCS FOR P.O.D. LOCATION

☒ FIELD EXAM ACRESAGE

☒ Pump hp, #'s etc.

☒ Photo of Well

GE

K5903493P013

HP.100

Model SK6257XH501A

Serial No. BMS209426

Johnston Pump

November 23, 1999

RECEIVED

DEC 17 1999

Department of Water Resources
Eastern Region

NOTICE OF ERROR

REPLY

RECEIVED

DEC 13 1999

Department of Water Resources

Please type or print clearly, fill out this form completely and mail.

Return this reply form to IDWR by the deadline date printed below if you want IDWR to change your recommendation or you want to let IDWR know that you agree with its recommendation.

YOUR DEADLINE FOR RETURNING A NOTICE OF ERROR REPLY IS: December 10, 1999

Water right number: 33-07029

MARK L STAUFFER
CAROLYN L STAUFFER
PO BOX 70
HOWE ID 83244

Daytime Telephone Number:


Evening Telephone Number:

1. Describe the portion of the proposed recommendation with which you disagree (e.g. priority date, period of use, source):

2. Describe the changes you wish to make in the proposed recommendation:

3. Give a brief explanation as to why you disagree with these portions:

X I AGREE with this proposed recommendation; no changes need to be made.

DATE: 12-9-99 SIGNATURE: 
Please print your name: MARK STAUFFER

21
1112

142.0

112.0

127
127

T 6 N, R 28 E

9
96.5

8
38.7

11
39.5

MARIE L. STAUFFER
PLACE OFFICE

CLAIM NO(S) - 133-011111
DATE: 2/1/1968 T 6 N, R 28 E
SOURCE OF DOC: 133-011111

SIGNATURE: [Signature]

MAINLINE

38.2

100' of Ditch

1112
1113

127
1318

Do Not Fill

State of Idaho
Department of Water Resources

JUN 1 1982
Department of Water Resources
Eastern District Office

WATER RIGHT LICENSE

License of Water Right No. 33-7029 Priority January 9, 1974 Amount 1.97 cfs

THIS IS TO CERTIFY, that Dwaine A. Nef
of Arco, Idaho, has complied with the terms and conditions of Permit
No. 33-7029 issued pursuant to Application for Permit dated January 9, 1974,
and has submitted proof to the Department of Water Resources on February 28, 1979,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 1.97 cfs of water from a groundwater source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	<u>from April 1 to November 1</u>	<u>at 1.97 cfs</u>	<u>and 468.0 acre feet</u>
_____	_____ from _____ to _____	_____ cfs	_____ and _____
_____	_____ from _____ to _____	_____ cfs	_____ and _____

(both dates inclusive)

Subject, however, to the condition that no more than 1.97 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
468.0 acre feet per year, said waters to be diverted within the SE $\frac{1}{4}$ SE $\frac{1}{4}$, Section 12, Twp.
6N, Rge. 28E in the County of Butte

Description and location of place of use:

Twp.	Range	Sec.	NE $\frac{1}{4}$				NW $\frac{1}{4}$				SW $\frac{1}{4}$				SE $\frac{1}{4}$				Totals
			NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	NE $\frac{1}{4}$	NW $\frac{1}{4}$	SW $\frac{1}{4}$	SE $\frac{1}{4}$	
6N	28E	12													39	40	39	38	156


Total number of acres irrigated 156

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 25TH day of
May _____, 19 82.

Norman C. Young
Acting for the Director



R.P. 10-30-79

DATE OF EXAM 7-8-79

ACREAGE
Found 156 AC ✓
Recommended 156 AC ✓

Irrigation Requirement 3.0 Ac Fil/Ac

USE
Irrigation Q = 1.97 c.f.s. V = 468.0 ✓ AF/Ann. from Apr. 1 to Nov. 1
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no N/A
Name source: _____
Twp. N/S, Rge E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no N/A
Name source exchanged with: _____
Twp. N/S, Rge E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: _____
Twp. N/S, Rge E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: _____
Twp. N/S, Rge E/W, B.M., Sec. _____ Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 1.97 CFS Method of measurement Pitot TUBE

Total Q recommended 1.97 cfs Meter No. — Type Asker Condition GOOD

Total V recommended 468.0 AF/YR

Recommended Amendments:

(P.D.) SHOULD BE 66 SE SEC 12

Place of Use

Other

None

MEASUREMENT CALCULATION
 $Q = \text{Pitot Total} \times PM = 985.68 \div 499.8 = 1.97 \text{ cfs}$ capacity
 $V = 1.97 \text{ K/1835} \times 214 = 936.20 \text{ AF/YR}$ $156 \text{ AC} \times 3.0 \times 468.0 \text{ AF/YR} \rightarrow 3.5 \times 156 = 546.0$

SEE REVERSE FOR COMPLETE PITOT TUBE READINGS

SYSTEM DESCRIPTION
Note - GE TRI CLAD 100 hp. MODEL SK657XM501A, S.N. 6HJ209426
PUMP - Johnston V.T. 49948
3 mile 8" MAIN LINE, 7 1/2 mile wheel lines 1 1/2" 1/2 mile
HANDLINE 932

REMARKS

Examiner's Signature

Red Parker

Date 10-31-79

Checked by

Anthony A. Hylkema

Date 2-1-80

Approved by

[Signature]

Date 10/5/81

R 28 E

T. 6 N.





Diagram of System



R.P. 10-30-79

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

PAGE: 1
GENERAL INFORMATION

LAST: NEF
ADDRESS:
CITY: ARCO
PHONE NUMBER: 208-000-0000
OWNER CODE: 0
FIRST: DHAINE A.
STATE: ID ID ZIP: 83213

LAST: STAUFFER
ADDRESS: PO BOX 70
CITY: HOME
PHONE NUMBER: 208-767-3319
OWNER CODE: C
FIRST: MARK LX
STATE: ID ID ZIP: 83244

LAST: STAUFFER
ADDRESS: PO BOX 70
CITY: HOME
PHONE NUMBER: 208-767-3319
OWNER CODE: C
FIRST: CAROLYN LX
STATE: ID ID ZIP: 83244

FIELD EXAM1 REQUIRED?
VERIFICATION REQUIRED DUE TO REMARKS?
NO REMARKS IN CLAIM
DATABASE FIELD EXAMINER

CONTACT PERSON: A. Rubery PHONE NUMBER: () - - -
DATE OF FIELD EXAM: 11/22/94 APPOINTMENT MADE: Y() N(X) TIME: : : A() P()
ACCOMPANIED BY: Mark Shuster PHONE NUMBER: () - - -
RELATIONSHIP TO CLAIMANT: Partner

DIRECTIONS TO PROPERTY / NOTES:
11/22/94 Met with Mr. Shuster, who appr. Review P.O.D. and P.O.D. - changed
only slightly from lic. & P.O.D. across changed - lic. & P.O.D. amount \$1000
the same. No changes to P.O.D. NOTIFIED him lic. P.O.D. or had any change.

REFERENCES: CD-484, ALOS photo, license photo

A. AJ CLAIM: # 433-07029 PRIORITY DATE: 01-09-1974 STAGE: L
B. WR RECORD: # 33-07029 PRIORITY DATE: 01-09-1974 STAGE: L
C. FIELD EXAM REQUIRED?
DUE TO PRIORITY DATE DISCREPANCY? (Y/N) FIELD EXAMINER
N

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? () (X) N()

NOTES: P.D. CLAIMED MATCHES LIC.
LICENSSES 25 MAY 1982.

RECOMMENDED PRIORITY DATE: 01-09-1974 AS CLAIMED

REVIEWED BY AB DATE 10 June 94

A. AJ CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	R&E.	SEC.	1/4	1/4	1/4	LOT	CNTY
A33-07029	05N	20E	12	SW	SE	SE		BUTTE

OTHER AJ CLAIMS WITH SAME AJ POD
A PREFIX R PREFIX
NONE NONE

SOURCE: GROUNDWATER

TRIB:

B. WR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	R&E.	SEC.	1/4	1/4	1/4	LOT	CNTY
35-07029	05N	20E	12	SE	SE	SE		BUTTE

OTHER WR RECORDS WITH SAME WR POD
A PREFIX R PREFIX
NONE NONE

SOURCE: GROUNDWATER

TRIB:

C. FIELD EXAM REQUIRED?

DUE TO POD DISCREPANCY? (Y/N)	DUE TO SOURCE DISCREPANCY? (Y/N)	DATABASE	FIELD EXAMINER
		Y N	<u> A </u>

NOTES:

No change to POD. As claimed to 10N. Tract. Observed well location during Blaine County Canal Mapping project 21/June 94.
11/2/94 Visited well, took #'s, took photos.

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:

TRIP: R.E. SEC.	1/4	1/4	1/4	LOT	COUNTY	DIVERSION NAME
LN 206 12	SW	SE	SE	---	Butte	---
---	---	---	---	---	---	---
---	---	---	---	---	---	---
---	---	---	---	---	---	---
---	---	---	---	---	---	---
---	---	---	---	---	---	---
---	---	---	---	---	---	---



SOURCE: GROUNDWATER

TRIP:

REVIEWED BY: ABR DATE: 10 June 94

SYSTEM DESCRIPTION:

GENEEN ELECTRIC MOBILE TOWNSTON PUMP
K5903493P013
SN: BNJ209426
HP: 100
Model: 5K6257XH501A



ELECTRICAL

PUMP TO MAINLINE

main, is by 6 UNDER LINES, 32 E.LDS, $\frac{5}{32}$ "
1 Assumption $\frac{5}{32}$ or less = 5 gpm
 $32 \times 5 \times 6 = 960 \text{ gpm} \div 488 = 2.14 \text{ cfs}$



MARK STAUFFER
A33-07029

Mark Shaulson 133-07089



Looking West

A. ROOT WATER RIGHT NUMBERS: A33-07029

B. POU LISTING

TWP	RNG	SEC	1/4	1/4	LOT	NAME	AJ #/ACRES	AR #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
06N	28E	12	NE	SE		STAUFFER, MARK L.	A33-37029	739.0	739.0	38.0	400
06N	28E	12	NW	SE		STAUFFER, MARK L.	A33-37029	740.0	740.0	39.0	400
06N	28E	12	SW	SE		STAUFFER, MARK L.	A33-37029	739.0	739.0	39.0	390
			SW	SE		STAUFFER, CAROLYN L.	A33-10041				310 Hs. Rd
06N	28E	12	SE	SE		STAUFFER, MARK L.	A33-37029	738.0	738.0	38.0	390 Rd.
TOTAL ACRES							A33-07329	155.00	156.00	154.50	156.0

ARE IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y () N (X)

IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED? POU COUNTY: BUTTE

FIELD EXAMINER

DATABASE

N

DUE TO POU DISCREPANCY? (Y/N)

PRESUMPTION FLAG:

NOTES:

ACRES ALLOCATED IS 154.7. DOT CANT MATCH INDICATES 156.0 AC AS SHOWN ABOVE.

RECOMMENDATIONS:

TOTAL ACRES: 156.0

REVIEWED BY: ASB/ky

DATE: 24 June 1994

A. AJ CLAIMED USES:

PURPOSES
A33-07029 IRRIGATION

FROM 04-01 TO 11-01
MONTH/DAY
TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
1.970 CFS
1.970 CFS

B. WR RECORDED USES:

PURPOSES
33-07029 IRRIGATION

FROM 04-01 TO 11-01
MONTH/DAY
TOTAL DIVERSION RATE/VOLUME CLAIMED

DIVERSION QUANTITY
1.970 CFS
1.970 CFS
468.00 AF/A
468.00 AF/A

PRESUMPTION FLAG:

C. FIELD EXAM REQUIRED?

	FIELD EXAMINER	DATABASE
DUE TO WATER-USE DISCREPANCY? (Y/N)	<u>N</u>	<u>N</u>
DUE TO DIVERSION RATE DISCREPANCY? (Y/N)	<u>N</u>	<u>N</u>
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N)	<u>N</u>	<u>N</u>

D. PERIOD OF USE:

RECOMMEND AS CLAIMED?

RECOMMEND TO WR STANDARDS OR OTHER? LICENSE

Y(✓) N()

Y(✓) N() EXPLAIN IN NOTES, BELOW.

NOTES:

RECORDED AS LICENSED AS, April 1 to November 1.

Y() N()

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

AJ TOTAL CLAIMED DIVERSION RATE: 1.970 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 1.970 CFS

*** IF NO OR IF STATUTORY CLAIM OR BENEFICIAL USE THEN FLOW MEASUREMENT REQUIRED. ***
** IF AN AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS **
** CLAIMED AND AN EXAM IS NOT REQUIRED, EXPLAIN IN NOTES. **

FLOW MEASUREMENT REQUIRED?

FIELD
DATABASE EXAMINER
Y N

DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N)

FLOW MEASUREMENT

MEASUREMENT METHOD NA SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y() N(X) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

NO CLAIMS FOUND WITH SAME PUJ AND IRRIGATION USAGE

LIST ALL RIGHTS WITH SAME PUJ BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A33-10041	DOMESTIC	STAUFFER, CAROLYN L.	FROM 01-01 TO 12-31	.040 CFS	

D. RATE/VOLUME CALCULATIONS: (IRRIGATION)

1A. IRRIGATION RATE
ACRES 156.0 X 0.02 CFS/ACRE = 3.12 CFS
(TAKEN FROM P/U REVIEW)

DOES AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(☒)

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N()

2. IRRIGATION CONSUMPTIVE USE
CLAIMED CONSUMPTIVE USE = 370.0 AF/A
ACRES 156.0 X CONSUMPTIVE VOL. AF/A FOR AREA 2.5 =
TOTAL CONSUMPTIVE USE 390.0 AF/A

3. IRRIGATION DIVERSION VOLUME
CLAIMED DIVERSION VOLUME = AF/A
ACRES 156.0 X DIVERSION VOL. AF/A FOR AREA 3.5 =
TOTAL DIVERSION VOLUME 546.0 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:
SEE ATTACHED SHEET? Y() N(☒)

NOTES: (INCLUDE LIMITATIONS ON CONSUMPTIVE USE FOR COMBINED RIGHTS.)

Mr. Stanlee says he runs 6 wheel lines, of 32 BURS, each w/ 5/32 NOZZLES.
Well components numbers match Exam Numbers.

2/2/99 Called Mark Stauffer to discuss differences in Calc. and claimed Div/RTS.
He tells me he now has a 900gpm Pilot 2200fs - Dike. 03 fs not
going to worry with it.

1B. CALCULATIONS

3.12 cfs calculated
1.97 cfs claimed = 0.0126"/ac.
6 LINES X 32 BURS/LINE X 590m/8"dia = 960 = 2.14 cfs
448.8
License Exam shows:
"Q = Pilot Total gpm = 885.68 + 448.8 = 1.97 cfs
Capacity

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD FROM TO	REC. DIV RATE CFS	REC. DIV V/L AF/A	REC. CONS. USE
IRRIGATION	04-15 10-15 04-01 11-01 <i>As Rec.</i>	DATABASE EXAMINER 1.970 <i>1.970 OK</i>	DATABASE EXAMINER <i>546.0</i>	DATABASE EXAMINER 390.9 <i>390.9 OK</i>
TOTAL FOR THIS RIGHT				

REVIEWED BY: *AB Rubiny* DATE: *10 June 94*

A. CHECK ONLY THE FOLLOWING THAT APPLY:

ACCEPTED AS CLAIMED ()
NEEDS REVIEW ()

OWNERSHIP FORFEIT/FORFEITURE AMOUNT

B. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 33-07029
TOTAL DIVERSION RATE OF WR SPLITS

EXAMINER 1.97 AS CLAIMED CFS
DATABASE 1.970

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A33-07029	1.970	-		33-07029	1.970
TOTAL CFS		1.970				

DIVERSION RATE REVIEW

FIELD EXAMINER
DATABASE Y

DO THE SUM OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW SHEET ATTACHED? (Y/N)

NOTES:

No Split of Right - As Claimed Right is claimed in full

AUTHENTICATION:

SIGNATURE: [Signature] DATE: 24 June 84
NAME OF FIELD EXAMINER: Allen B. Ruggan TITLE: Sr. Asst.

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

00:03:54
03/31/93

PAGE: 12
QUICKLOOK INFORMATION

2565
CLAIM NUMBER: A33-37029

WR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE			X			use 24 June 94	use 24 June 94	use 24 June 94
POINT OF DIV	Y			N	6			
SOURCE				N	52.4			
PLACE OF USE				N	5			
DIV. AMOUNT CFS/VOLUME				N	52.4			
CONSUMPTIVE USE				N	6			
PURPOSES				N	6			
PERIOD OF USE				N	52.4			
BASIS OF CLAIM				Y	6			
REMARKS				N	6			
				N	6			

VERIFIED BY CODES

- TOPO MAP/ORTHO-PQ = 1
- ASCS MAP = 2
- MASTER RECORDS = 3
- WAPP PHOTOS = 4
- FIELD EXAM = 5
- OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

Presumption Fels: None

Base Code:

CWC 70 Date 11/8/94
* RR 72 Date 03/Jan 97

CONDITION/Remarks

None

06:17:35
03/31/93
2565

PAGE: 13
PROFILE REPORT

PROFILE REPORT

Receipt # M005401

CLAIM NUMBER: A33-37029

OWNER CODE	NAME & ADDRESS	PRIORITY DATE	WATER USE	USE PERIOD FROM TO	DIVERSION RATE	DIVERSION VOLUME
C	MARK LX STAUFFER	01/09/1974	IRRIGATION	04-01 11-01	1.97 CFS	546.0 AF12
C	CAROLYN LX STAUFFER P.O. BOX 70 MOHE ID 33244 (208) 761-3319			04-15 TO 10-15 TOTAL DIVERSION: CONSUMPTIVE USE:	1.97 CFS	390.0 AF1

WATER SOURCE: GROUND WATER

TRIBUTARY TO:

STAGE: LICENSE

POINT(S) OF DIVERSION:

T05N R28E S12

ESCHS

BUT TE COUNTS

PLACE OF USE LEGAL DESCRIPTION FOR: IRRIGATION

45

[illegible]

POW COUNTRY: BURIE

NON-IRRIGATION USES: ~~NONE~~

OTHER DIGITS: ~~NONE~~

DAIES: EXAM MADE DATE:

VERIFIED DATE: 12/25/1985

MISC:	WATER DISTRICT	NUMBER:

FIELD INSPECTION FLAG: NONE
PRESUMPTION FLAG: NONE

Visit of W. L. D. During Beaver Co. Census mapping proj.

Dot Count 156.2 ac, ASCS photo shows 154.9 ac, 21 June 94.

Visited were 11/2/94, #3, photos, notes/comp

no presumption.

No Conditions/Remarks-

Li. Exam shows. 1.97 cfs capacity

6 LINES X 32 BIRDS/LINE X 59 PM/BIRD = 2.146

448.9

Handed
50.00




STATE OF IDAHO

Department of Water Resources

Eastern Region

Claimant: Mark L. Stauffer

Water Right(s): 33-07029



LEGEND



Point of Diversion

SESE


Place of Use

Section Line

Quarter-section line

**Legal Description: T.6N., R.28E.
Sec. 12 SE**

**Point(s) of Diversion: T.6N., R.28E.
Sec. 12 SWSESE**



GIS Place of Use illustration
1987/1988 NAPP photography
Prepared by: A. Ruberry
Date: February 1999




STATE OF IDAHO

Department of Water Resources

Eastern Region

Claimant: Mark L. Stauffer

Water Right(s): 33-07029



LEGEND



Point of Diversion

SESE


Place of Use

Section Line

Quarter-section line

**Legal Description: T.6N., R.28E.
Sec. 12 SE**

**Point(s) of Diversion: T.6N., R.28E.
Sec. 12 SWSESE**



GIS Place of Use illustration
1987/1988 NAPP photography
Prepared by: A. Ruberry
Date: February 1999

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A33-07029
Date Received: 12/15/1989
Receipt No: 1005401
Received By: SPV

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: MARK L. STAUFFER 208-767-3319
Address: P.O. BOX 70
HOWE, ID 83244

OR
Name: CAROLYN L. STAUFFER 208-767-3319
Address: P.O. BOX 70
HOWE, ID 83244

2. Date of Priority: JAN 09, 1974

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
06N	28E	12	SW	SE	SE		BUTTE

5. Description of diverting works:
WELL, PUMP & SPRINKLERS. 4 1/4 MILE WHEEL LINES.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	04/01	11/01	1.970		

7. Total Quantity Appropriated is:
1.970 C.F.S. (and/or) A.F.A.

8. Total consumptive use is 390.0 Acre Feet Per Annum.

9. Non-irrigation uses:
NONE

A33-07029

Page 1

Date: 12/15/89

MICROFILMED
NOV 18 1992

A3307029

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
06N	28E	12	NE	SE		IRR	39.0
			NW	SE		IRR	40.0
			SW	SE		IRR	39.0
			SE	SE		IRR	38.0
						Section Acres	156.0
						Total Acres	156.0

11. Place of use in counties: BUTTE

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

15. Basis of Claim: LICENSE


16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not x wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1


For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s):  Date: 12-15-89
Date: _____

State of Idaho)
County of Butte) SS.

Subscribed and sworn (or affirmed) before me this 15 day
of December 1989


Notary Public

Seal

Residing at 

My Commission Expires 22 Aug 1994

28 E

SE 1/4

T
&
N
R2EE

DOMESTIC
WELL
A33-10041

A33-07029

POINT OF
DIVERSION

MICROFILMED

NOV 18 1992

NOT TO SCALE

