

RECEIVED

MAY 13 2009

DEPARTMENT OF
WATER RESOURCES

2009 MAY 12 PM 05:07
DISTRICT COURT - SRBA
TWIN FALLS CO., IDAHO
FILED _____

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA	)	NOTICE SETTING SUBCASE(S)	
	)	FOR INITIAL HEARING	
Case No. 39576	)		
_____	)	SUBCASE NOS: 47-02300	47-14965

The Initial Hearing for this subcase will be held before
Special Master THEODORE R. BOOTH

MONDAY, JUNE 15, 2009 at 09:00 AM (MT)
SRBA
253 - 3RD AVENUE NORTH
TWIN FALLS, ID

ATTENDANCE IS MANDATORY. All parties are required to
attend and must have full settlement authority.

At the Initial Hearing you will have an opportunity
to meet with a representative of the Idaho Department of
Water Resources (IDWR) and/or the objector in an attempt
to reconcile any difference between the claim and the
Director's Report. Bring any and all information you
believe is relevant to your claim and/or objection. If
the claim cannot be reconciled at the Initial Hearing,
the court will set the subcase(s) for trial within 45
days of the Initial Hearing. IF YOU INTEND TO AMEND YOUR
CLAIM, YOU MUST DO SO AT OR BEFORE THE INITIAL HEARING.

Settlement documents must be filed with the court by
JUNE 12, 2009 or hearing will not be vacated.

Dated: MAY 12, 2009

/S/ DIANA R DELANEY
Deputy Clerk
Snake River Basin Adjudication

DIRECTOR OF IDWR
PO BOX 83720
BOISE, ID 83720-0098

Page 1 5/11/09

CERTIFICATE OF MAILING

I Certify that a true and correct copy of the NOTICE SETTING SUBCASE(S) FOR INITIAL HEARING was mailed on MAY 12, 2009, with sufficient first-class postage to the following:

TWIN FALLS CANAL COMPANY

Represented by:
BARKER, ROSHOLT & SIMPSON LLP
113 MAIN AVE W, STE 303
PO BOX 485
TWIN FALLS, ID 83303-0485
Phone: 208-733-0700

IGWA INC

Represented by:
RANDALL C BUDGE
201 E CENTER, STE A2
PO BOX 1391
POCATELLO, ID 83204-1391
Phone: 208-232-6101

DIRECTOR OF IDWR

PO BOX 83720
BOISE, ID 83720-0098

RAINBOW TROUT FARMS INC

1301 VISTA AVE
BOISE, ID 83705
Phone: 208-342-0090