

RECEIVED

JUL 10 2009

DEPARTMENT OF
WATER RESOURCES

2009 JUL 08 PM 04:06
DISTRICT COURT - SRBA
TWIN FALLS CO., IDAHO
FILED _____

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA	)	NOTICE SETTING SUBCASE(S)	
	)	FOR INITIAL HEARING	
Case No. 39576	)		
		SUBCASE NOS:	73-00098 73-02157
		73-12032 73-12154 73-12155	

The Initial Hearing for this subcase will be held before
Special Master TERRENCE A. DOLAN

WEDNESDAY, AUGUST 12, 2009 at 10:30 AM (M
CUSTER COUNTY COURTHOUSE
801 MAIN
CHALLIS, ID

ATTENDANCE IS MANDATORY. All parties are required to
attend and must have full settlement authority.

At the Initial Hearing you will have an opportunity
to meet with a representative of the Idaho Department of
Water Resources (IDWR) and/or the objector in an attempt
to reconcile any difference between the claim and the
Director's Report. Bring any and all information you
believe is relevant to your claim and/or objection. If
the claim cannot be reconciled at the Initial Hearing,
the court will set the subcase(s) for trial within 45
days of the Initial Hearing. IF YOU INTEND TO AMEND YOUR
CLAIM, YOU MUST DO SO AT OR BEFORE THE INITIAL HEARING.

Settlement documents must be filed with the court by
AUGUST 07, 2009 or hearing will not be vacated.

Dated: JULY 08, 2009

/S/ DIANA R DELANEY

Deputy Clerk

Snake River Basin Adjudication

DIRECTOR OF IDWR
PO BOX 83720
BOISE, ID 83720-0098

Page 1 7/08/09

CERTIFICATE OF MAILING

I Certify that a true and correct copy of the NOTICE SETTING
SUBCASE(S) FOR INITIAL HEARING was mailed on JULY 08, 2009,
with sufficient first-class postage to the following:

UNITED STATES OF AMERICA

Represented by:
US DEPARTMENT OF JUSTICE
ENVIRONMENT & NATL' RESOURCES
550 WEST FORT STREET, MSC 033
BOISE, ID 83724

DIRECTOR OF IDWR
PO BOX 83720
BOISE, ID 83720-0098

UNITED STATES OF AMERICA
USDI BUREAU OF LAND MANAGEMENT
IDAHO STATE OFFICE
1387 S VINNELL WAY
BOISE, ID 83709-1657

CARYL L ELZINGA
GLENN A ELZINGA
19 MOEN LN
MAY, ID 83253-2000