

RECEIVED

OCT 29 2009

DEPARTMENT OF
WATER RESOURCES

2009 OCT 27 AM 10:30
DISTRICT COURT - SRBA
TWIN FALLS CO., IDAHO
FILED _____

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

In Re SRBA	)	TRIAL SCHEDULING ORDER
	)	
Case No. 39576	)	SUBCASE NOS: SEE ATTACHED EXHIBIT A
_____	)	

THIS MATTER came before the special master at Hearing held
on October 27, 2009.

The following dates shall govern the conduct of the subcase
through the trial. All parties or their counsel shall be present.

12/07/2009 10:30 a.m. (MT) Supplemental Scheduling Conference.
(MONDAY) Parties may participate by telephone by
dialing the number 225-383-1099 and
when prompted entering the code 675342.
Location: SRBA
253 - 3RD AVENUE NORTH
TWIN FALLS, ID

3/23/2010 9:00 a.m. (MT) Trial. VIDEO CONFERENCE ALLOWED
(TUESDAY) Location: SRBA
253 - 3RD AVENUE NORTH
TWIN FALLS, ID

Pretrial motions shall proceed in accordance with the Idaho
Rules of Civil Procedure. All dates are final and may only
be reset on motion, hearing and order of the court.

As a result of the present caseload, multiple trial settings
may be assigned. Parties will be notified no later than
the pretrial conference as to the priority of the trial.

Dated: October 27, 2009

/S/ THEODORE R. BOOTH
Special Master
Snake River Basin Adjudication

DIRECTOR OF IDWR
PO BOX 83720
BOISE, ID 83720-0098

CERTIFICATE OF MAILING

I Certify that a true and correct copy of the the TRIAL SCHEDULING ORDER was mailed on October 27, 2009 , with sufficient first-class postage to the following:

UNITED WATER IDAHO INC

Represented by:

JOHN M MARSHALL

601 W BANNOCK ST

PO BOX 2720

BOISE, ID 83701-2720

Phone: 208-388-1200

DIRECTOR OF IDWR

PO BOX 83720

BOISE, ID 83720-0098

UNITED WATER IDAHO INC

8248 W VICTORY RD

PO BOX 190420

BOISE, ID 83719-0420

Phone: 208-362-7358

Exhibit A

Subcase Nos:

63-02500
63-02874
63-02892
63-02915
63-03239
63-04395
63-07067
63-08385
63-10150
63-10386
63-10405
63-10533
63-19456
63-31797
63-31798
63-31879