

RECEIVED

IDAHO DEPARTMENT OF WATER RESOURCES

POSTED

WELL DRILLER'S REPORT 096866

Use Typewriter or Ballpoint Pen

Office Use Only		
Inspected by		
Twp	Rge	Sec
1/4	1/4	1/4
Lat	:	Long
:	:	:

1. DRILLING REPORT NO. 95-96-N-047-000

Other IDWR No.

2. OWNER

Well Number:

Name WADDELL, FLORENCE

390

Address 4600 KIDD ISLAND RD


City CDA

State ID

Zip 83814

3. LOCATION OF WELL by legal description

sketch map location must agree with written location



Twp. 49

☒ North or ☐ South

Rge. 04

☐ East or ☒ West

Sec. 03

1/4 SW 1/4 NW 1/4

Gov't Lot

County

KOOTENAI

Lat:

Long:

Address of Well Site 4600 KIDD ISLAND RD

MICA FLATS

City

(Give at least name of road + Distance to Road or Landmark)

Lt.

Bik.

Sub. Name

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation

☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement, etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK		AMOUNT		METHOD
Material	From	To	Sacks or Pounds	
BENTONITE	0	30	2 SACKS	GEL

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 158

Was drive shoe seal tested? ☐ Y ☐ N How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
6	+2	158	.250	STEEL	☒	☐	☒	☐

Length of Headpipe

Length of Tailpipe

9. PERFORATIONS/SCREENS

☐ Perforations Method

☐ Screens Screen Type

From	To	Slot Size	Number	Diameter	Material	Casing	Liner

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

460 ft. below ground Artesian pressure lb.

Depth flow encountered ft. Describe access port or control devices:

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
1			2 HRS

Water Temp.

Bottom Hole Temp

Water Quality test or comments:

Depth first Water encountered

12. LITHOLOGIC LOG:(Describe repairs or abandonment)

					Water	
Bore Diam	From	To	Remarks: Lithology, Water Quality, Temperature		Y	N
8	0	1	Topsoil, Brown Soft		☐	☒
8	1	7	Fill Sand Clays Little Gravels		☐	☒
8	7	40	Basalt Broken Tan w/Clay		☐	☒
8	40	80	Clays W/Sands Tan		☐	☒
8	80	120	Clays Gray Medium		☐	☒
8	120	157	Decomposed Granite Tan		☐	☒
8	157	158	Granite Black & White Medium		☐	☒
6	158	240	Granite Black & White Medium		☐	☒
6	240	245	Granite Black & White Fracture		☐	☒
6	245	340	Granite Black & White Hard		☐	☒
6	340	343	Granite Black & White Fracture		☒	☐
6	343	420	Granite Black & White Hard		☐	☒
6	420	423	Granite Black & White Fracture		☐	☒
6	423	500	Granite Black & White Hard		☐	☒
	0	0	Granite/Shale		☐	☐
	0	0	Note: 1x6" bolt on cap		☐	☐

Completed Depth 500' (Measurable)

Date: Started 05/09/96 Completed 05/14/96

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name H2O WellService, Inc. Firm No. 448

Firm Official John Williams Date 5-20-96

and

Supervisor or Operator Mike L. Lee Date 5-20-96

(Sign Once if Firm Official and Operator)

SWNW 3 49N 4W

WADDELL PIN 49N04W-03-4000

