

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number 63-27214
Date Received:
Receipt No:
Received By:

AMENDED
NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name of Claimant(s)

BOISE STATE UNIVERSITY

Phone: (208)426-1200

OFFICE OF THE PRESIDENT
1910 UNIVERSITY DRIVE
BOISE ID USA 83725-1200

2. Date of Priority: 3/15/1950

3. Source: GROUND WATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4 Lot		County	Type
03N	02E	10	SE	SW	ADA	BSU Well No. 4
03N	02E	15	NW	NE	ADA	BSU Well No. 2

5. Description of diverting works:

TWO WELLS WITH ELECTRIC SUBMERSIBLE PUMPS (5 HP AND 20 HP), BURIED PIPE AND
SPRINKLERS

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A
IRRIGATION	3/15	11/15	0.87		196.7

7. Total Quantity Appropriated is:

0.87 C.F.S. and/or 196.7 A.F.A.

8. Total consumptive use:

9. Non-irrigation uses: None

10. Place of use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
03N	01E	10	NE	SW		IRRIGATION	0.1
		10	NW	SW		IRRIGATION	0.2
		10	SW	SW		IRRIGATION	3.0
		10	SE	SW		IRRIGATION	7.5
		10	SW	SE		IRRIGATION	3.0
		10	SE	SE		IRRIGATION	0.4
						Section Acres	14.2
		15	NE	NE		IRRIGATION	3.3
		15	NW	NE		IRRIGATION	21.5
		15	NE	NW		IRRIGATION	4.7
						Section Acres	29.5
						Total Acres	43.7

11. Place of use in counties: ADA

12. Do you own the property listed above as place of use? Yes

13. Other Water Rights Used: South Boise Water Company

14. Remarks: Wells have been used for supplemental irrigation of the campus since approximately 1950 or earlier. Correspondence (attached) from March 1951 states "We are having problems in our main well", suggesting that one or more wells had been in use prior to the 1951 irrigation season. A 5-hp deep well turbine pump installed at that time was rated to produce 40 miner's inches (0.80 cfs) with 40 feet of lift and 55 miners inches (1.10 cfs) with 35 feet of lift. An air-lift pumping test of the well in April 1951 showed a yield estimated at 33 miner's inches (0.66) from 35 feet below top of casing. A turbine pump will produce more than an air-lift pump for a given amount of lift. Therefore, it is likely that the well would have produced the claimed 43.5 miners inches (0.87 cfs). A March 28, 1951 quotation for a 25-hp deep well pump rated to produce 900 to 1200 gpm (2.0 to 2.7 cfs) suggests the presence of a more productive well. Irrigated area at the campus in 1950 and 1951 is visible in the attached oblique aerial photos.

The existing wells (BSU No. 2 and BSU No. 4) are equipped with electric submersible pumps of 20 hp and 5 hp, with estimated capacities of 0.70 cfs and 0.17 cfs, respectively. A pump curve for Well No. 2 is attached. No curve is available for the Well No. 4 pump. Well No. 2 replaced an existing 16-inch well in 2003. Well No. 4 was drilled in 1976, presumably as a replacement for BSU Well No. 5. Well No. 5 and the previous Well No. 2 were located adjacent to Driscoll and Morrison Halls, which were constructed in 1950-51, consistent with the claimed priority dates. Well Drillers Reports for Wells 2 and 4 are attached, along with information on the abandonment of the original Well No. 2. The wells are supplemental to South Boise Water Company surface water supplies.

15. Basis of Claim: Beneficial Use

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not x wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 22

For Organizations:

I do solemnly swear or affirm that I am Associate Vice President & General of
Title Counsel

Boise State University, that I have signed the foregoing
Organization

document in the space below as Associate Vice President & General Counsel of
Title

Boise State University and that the statements contained in the
Organization

foregoing document are true and correct.



Signature of Authorized Agent


Associate Vice President & General Counsel
Boise State University
Title and Organization

12/6/05

Date

State of Idaho)
County of Ada) SS.


Subscribed and sworn (or affirmed) before me this 6th
of December 2005




Notary Public

Residing at Boise, ID

My commission Expires 2/17/10





ALL PRICES SUBJECT TO CHANGE WITHOUT NOTICE

INVOICE

INTERMOUNTAIN EQUIPMENT COMPANY

CONTRACTOR'S EQUIPMENT ROAD MACHINERY

BROADWAY AT MYRTLE STREET PHONE 9000

BOISE, IDAHO

GOODS MUST NOT BE RETURNED
WITHOUT OUR CONSENT

INVOICE NO. 5-2021
 INVOICE DATE 5-31-51
 OUR ORDER 12424
 YOUR ORDER 2828
 SALESMAN

SOLD TO

BOISE JUNIOR COLLEGE *List.*
 % BUSINESS MANAGER
 BOISE, IDAHO

TERMS: NET CASH

DATE SHIPPED	SHIPPED FROM	F. O. B.	DESTINATION	HOW SHIPPED	FOR
5-29-51	BOISE	BOISE	BOISE	OUR CREW	PUMP
QUANTITY	DESCRIPTION			PRICE	AMOUNT
1	5 HP 1750 RPM 3 PHASE 60 CY. VHS MOTOR				
1	12" x 6" DISCHARGE HEAD				
40'	6" x 1" COLUMN & SHAFT				
1	10" 1 STAGE BOWL ASSY.				
1	6" STEEL STRAINER				
1	10' 6" SUCTION				
60'	3/8" GALV. PIPE AIR LINE IN LIEU OF 1/4" PIPE W/ ALTITUDE GAUGE & FITTINGS PRICE INCLUDES INSTALLATION				868.16

RG. 5.2 Box 6 6/009 b

May 12, 1951

To : Mr. C. W. Potter
From: President Chaffee
Re : Pump purchased from Intermountain Equipment

Dear Clyde:

Just had a long conversation with Raymond and Carlyle Briggs, the engineers we retained to direct our search for adequate irrigation water. They advised me that they are not satisfied that the pump is delivering in the manner that it should and that, therefore, we should not pay Intermountain Equipment any amount on their pump until such time as the pump does deliver to the satisfaction of our consulting engineers, Raymond Briggs and associates, and ourselves.

Will you please withhold any payment to Intermountain Equipment until authorization from my office.

Sincerely,

WJC:b

BOISE JUNIOR COLLEGE DISTRICT
OFFICE OF BUSINESS MANAGER

April 26, 1951

Chaffee

Carlyle W. Briggs
C/O Raymond J. Briggs and Associates
Briggs Engineer Building
619 Grove Street
Boise, Idaho

Dear Carlyle:

Subject: Pump installation

For your files, we are attaching a copy of the proposal and bid as submitted by the Intermountain Equipment Company for the deep-well type turbine pump.

As you will recall, award was made to the Intermountain Equipment Company for the installation of a Pomona Pump for the total amount of \$868.16.

Very truly yours,

Clyde F. Potter
Clyde F. Potter
(Business Manager)

CFP:alk

Enclosures

cc: Eugene B. Chaffee
Charles O. Brown

COPY

BROADWAY AT MYRTLE STREET

PROPOSAL FROM
INTERMOUNTAIN EQUIPMENT COMPANY
BOISE, IDAHO

TELEPHONE 171

TO Boise Junior College
Boise, Idaho

Attn: Mr. Eugene B. Chaffee - Pres.
Mr. Clyde F. Potter - Business
Mgr.

OUR NUMBER No. 1218
DATE April 24, 1951
YOUR INQUIRY
TERMS
F. A. S.
F. O. B.
SHIPPING
DATE 48 hours

GENTLEMEN: WE ARE PLEASED TO MAKE YOU THE FOLLOWING QUOTATION:

ITEM NO.	QUAN.	ITEM AND DESCRIPTION	WEIGHT EACH	PRICE	AMOUNT
1	1	5 H.P. 1760 RPM 3 phase 60 cy. 220/440 volt G.E. Vertical Hollow Shaft motor with non reverse ratchet			
2	1	12" x 6" Surface discharge base assembly			
3	40'	6" ID x 1" Column & shafting			
4	1	9-3/8" Commonly known as a 10" Bowl assy.			
5	1	10' length of 6" I.D. Suction pipe			
6	1	6" Perforated Steel strainer			
7	60'	1/4" Galv. air line complete with couplings, fittings, altitude gauge and hand pump, for checking water level in well		Official bid received and opened 4/25/51	
8		Necessary 6" Discharge pipe, flange, fittings, etc. to discharge the water into the concrete sump adjacent to the pump house.			
9.		Electric Wiring in conduit from exist- ing pump controls to motor.			
10		Installation, testing with orifice and pipe for capacity			

NET PRICE INSTALLED AS OF ABOVE

\$368.16

NOTE:—Weights are estimated. All deliveries are subject to prior sale
and delay due to manufacturing contingencies. Due to conditions affect-
ing production and costs, we reserve the right to invoice all items at
price in effect at the time shipment is made.

INTERMOUNTAIN EQUIPMENT CO.

BY (Clinton Merrill)

COPY

Water pump

Boise

BOISE JUNIOR COLLEGE DISTRICT
OFFICE OF BUSINESS MANAGER
BOISE, IDAHO

ABSTRACT OF BIDS
FOR VERTICAL TYPE DEEP WELL PUMP

(For use as irrigation pump at well located corner of College Blvd. & Lincoln)

Bids opened
2:00 P. M.
April 15, 1951

<u>BIDDER</u>	<u>EXPLANATION</u>	<u>AMOUNT</u>
Intermountain Equipment Co., Broadway at Myrtle St., Boise, Idaho	Panama turbine pump 40 minors inches @ 40' lift 77 minors inches @ 15' lift	\$ 868.16
c/o Clinton Merrill phone 9000	Installation within 48 hours of award of contract. Pump in stock.	
H. J. Good, Co., Inc. 1420 Main Boise, Idaho	Berkley turbine pump 600 GPM @ 40' lift 960 GPM @ 15' lift	1,123.20
c/o Marilyn J. Good phone 84	Installation within 20 days. Must be ordered from factory.	
Sawtooth Co., 715 Grove & 710 Front Boise, Idaho	Deming turbine pump pumping capacity not shown on bid.	925.80
c/o Ch. W. Hayes, phone 4700	Installation within 30 days.	

COPY

INTERMOUNTAIN EQUIPMENT COMPANY

P. O. BOX 2900

TELEPHONE 9000

BOISE, IDAHO
April 24, 1951

Boise Junior College
Boise, Idaho

Attn: Mr. Eugene B. Chaffee - Pres.
Mr. Clyde F. Potter - Business Mgr.

Gentlemen:

We are pleased to attach our quotation as per your request for bids for one deep well type turbine pump to be opened Wednesday - April 25th 2:00 P.M. 1951.

This turbine pump is manufactured by the Fairbanks Morse & Co. and is known as the Fairbanks-Morse-Romona, water lubricated turbine pump. This pump will meet all specifications as asked for in your invitation to bid. Following is a list of capacities as per various lifts - your item #9.

360 Gal. per minute or 40 minors inches at 40' lift		
500 "	55 "	35' "
560 "	62 "	30' "
620 "	69 "	25' "
660 "	73 "	20' "
700 "	77 "	15' "

The above capacities can be reduced by as much as 40% by means of raising the impeller in the bowl assembly. This is done by means of an adjusting nut on top of the motor. Requires from 2 to 5 minutes to make the adjustment. No closed runner pump can do this except by "throttling the discharge".

We are bidding the pump complete installed, wired to your present controls, and including approximately 10' of 6" discharge pipe and necessary fittings with the water discharging into the concrete box adjacent to the pump house.

Delivery installed within 48 hours of the notice of award.

Yours truly,

INTERMOUNTAIN EQUIPMENT CO.

(Clinton Merrill)

Clinton Merrill
Pump Dept.

COPY

Chaffee

Re: Well

4-20-51

Gene -

Briggs says he left
some extra copies of
log of well and work
done - recently by
Cove, et al. Should
appreciate 3 copies for
files. Thanks.

Chaffee

Chaffee

BOISE JUNIOR COLLEGE DISTRICT

Water system

Copy

PUMP SPECIFICATIONS SENT TO:-

April 20, 1951

Western Equipment Co.	4009 Fairview Ave.	Boise
H. J. Wood Company	1420 Main Street	"
Boise Implement Company	212 South Tenth	"
Sawtooth Company	3010 State Street	"
T. S. McElldowney	P. O. Box 358	"
Feenaughty Machinery Co.	500 Front Street	"
Crane Service Company	1813 Broadway	"
Intermountain Equipment Co.	Broadway Avenue	"
Engineering Sales Service Inc.	410 S. Capitol Blvd.	"
Olson Manufacturing Co.	4000 Warm Springs Ave.	"
Salt Lake Hardware Co.	702 South Eighth Street	"
Idaho Hardware & Plumbing Co.	408 South Eighth Street	"
Crane Company	214 South Fifth	"
Consolidated Supply Company	526 South 12th Street	"

Chaffee

RAYMOND J. BRIGGS
AND ASSOCIATES
Consulting Engineers
CIVIL-ENGINEERING DEPARTMENT
BRIGGS ENGINEER BUILDING
619 GROVE STREET, BOISE, IDAHO

April 17, 1951

Dr. Eugene B. Chaffee, President
Boise Junior College
Boise, Idaho

DISCUSSION AND LOG OF REPAIR WORK ON IRRIGATION WELL AT BOISE
JUNIOR COLLEGE, LOCATED ON THE NORTH SIDE OF THE INTERSECTION
OF LINCOLN AVENUE AND COLLEGE BOULEVARD.

This well was reported to be drilled and cased to 54 ft. depth with 12" casing and an additional 101 ft. of 10" casing and/or open hole below, to a total depth of 155 feet.

John Cowe, well driller, found that the 12" casing extended to approximately 54 feet and 10" casing extended to 110.5 feet depth, with an open hole down below to approximately 154 feet depth.

A screen was placed in the open hole to a depth of 147 feet. This screen consisted from the bottom upwards of:

- 6 ft. of 6" welder cut perforated casing,
- 12 ft. of 8" Thompson perforated screen,
- 22 ft. of 6" welder cut perforated casing,
- 22 ft. of 6" plain casing with coupling on top and centering bars on the sides.

Thus the 6" pipe laps up into the 10" pipe approximately 25 feet or to a depth of 85 feet from the top of the 12" casing.

When this screened pipe was placed in the well, it stopped at a depth of 126 feet. Sand and coarse gravel up to 3/4" dia. was baled out, letting the screen down to a depth of 136 feet. Additional drilling and driving of the screen forced it down to a depth of 147 feet, where it stopped apparently in the blue shale formation. There is approximately 10 feet of open hole below the bottom of the 6" casing.

The 12" and 10" casing were surge plunged thoroughly before the 6" and 8" screen was placed. After the screen was in place, the well was developed and pumped by air with the air source being placed at approximately a depth of 147 feet for about 14 hours. During part of

this time the sump below the well house was cleaned by shoveling out approximately 4 feet of sand and some rock to a point approximately 2 feet below the bottom of the concrete sump foundation footings.

At this time there was no appreciable amount of water entering the well casing from the upper gravel strata. The sump was dry except for some small amounts of water which leaked from the irrigation ditch near the pump house into the sump. There was no water at all entering the sump from the drainage line and manhole nearby.

During the air pumping of the well, the drawdown was measured at about 35 feet below the top of the 12" casing, at a rough estimate of 33 miners inches of water delivered to the irrigation ditch, which seemed to fill the ditch to about the same level as during the normal irrigation season last year.

Test pumping indicates that at this time of year all the water developed in the well comes from the lower strata. The strata encased by the screen represents a depth of approximately 12 feet of a structure composed of fine sand, coarse sand and a good quantity of gravel from 3/16" dia. up to 3/4 - 1" dia. There may be other gravel and sand strata above the bottom of the well which are also producing water; however, they would lie somewhere between a depth of 35 feet and 110.5 feet.

It is expected that at this time of year a flow of approximately 33 miners inches of water can be obtained from this well with a drawdown below the top of the casing of from 35 to 40 feet.

This work was performed from April 3 through April 12, 1951 by John Cowe, well driller and Carlyle W. Briggs of Raymond J. Briggs and Associates, Engineer.


Carlyle W. Briggs

Mr. Chaffer

April 6, 1951

Report from Mr. Carlyle Briggs on well exploration work.

They have now found the bottom of the 10 inch well at 110.5 feet. The open hole extends on down to 154 ft. Their present plan is to place a perforated casing from 110 feet to about 154 feet with a 5 or 10 foot lap on each end. After this they will test pump the well and if necessary to obtain more flow to drill on down for an unspecified number of feet in an effort to obtain another flow of water below the present shale beds.

Mr. Briggs said he thought the total expenditure of money for yesterday and today, the 5th and 6th, will amount to approximately \$120.00. This amount to be added on to the estimate given up to the morning of April 4.

Suitcase office



2. - Compressor test

add 100' - 6" pipe & blow out
with air. \$7.00 per hr plus rental
of air compressor - 350 cws ft compressor
(\$5.00/hr)

\$56.00

1 day to install pipe etc. - @ \$7.00/hr.

\$48.00

1/2 day to blow out. - \$5.00/hr + \$7.00

\$104.00

50.00 - misc

\$150.00

- \$200.00 for this amount of work

This would indicate amount of
water to be obtained from the
well & to some extent the drawdown.
at least to determine whether present
pump will work in this well.

[5.2-V-51]

Water Systems
6-11-51

TABULATION OF YIELDS IN GALLONS PER MINUTE FROM CIRCULAR ORIFICE WEIRS

HEAD OF WATER IN TUBE ABOVE CENTER OF ORIFICE	4-INCH PIPE 2½-INCH OPENING	4-INCH PIPE 3-INCH OPENING	6-INCH PIPE 3-INCH OPENING	6-INCH PIPE 4-INCH OPENING	6-INCH PIPE 5-INCH OPENING	8-INCH PIPE 4-INCH OPENING	8-INCH PIPE 5-INCH OPENING	8-INCH PIPE 6-INCH OPENING	10-INCH PIPE 6-INCH OPENING	10-INCH PIPE 7-INCH OPENING	10-INCH PIPE 8-INCH OPENING
5 inches	56 GPM	93 GPM									
6 "	62 "	102 "	82 GPM	155 GPM	300 GPM	148 GPM	240 GPM	380 GPM			
7 "	66 "	110 "	88 "	168 "	325 "	160 "	260 "	410 "	370 GPM	550 GPM	850 GPM
8 "	70 "	118 "	94 "	180 "	350 "	170 "	280 "	440 "	395 "	590 "	900 "
9 "	75 "	126 "	100 "	190 "	370 "	180 "	295 "	465 "	420 "	630 "	950 "
10 "	80 "	132 "	106 "	200 "	390 "	190 "	310 "	490 "	440 "	660 "	1000 "
12 "	87 "	145 "	115 "	220 "	425 "	210 "	340 "	540 "	480 "	720 "	1100 "
14 "	94 "	156 "	125 "	238 "	460 "	225 "	370 "	580 "	520 "	780 "	1190 "
16 "	100 "	163 "	132 "	253 "	490 "	240 "	390 "	620 "	560 "	840 "	1275 "
18 "	106 "	178 "	140 "	268 "	520 "	255 "	415 "	660 "	595 "	890 "	1350 "
20 "	112 "	188 "	150 "	283 "	550 "	270 "	440 "	695 "	625 "	940 "	1420 "
22 "	118 "	193 "	158 "	298 "	575 "	280 "	460 "	725 "	660 "	980 "	1480 "
25 "	125 "	210 "	168 "	318 "	610 "	300 "	490 "	780 "	700 "	1050 "	1580 "
30 "	138 "	230 "	182 "	350 "	670 "	330 "	540 "	850 "	760 "	1150 "	1725 "
35 "	150 "	250 "	198 "	375 "	725 "	360 "	580 "	920 "	820 "	1240 "	1865 "
40 "	160 "	265 "	210 "	400 "	780 "	380 "	620 "	980 "	880 "	1330 "	2000 "
45 "	170 "	280 "	223 "	425 "	820 "	400 "	660 "	1040 "	940 "	1410 "	
50 "	180 "	300 "	235 "	450 "	870 "	425 "	700 "	1100 "	990 "	1480 "	
60 "	195 "	325 "	260 "	490 "	950 "	465 "	760 "	1200 "	1090 "	1610 "	

POOR QUALITY ORIGINAL

360 gallons per min = 40 inches

International Engineering Co.
Boise, Idaho

BOISE STATE
PRESERVED
PHOTOCOPY
LIBRARY

[5.2-V-51]

Leo Mgr

March 29, 1951

To : Mr. C. F. Potter
From: President Chaffee
Re : Water Supply

Dear Clyde:

We are having well trouble in our main well and I have asked Raymond Briggs, consulting engineer, to act as our representative in solving the problem. He plans to get in touch with John Cove and, since Briggs feels that the problem is what Charlie has surmised, a lack of water, there is plenty of depth and the question may be that of developing the well.

I wanted you to have this information so that you are aware of what I am doing on that well.

I am sending a carbon copy of this to Charlie since he has been working with me on it.

Sincerely,

Eugene B. Chaffee

Witch

cc: C.C. Brown

COPY

Machinery and Supplies
for Contractors
Miners, Mills, Roads
and Farm Use



General Repair
Sheet Metal,
Welding and
Machine Shop Work

TWIN FALLS

ENGINEERS, MANUFACTURERS AND DISTRIBUTORS
710 FRONT—715 GROVE STREETS
BOISE, IDAHO

CALDWELL

QUOTATION

TO Boise Junior College

DATE March 28, 1951

ATTENTION OF _____

In reply to your inquiry of _____ we submit quotation as shown below.

- ☐ This is a firm quotation good for 15 days from date hereof, at the prices shown, subject to prior sale of items now in stock.
- ☐ Due to existing conditions, our sources of supply will not quote firm prices for future deliveries and this quotation is subject to immediate acceptance for goods in stock, or manufacturers prices at time of shipment for goods not in our stock.

QUANTITY	PART NO. OR DESCRIPTION	PRICE
One Deming Deep Well Turbine Pump to consist of the following:		
1 --	25 HP 3 phase, 60 cycle, 220/440 volt, 1750 RPM vertical hollow-shaft motor complete with SD88-16 $\frac{1}{2}$ discharge head and non-reverse ratchet	1253.00
60 --	feet of 8"xl $\frac{1}{2}$ " column & shaft including bearings,, bearing retainers and stainless steel sleeves on the shaft	636.00
1 --	10 inch 3 stage standard bowl assembly	394.00
1 --	10 foot length of 8 inch suction pipe with galvanized strainer	92.00
		<u>2375.00</u>
	less 25%	593.75
		<u>1781.25</u>
1 --	Across-the-line magnetic starting switch	113.50
	Installation	50.00
	Wiring not included in above quotation	<u>\$1974.75</u>

The above pump will furnish 1200 GPM from 40 feet - 1050 GPM from 60 feet 900 GPM from 80 feet and runs as high as 79% efficient. The actual horse power consumed will not exceed 2 $\frac{1}{4}$ at any point.

The column quoted above will give a total setting of 73 feet. If additional column and shafting is desired at a later date the price is now \$7.95 per foot f o b factory but would be subject to change at time of shipment.

See Bulletin attached for details of pump.

All deliveries are subject to government priorities, all existing laws of the United States, the State of Idaho or State of delivery and to our ability to obtain necessary material and labor.

The above quotation is subject to all the conditions stated hereon and on the reverse side hereof.

TERMS: net 10th prox

F. O. B. Boise, Idaho


TENTATIVE DELIVERY approx 30 to 40 days

THE SAWTOOTH COMPANY

BY

[Signature]
S J Rowbury

1950⁺



IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT


Office Use Only
Inspected by _____
Twp _____ Rge _____ Sec _____
_____ 1/4 _____ 1/4 _____ 1/4
Lat: : : Long: : :

1. WELL TAG NO. D D00030423
 DRILLING PERMIT NO. 873300-306200
 Other IDWR No. 63-27214

2. **OWNER:** Boise State University /State of Idaho
Name _____
Address 502 North 4th Street PO Box 83720
City Boise State ID Zip 83720-0072

3. LOCATION OF WELL by legal description:

Sketch map location must agree with written location.



Twp. 3 North ☒ or South ☐
 Rge. 2 East ☒ or West ☐
 Sec. 15 1/4 1/4 1/4

Gov't Lot _____ County Ada 10 acres 40 acres 160 acres

Lat: _____ Long: _____

Address of Well Site Northwest corner
 of BSU pavillion City Boise
 (Give at least name of road + Distance to Road or Landmark)

Lt.	Blk.	Sub.	Name
-----	------	------	------

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☒ Irrigation
☐ Thermal ☐ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

XX New Well ☐ Modify ☐ Abandonment XX Other Replacement

6. DRILL METHOD

☐ Air Rotary ☒ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
bentonite chips	0	13	28 sk	poured
#6-9 sand	18	49	6000#	poured

Was drive shoe used? ☐ Y ☐ N Shoe Depth(s) _____
Was drive shoe seal tested? ☐ Y ☐ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
10"	+1'6"	21'	365	steel	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length of Headpipe _____ Length of Tailpipe _____

9. PERFORATIONS/SCREENS

Perforations _____ Method _____
 XX Screens _____ Screen Type Johnson V wire

From	To	Slot Size	Number	Diameter	Material	Casing	Line
21	46	30		10	stainless steel	☒	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

Depth flow encountered _____ ft. Describe access port or control devices:

11. WELL TESTS:

☐ Pump ☐ Bailer ☐ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
160	5.3'	16.54	40 min.
310	12.64	25.94	3 hrs

Water Temp. _____ Bottom hole temp. _____

Water Quality test or comments: _____

Depth first Water Encounter

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

[illegible]

RECEIVED

SEP 16 2003

~~WATER RESOURCES
WESTERN REGION~~

Completed Depth 49' (Measurable)
Date: Started 8/20/03 Completed 9/7/03

13. DRILLER'S CERTIFICATION

We certify that all minimum well construction standards were complied with at the time the rig was removed.

Company Name Steyens & Sons Firm No. 153

Ron Stevens 9/12/03


Driller or Operator

FORWARD WHITE COPY TO WATER RESOURCES

FLOW RANGE: 160 -320 GPM

OUTLET SIZE: 3" NPT

NOMINAL DIA. 6"



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.

4" MOTOR STANDARD, 7.5 HP/3450 RPM

6" MOTOR STANDARD, 10-60 HP/3450 RPM.

8" MOTOR STANDARD, 75 HP/3525 RPM.

* Alternate motor sizes available.

Performance conforms to ISO 9906 Annex A
@ 8 ft. min. submergence.

BSU

From: Leondus Jensen
To: Suddreth, Douglas
Subject: well # 3 abandonment update

All:

2
Today Adamson pump and drilling removed well # ² pump. The well has a 16" OD casing, 52' deep, pump was at 42' and static water was at 10' below grade. The pump was a 20hp 4-stage pump. Adamson sent a camera down the well and found no significant issues. Department of Water resources was asked by Adamson to come out to verify the case size (which is in question). The water resources contact declined.

On Wednesday the 2nd of April Adamson will be out to abandon the well as per Water Resources requirements. They will have a couple vehicles and a backhoe to abandon the well at 6' below current grade.

Leondus

Terry Scanlan faxed 208-383-4156

CC: Blake, Larry; cooper, David; Dodson, John; Niemysk, Paul; Norton, Einar; Satterlee, Kevin; STULTZ, SCOTT; Swain, Steve

325 gpm

570

USE TYPEWRITER OR
BALL POINT PEN

State of Idaho
Department of Water Resources

RECEIVED

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

NOV 24 1975

Department of Water Resources

Well #4

1. WELL OWNER
Name Boise State University
Address _____
Owner's Permit No. _____

2. NATURE OF WORK
☒ New well ☐ Deepened ☐ Replacement
☐ Abandoned (describe method of abandoning) _____

3. PROPOSED USE
☐ Domestic ☒ Irrigation ☐ Test ☐ Other (specify type) _____
☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection

4. METHOD DRILLED
☒ Cable ☐ Rotary ☐ Dug ☐ Other

5. WELL CONSTRUCTION
Diameter of hole 10 inches Total depth 200 feet
Casing schedule: ☒ Steel ☐ Concrete
Thickness Diameter From To
365 inches 10 inches 1'6" feet 96 feet
280 inches 8 inches 94 feet 100 feet
280 inches 6 inches 100 feet 104 feet
250 inches 5 inches 114 feet 152 feet
250 inches 5 inches 157 feet 167'5" feet
Was casing drive shoe used? ☒ Yes ☐ No
Was a packer or seal used? ☒ Yes ☐ No
Perforated? ☐ Yes ☒ No
How perforated? ☐ Factory ☐ Knife ☐ Torch
Size of perforation _____ inches by _____ inches
Number From To
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
_____ perforations _____ feet _____ feet
Well screen installed? ☒ Yes ☐ No
Manufacturer's name Johnson
Type stainless Model No. 405
Diameter 5 Slot size 35 Set from 104 feet to 114 feet
Diameter 5 Slot size 35 Set from 152 feet to 157 feet
SAND
Gravel packed? ☐ Yes ☐ No Size of gravel # 8 sand
Placed from 94' feet to 167'6" feet
Surface seal depth 18' Material used in seal ☐ Cement grout
☒ Pudding clay ☐ Well cuttings
Sealing procedure used ☐ Slurry pit ☒ Temporary surface casing
☐ Overbore to seal depth

6. LOCATION OF WELL
Sketch map location must agree with written location.
Subdivision Name _____
Lot No. _____ Block No. _____
County Ada
S/E 1/4 S/W 1/4 Sec. 10, T. 3 N. R. 2 E.

7. WATER LEVEL
Static water level 14 feet below land surface
Flowing? ☐ Yes ☒ No G.P.M. flow _____
Temperature _____ ° F. Quality _____
Artesian closed-in pressure _____ p.s.i.
Controlled by ☐ Valve ☐ Cap ☐ Plug

8. WELL TEST DATA
☒ Pump ☐ Bailer ☐ Other
Discharge G.P.M. Draw Down Hours Pumped
248 64'11" 224

9. LITHOLOGIC LOG **39537**
Hole Diam. Depth From To Material Water Yes No
0 1 topsoil ☒ ☐
1 11 loose sand & gravel & large boulders ☐ ☒
11 18 loose sand & gravel & large boulders, slightly cemented ☐ ☒
18 43 sand & gravel (water 14') ☒ ☐
43 60 fine rusty brown cemented sand, streaks of clay ☐ ☒
60 91 fine rusty brown cemented sand, more clay ☐ ☒
91 106 blue clay ☐ ☒
106 111 fine to coarse quartz sand & pea gravel ☒ ☐
111 145 slightly sandy blue clay ☒ ☐
145 154 very sticky brownish blue clay ☐ ☒
154 156 fine to coarse quartz sand (didn't act very good) ☒ ☐
156 172 brownish blue clay, lighter blue ☐ ☒
172 200 light blue sandy, sticky clay ☐ ☒
Well originally drilled to depth of 200' then backfilled to 167'5"
Lead packer set from 93'2" to 94'0" and swedged to fit 10" casing

10. Work started 9/9/76 finished 10/8/76

11. DRILLERS CERTIFICATION
Firm Name W.E. Stevens & Sons Firm No. 153
Address 3709 Hawthorne Drive Date 10/20/76
Signed by (Firm Official) _____ and _____
(Operator) _____

USE ADDITIONAL SHEETS IF NECESSARY

FORWARD THE WHITE COPY TO THE DEPARTMENT

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number 63-27214
Date Received: 9/8/1989
Receipt No: W005790
Received By:

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**

1. Name of Claimant(s)

BOISE STATE UNIVERSITY
OFFICE OF THE PRESIDENT
1910 UNIVERSITY DR
BOISE ID USA 83725

Phone: (208)426-1011

2. Date of Priority: 03/15/1950

3. Source: GROUND WATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4 Lot	County	Type
03N	02E	15	NW NE	ADA	
03N	02E	10	SW SE	ADA	

5. Description of diverting works:

Well No. 2 (NWNE Sec 15) has 16-inch casing and depth of approx. 60 feet. Well No. 5 (SWSE Sec 10) has 10-inch casing and depth of approx. 90 feet. Submersible pumps discharge into underground sprinkler system. Both Wells to be replaced with a single well in the NWNE in summer 2003.

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or) A.F.A
IRRIGATION	3/15	11/15	1	468

7. Total Quantity Appropriated is:
1 C.F.S. and/or 468 A.F.A.

8. Total consumptive use:

9. Non-irrigation uses:

10. Place of use:

Township	Range	Section	1/4	of 1/4	Lot	Use	Acres
03N	02E	10	SW	SW		IRRIGATION	6
			SE	SW		IRRIGATION	23
			SW	SE		IRRIGATION	6
			SE	SE		IRRIGATION	1
						Section Acres	36
03N	02E	15	NE	NE		IRRIGATION	18
			NW	NE		IRRIGATION	29
			NE	NW		IRRIGATION	11
			NW	NW		IRRIGATION	6
			SE	NW		IRRIGATION	4
						Section Acres	68
						Total Acres	104

11. Place of use in counties: ADA

12. Do you own the property listed above as place of use? Yes

13. Other Water Rights Used:

14. Remarks:

THIS RIGHT WAS AMENDED PER CLAIMANT REQUEST TO ADD A POINT OF DIVERSION AND MORE ACCURATELY DESCRIBE THE POU (CSAXTON 4/14/03).

15. Basis of Claim: Beneficial Use

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number 63-27214

Date Received 4-14-03

Receipt Number W005790

AMENDED

**NOTICE OF CLAIM
TO A
WATER RIGHT
ACQUIRED UNDER STATE LAW**

Please type or print clearly Boise State University

1. Name of Claimant (s) Office of the President Phone (208) 426-1011

Mailing Address 1910 University Drive, Boise, ID Zip 83725

2. Date of Priority (Only one (1) per claim) 3/15/1950

3. Source of water supply (a) ground water

which is tributary to (b)

4. a. Location of existing point of diversion is: Township 3N Range 2E Section 15,

1/4 of NW 1/4 of NE 1/4, Govt. Lot, B.M., County of Ada

Additional points of diversion if any: SWSE Sec. 10, T3N, R2E

b. If instream flow, beginning point of claimed instream flow is:

Township Range Section, 1/4 of 1/4 of 1/4,

Govt. Lot B.M., County of

ending point is: Township Range Section, 1/4 of 1/4 of

1/4, Govt. Lot B.M., County of

5. Description of existing diversion works (Dams, Reservoirs, Ditches, Wells, Pumps, Pipelines, Headgates, Etc),
including the dates of any changes or enlargements in use, the dimensions of the diversion works as
constructed and as enlarged and the depth of each well.

Well No. 2 (NWNE Sec 15) has 16-inch casing and depth of approx. 60 feet.

Well NO. 5 (SWSE Sec 10) has 10-inch casing and depth of approx. 90 feet.

Submersible pumps discharge into underground sprinkler system. Both wells
to be replaced with a single well in the NWNE in summer 2003:

6. Water is claimed for the following purposes:

(both dates are inclusive)

(cfs)

(acre feet)

For irrigation purposes from 3/15 to 11/15 amount 1.00 or 468

For _____ purposes from _____ to _____ amount _____ or _____

For _____ purposes from _____ to _____ amount _____ or _____

For _____ purposes from _____ to _____ amount _____ or _____

7. Total quantity claimed (a) 1.00 (cfs) and/or (b) 468 (acre feet)

8. Total consumptive use claimed is _____ acre feet per annum.

9. Non-irrigation uses; describe fully (eg. Domestic: Give number of households served; Stockwater: Type and number of livestock Etc.) _____

10. Description of place of use:

a. If water is for irrigation, indicate acreage in each subdivision in the tabulation below.

b. If water is used for other purposes, place a symbol of use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RNG	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
3N	2E	10											6	23			6	1	36
		15	18	29			11	6		4									68

Total number of acres irrigated 104

11. In which county (ies) are lands listed above as place of use located? Ada

12. Do you own the property listed above as place of use? Yes X No _____
If your answer is No, describe in Remarks below the authority you have to claim this water right.

13. Describe any other water rights used at the same place and for the same purposes as described above.
canal water and groundwater (63-27213, 63-27216, 63-27217) or None ()

14. Remarks: Place of use based on IDWR GIS acreage determination.

Last Name Boise State University Ident No. 63-27214

Copies: White -State, Yellow-Claimant

Map of Project: show clearly the point of diversion, place of use, section number, township, and range number.

Scale: 2 inches equals 1 mile



Last Name Boise State University Ident No. 63-27214

Copies: White-State, Yellow-Claimant

15. Basis of Claim (check one) Beneficial Use X Posted Notice _____ License _____ Permit _____
Decree _____
If applicable provide IDWR Water Right Number _____
Court _____ Case Number _____ Decree Date _____
Plaintiff vs Defendant _____

16. Signature (s)
(a.) By signing below, I/We acknowledge that I/We have received, read, and understand the form entitled
"How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____
wish to receive and pay a small annual fee for monthly copies of the docket sheet.
Number of attachments _____

For Individuals: I do solemnly swear or affirm that the statements contained in the foregoing document are true
and correct.


Signature of Claimant (s) _____ Date _____
_____ Date _____

For Organizations: I do solemnly swear or affirm that I am Vice President of Finance & Administration
of Boise State University , that I have signed the foregoing
document in the space below as Vice President of Boise State University
and that the statements contained in the foregoing document are true and correct.

Signature of Authorized Agent [Signature]
Title and Organization Vice President / Boise State University Date 4-8-03

State of Idaho/or Y)
County of Ada) SS.

Subscribed and sworn (or affirmed) before me this 8th day of April 2003



Notary Public Cassie Clancy

Residing at Boise, ID

My Commission Expires 9/10/07

Please Print Name

17. Notice of Appearance
Notice is hereby given that _____ will be acting as attorney at law on behalf
of the claimant signing above, and that all notices required by law to be mailed by the director to the claimant signing above
should be mailed to me at the address listed below.

Signature _____

Address _____

Date _____

Last Name Boise State University Ident. Number 63-27214

Copies White-State, Yellow-Claimant

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: **A63-27214**

Date Received: 9/ 8/1989

Receipt No: W005790

Received By: gal

*Rec'd from SO
10-14-92*

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**

1. Name: BOISE STATE UNIVERSITY 208-343-7733
Address: PO BOX 1712
BOISE ID 83701

2. Date of Priority: MAR 15, 1950

3. Source: GROUNDWATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
03N	02E	10	SW	SE			ADA

5. Description of diverting works:

WELL#2 IS NORTH OF BSU PAVILION, WELL#5 IS NORTH OF MORRISON HALL

6. Water is used for the following purposes:

Purpose	From	To	C.F.S	(or)	A.F.A.
IRRIGATION	03/15	11/15	1.000		468.00

7. Total Quantity Appropriated is:

1.000 C.F.S. (and/or) 468.00 A.F.A.

8. Total consumptive use is 364.0 Acre Feet Per Annum.

9. Non-irrigation uses:

NONE

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
03N	02E	10	SW	SW		IRR	10.0
			SE	SW		IRR	14.0
			SW	SE		IRR	8.0
			SE	SE		IRR	6.0

10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
					Section Acres	38.0
		15	NE	NE	IRR	6.0
			NW	NE	IRR	24.0
			NE	NW	IRR	20.0
			NW	NW	IRR	8.0
			SE	NW	IRR	8.0
					Section Acres	66.0
					Total Acres	104.0

11. Place of use in counties: ADA

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
63-27213, 63-27216, 63-27217

14. Remarks:
THIS CLAIM IS FOR 2 POINTS OF DIVERSION.
WELL #2 IS HAS 16" CASING AND IS OF UNKNOWN DEPTH AND IS JUST
NORTH OF THE BSU PAVILION
WELL #5 HAS 10" CASING, IS 90' DEEP AND IS NORTH OF MORRISON
HALL.

15. Basis of Claim: BENEFICIAL USE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/~~we~~ do ☒ do not ☐ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Organizations:

I do solemnly swear or affirm that I am ATTORNEY of
Title

BOISE STATE UNIVERSITY, that I have signed the foregoing
Organization

document in the space below as ATTORNEY of
Title

BOISE STATE UNIVERSITY and that the statements contained in the
Organization

foregoing document are true and correct.

DWL
Signature of Authorized Agent

ATTORNEY
Title and Organization

9-11-92
Date

State of Idaho)
County of Ada) SS.

Subscribed and sworn (or affirmed) before me this 11 day

of Sept. 19 92

Joe Nat Carter
Notary Public

Seal

Residing at Boise Id

My Commission Expires 6/2/94

17. Notice of Appearance:


Notice is hereby given that I, DONALD W. LOJEK will be
Print Name

acting as attorney at law on behalf of the claimant signing above, and that
all notices required by law to be mailed by the director to the claimant
signing above should be mailed to me at the address listed below.

Signature DWL

Address PO Box 1712 Boise 83701

Date 9-11-92



POOR ORIGINAL

459 Topo 1971 photo 1981 3N 2E

Well #2
Well #5IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLSIN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 39576

Ident. Number

163-27214

Date Received

9-8-1989

Receipt Number

W005790

NOTICE OF CLAIM
TO A
WATER RIGHT
ACQUIRED UNDER STATE LAW

Please type or print clearly

1. Name of Claimant (s) Boise State University Phone 385-1200
(208) 343-7733Mailing Address P.O. Box 1712, Boise, ID Zip 837012. Date of Priority (Only one (1) per claim) 19503. Source of water supply (a) Groundwater
which is tributary to (b) _____4. a. Location of existing point of diversion is: Township 3N Range 2E Section 10,
SW 1/4 of SW 1/4 of SE 1/4, Govt. Lot, _____ B.M., County of AdaAdditional points of diversion if any: (2 PTS)

b. If instream flow, beginning point of claimed instream flow is:

Township _____ Range _____ Section _____, _____ 1/4 of _____ 1/4 of _____ 1/4,

Govt. Lot _____ B.M., County of _____

ending point is: Township _____ Range _____ Section _____, _____ 1/4 of _____ 1/4 of _____

_____ 1/4, Govt. Lot _____ B.M., County of _____

5. Description of existing diversion works (Dams, Reservoirs, Ditches, Wells, Pumps, Pipelines, Headgates, Etc),
including the dates of any changes or enlargements in use, the dimensions of the diversion works as
constructed and as enlarged and the depth of each well.Well #2 This well is just North of the BSU Pavilion. Please see attached
map.

Depth unknown. 6" Casing

Well #5 - 10" CASED WELL, 90' DEEP, 110 GPM, NORTH OF MORRISONDWR
11-1-89 HALL

MICROFILMED

AUG 02 1994

LOJEK & HALL, CTD.
LAW OFFICE

305 W. Fort P.O. Box 1712
BOISE, IDAHO 83701
(208)343-7733

Donald W. Lojek
Bradley H. Hall

September 8, 1989

Idaho Department of
Water Resources
2735 Airport Way
Boise, ID 83706

RE: Water Rights Filings for Boise State University

Dear Ms./Sir:

Enclosed are six water right filings for four wells and two river out-takes utilized by Boise State University. These six entities are supplemental to one another in watering 53.5 acres of the campus. I am, therefore, enclosing a check in the amount of \$354 for the filing of these claims, representing \$50 for each claim and \$54 to represent the dollar per acre charge for the land to benefit from the water.

Thank you very much for your cooperation and assistance in getting these claims filed.

Very truly yours,



DONALD W. LOJEK

L:E
enclosures

MICROFILMED

AUG 02 1994

6. Water is claimed for the following purposes:

(both dates are inclusive)

(cfs)

(acre feet)

For Irrigation purposes from 1/ 1 to 12/31 amount _____ or _____

For _____ purposes from _____ to _____ amount _____ or _____

For _____ purposes from _____ to _____ amount _____ or _____

For _____ purposes from _____ to _____ amount _____ or _____

7. Total quantity claimed (a) 1 (cfs) and/or (b) _____ (acre feet)

8. Total consumptive use claimed is _____ acre feet per annum.

9. Non-irrigation uses; describe fully (eg. Domestic: Give number of households served; Stockwater: Type and number of livestock Etc.) _____

10. Description of place of use:

- If water is for irrigation, indicate acreage in each subdivision in the tabulation below.
- If water is used for other purposes, place a symbol of use (example: D for Domestic) in the corresponding place of use below. See instructions for standard symbols.

TWP	RNG	SEC	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	NE1/4	NW1/4	SW1/4	SE1/4	
			THE ENTIRE AREA ILLUSTRATED ON THE ATTACHED MAP																
			AS BOISE STATE UNIVERSITY CAMPUS																

Total number of acres irrigated 53.5

11. In which county (ies) are lands listed above as place of use located? ADA

12. Do you own the property listed above as place of use? Yes x No _____
If your answer is No, describe in Remarks below the authority you have to claim this water right.

13. Describe any other water rights used at the same place and for the same purposes as described above.
There are several wells on campus. Please see attached map. or None ()

14. Remarks: The University is attempting to tie all wells and ditches
into an integrated irrigation plan. Therefore, the water from this
well may be used on any portion of the campus.

MICROFILMED

Last Name _____ Ident No. _____

Copies: Wad State, Yellow Claimant

Scale: 2 inches equals 1 mile

[illegible]

AUG 02 1994


Copies: White-State, Yellow-Claimant

Last Name Ident No.

15. Basis of Claim (check one) Beneficial Use X Posted Notice _____ License _____ Permit _____
Decree _____
If applicable provide IDWR Water Right Number _____
Court _____ Case Number _____ Decree Date _____
Plaintiff vs Defendant _____

16. Signature (s)
(a.) By signing below, I/We acknowledge that I/We have received, read, and understand the form entitled
"How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do _____ do not _____
wish to receive and pay a small annual fee for monthly copies of the docket sheet.
Number of attachments _____

For Individuals: I do solemnly swear or affirm that the statements contained in the foregoing document are true
and correct.

Signature of Claimant (s)  Date 8 Sept 89

Date _____

For Organizations: I do solemnly swear or affirm that I am the Attorney _____
Title

~~for~~ Boise State University _____, that I have signed the foregoing
Organization
document in the space below as Attorney _____ ~~for~~ Boise State University _____
Title Organization

and that the statements contained in the foregoing document are true and correct.


Signature of Authorized Agent 
Title and Organization Attorney for BSU Date 9-8-89

State of Idaho/or _____)
County of ADA) SS.

Subscribed and sworn (or affirmed) before me this 8th day of September 19 89

SEAL

Notary Public




Residing at Boise, Idaho

My Commission Expires 10-11-94 9-2-1994

Please Print Name

17. Notice of Appearance:

Notice is hereby given that I, Donald W. Lojek will be acting as attorney at law on behalf
of the claimant signing above, and that all notices required by law to be mailed by the director to the claimant signing above
should be mailed to me at the address listed below.

Signature 

Address PO Box 1712, Boise, ID 83701

Date 9-8-89


Last Name _____ Ident. Number _____

MICROFILMED

AUG 02 1994

Copies White-State, Yellow-Claimant

POOR ORIGINAL



NORTH

BOISE
STATE
UNIVERSITY
BOISE, IDAHO

Campus Master Plan

0 100 200 400 600 Feet

-  EXISTING BUILDINGS
-  EXISTING COMMERCIAL
-  NEW BUILDINGS
-  NEW PARKING
-  PRIVATE BUSINESS INCUBATOR PARTNERSHIPS

Planning Consultants: Chase-Hosford


61787 Rev. 4/868

MICROFILMED

AUG 12 1984



POOR ORIGINAL

EXISTING IRRIGATION SOURCES #2




- EXISTING IRRIGATION DITCH
- ⊙ EXISTING DITCH WATER PUMP
- ⊗ EXISTING WELL
- EXISTING STORM DRAIN

BOISE STATE UNIVERSITY
CAMPUS MAP



POOR ORIGINAL



- EXISTING IRRIGATION DITCH
- ⊙ EXISTING DITCH WATER PUMP
- ⊠ EXISTING WELL

BOISE STATE UNIVERSITY
CAMPUS MAP

EXISTING IRRIGATION SOURCES #2

SRBA CLAIMS RECEIVING CHECKLIST

CLAIM IDENT. NO.

CK #

AMOUNT \$

Required

- | | YES | NO | Info? |
|--|-------------------------------------|--------------------------|-------|
| 1. Is the name and address complete with zip code? | ☒ | ☐ | * |
| 2. Is a priority date entered? | ☒ | ☐ | * |
| Is the priority date acceptable in view of mandatory filing dates? | ☒ | ☐ | * |
| See Adjudication Memos #1 and #4 to determine if a Permit is required. | | | |
| 3. (a) Is a source entered? | ☒ | ☐ | * |
| (b) Is a tributary to entered? (if required) | ☒ | N/A | |
| 4. Is the legal description of the p.d. sufficient? | ☒ | ☐ | * |
| 5. Is there a description of the diverting works? | ☒ | ☐ | |
| 6. Are the water uses appropriate for the form? The short form is limited to domestic and stockwater uses with direct diversion. All claims that include storage or instream stockwater must use long form. | ☒ | ☐ | * |
| Is the period of use included? | ☒ | ☐ | |
| Is a quantity claimed for each use? | ☒ | ☐ | * |
| 7. Is a total quantity claimed entered? | ☒ | ☐ | |
| 8. If required is a consumptive use entered? | ☒ | N/A | |
| Is the consumptive use correct? | ☒ | N/A | |
| 9. Are the non-irrigation uses listed properly? If this claim is on the short form, and more than one domestic use is listed, single ownership must be stated. If not under single ownership, see Adjudication Memo # 4. | ☒ | N/A | * |
| 10. Is (are) the place(s) of use and purpose(s) indicated? | ☒ | ☐ | * |
| 11. Is (are) the county(ies) entered? | ☒ | ☐ | |
| 12. Is the ownership of p.u. checked? | ☒ | ☐ | |
| 13. Are other water rights listed or "none" indicated? (see Item No. 17 for checking other water rights) | ☒ | ☐ | |
| 14. If required, are remarks correct? (If the claimant does not own the place of use, authority for filing the claim must be explained in the remarks.) | ☒ | N/A | |
| 15. Is the basis of the claim indicated? | ☒ | ☐ | |
| 16. If the basis of claim is shown as license, permit or decree is the existing water right number listed? (If yes, compare claim with the existing water right and either attach a proof report or state in comments that existing right was compared to claim) | ☒ | N/A | |
| 17. If the basis of claim is shown as beneficial use, or not marked, are there existing water rights shown in our records using the legal desc. on the claim? (If yes, describe these rights in "Comments") NOTE: If the claim is for domestic/stockwater this check is not as necessary unless it is indicated there is an existing right | ☒ | N/A | |
| 18. If the claimant requested a monthly docket sheet, is payment enclosed? (If yes, describe payment status in "Comments" below.) | ☒ | N/A | |
| 19. Is the claim signed by the claimant, and is the signature appropriate? Organizations must complete the organization block. | ☒ | ☐ | * |
| 20. Has the claim been signed, sealed, and dated by a notary? | ☒ | ☐ | * |
| 21. Was this claim filed on time, or was an extension granted? | ☒ | ☐ | * |
| 22. Is the fee enclosed correct? | ☒ | Exempt | * |

MICROFILMED

AUG 02 1994

03/13/2006

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 63-27214

NAME AND ADDRESS: BOISE STATE UNIVERSITY
OFFICE OF THE PRESIDENT
1910 UNIVERSITY DR
BOISE ID 83725

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 0.870 CFS
196.700 AFY

PRIORITY DATE: 03/15/1950

POINT OF DIVERSION:

T03N R02E S10 SESW Within ADA County

T03N R02E S15 NWNE Within ADA County

PURPOSE AND
PERIOD OF USE:

<u>PURPOSE OF USE</u>	<u>PERIOD OF USE</u>	<u>QUANTITY</u>
IRRIGATION	03/01 11/15	0.870 CFS 196.70 AFY

PLACE OF USE: IRRIGATION Within ADA County

T03N R02E S10	NESW	0.10	T03N R02E S10	NWSW	0.20
T03N R02E S10	SWSW	3.00	T03N R02E S10	SESW	7.50
T03N R02E S10	SWSE	3.00	T03N R02E S10	SESE	0.40
T03N R02E S15	NENE	3.30	T03N R02E S15	NWNE	21.50
T03N R02E S15	NENW	4.70			

43.7 ACRES TOTAL

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.


EXPLANATORY MATERIAL: BASIS OF CLAIM - Beneficial Use

Use of this right is combined with water from South Boise Water Co.

Idaho Department of Water Resources

63-27214

T03N R02E S10, 15



- Point of Diversion
- ▭ Place of Use
- ▭ Sections
- ▭ Quarter Quarter

Total irrigated
acres = 43.7

0 500 1000 1500 2000 Feet



IDWR

Prepared by: Sandy Egbert

Date: March 13, 2006

1987 Photography

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-27214 V1

WATER RIGHT NUMBER: 63-27214 V1

<u>Owner Type</u>	<u>Name and Address</u>
Attorney	DONALD W LOJEK PO BOX 1712 BOISE, ID 83701 (208)343-7733
Current Owner	BOISE STATE UNIVERSITY OFFICE OF THE PRESIDENT 1910 UNIVERSITY DR BOISE, ID 83725 (208)426-1011

Priority Date: 03/15/1950

Basis: Beneficial Use

Status: Active

Source Tributary

GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
IRRIGATION	03/01 to 11/15	0.870 CFS	196.70 AF
	<u>Total Diversion:</u>	0.870 CFS	196.70 AF

Location of Point(s) of Diversion

GROUND WATER	NW1/4NE1/4	Sec. 15, Twp 03N, Rge 02E, B.M.
ADA County		
GROUND WATER	SE1/4SW1/4	Sec. 10, Twp 03N, Rge 02E, B.M.
ADA County		

Place of Use

IRRIGATION

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
03N	02E	10									.1	.2	3.0	7.5			3.0	.4	14.2
03N	02E	15	3.3	21.5			4.7												29.5

Total Acres: 43.7

Conditions of Approval:

1. C18 This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-27214 V1

2. W56 Use of this right is combined with water from South Boise Water Co.

Remarks:Comments:

1. segbert 3/13/2006 POU

Comment: The amended claim puts the POU in Range 1E which is an obvious error since all other documentation put the POU in Range 2E so the recommendation corrects that error and puts the POU in Range 2E

2. segbert 3/13/2006 POD

Comment: PODs were changed by amended claim in Dec. 2005

Dates and Other Information:

Decreed Date:

Enlargement Use Priority Date:

Enlargement Statute Priority Date:

Defendant:

Plaintiff:

Civil Case Number:

Judicial District:

Notice of Error Flag:

State or Federal: S

Owner Name Connector:

Water District Number:

Generic Max Rate Per Acre:

Generic Max Volume Per Acre:

Swan Falls Trust or Nontrust:

Swan Falls Dismissed:

DLE Act Number:

Carey Act Number:

Mitigation Plan: False

Combined Use Limits:Element Reviewed/Verified Dates:

<u>Element</u>	<u>Last Reviewed Date</u>	<u>Reviewer</u>	<u>Last Verified Date</u>	<u>Verifier</u>	<u>Status</u>
Summary			03/02/2005	lharris	Active
Priority Date	3/13/2006 10:54:39 AM	segbert			Active
POD	3/13/2006 10:55:26 AM	segbert			Active
Source	3/13/2006 11:07:13 AM	segbert			Active
POU	3/13/2006 11:07:41 AM	segbert			Active
Use	3/13/2006 11:23:12 AM	segbert			Active
Season	3/13/2006 11:23:38 AM	segbert			Active
Quantity	3/13/2006 11:25:17 AM	segbert			Active
Summary			03/13/2006	segbert	Active

Verification Log:

<u>Element</u>	<u>Date Time Stamp</u>	<u>Reviewer</u>	<u>Log text</u>
----------------	------------------------	-----------------	-----------------

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-27214 V1

Summary	3/2/2005 3:41:19 PM	lharris	(No) 1. Is the basis of this claim a Decree, License, Permit, Application or Posted Notice? (Yes) 3. Is the water being used for all of the purposes claimed and to the extent claimed?
POD	3/13/2006 11:00:55 AM	segbert	Updated shape
POD	3/13/2006 11:02:31 AM	segbert	Updated shape
General	3/13/2006 10:54:38 AM	segbert	(No) 1. Should this water use have been included in a later court decree of the water rights from this source? (No) 4. Is the basis of claim decree or license? (No) 7. Is the basis of claim a Application or Permit? (No) 8. Is the basis of claim a posted notice? (No) 9. Is the Priority Date of this water use after the date a permit is required for the source and the water use? (Yes) 12. Does the claim file contain sufficient evidence of Priority Date? (Yes) 15. Is the basis of claim coded correctly? (No) 16. Is a Priority Date remark and/or condition required? Description for Question 12/13 - Several documents in the file including pump records & old letters referencing the wells
POD	3/13/2006 10:55:24 AM	segbert	(No) 1. Is the basis of this claim a Decree or License? (No) 2. Is the basis of this claim a Application or Permit? (No) 6. Is there evidence that there has been a change in the POD? (Yes) 9. Does the file contain all the necessary information to verify the POD? (No) 10. Is a POD remark and/or condition required?
Summary	3/13/2006 11:37:46 AM	segbert	(No) 1. Is the basis of this claim a Decree, License, Permit, Application or Posted Notice? (Yes) 3. Is the water being used for all of the purposes claimed and to the extent claimed? (No) 5. Does this right have any combined use limits with other rights? (Yes) 6. Is an additional remark and/or condition required? (Yes) 7. Would you like to view the recommended right? (No) 8. Is this a split or combined right? (No) 9. Do you have documents you would like to attach or link to the file? (Yes) 10. Would you like to set the verification date?

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-27214 V1

Source	3/13/2006 11:07:10 AM	segbert	(No) 1. Is the basis of claim Decree or License? (No) 2. Is the basis of claim an Application or Permit? (No) 6. Is the basis of claim a Posted Notice? (No) 7. Is there evidence that there has been a change in the source? (Yes) 10. Does the file contain all the necessary information to verify the source? (No) 11. Is a Source remark and/or condition required? Description for Question 10 - field exam and meetings with claimants
POU	3/13/2006 11:07:39 AM	segbert	(No) 1. Is the basis of this claim a Decree or License? (Yes) 2b. Is the POU required? (No) 3. Is the basis of claim a Application or Permit? (No) 7. Is there evidence that there has been a change in the POU? (Yes) 13. Does the file contain all the necessary information to verify the POU? (No) 14. Is a POU remark and/or condition required? Description for Question 13 - field exam, meetings with claimants
POU	3/13/2006 11:22:32 AM	segbert	Updated shape for Active POU
Use	3/13/2006 11:23:14 AM	segbert	(No) 1. Is the basis of this claim a Decree or License? (No) 2. Is the basis of this claim a Application or Permit? (No) 6. Is there evidence that there has been a change in the Purpose of Use? (Yes) 11. Does the file contain all the necessary information to verify the Water Use? (No) 13. Is a Purpose of Use remark and/or condition required? Description for Question 10,11,12 - field exam
Season	3/13/2006 11:23:40 AM	segbert	(No) 1. Is the basis of claim Decree or License? (No) 2. Is the basis of claim a Application or Permit? (No) 6. Is there evidence that there has been a change in the Period of Use? (Yes) 12. Does the file contain all the necessary information to verify the Period of Use? (No) 13. Is the basis of claim a decree, license, or a transferred beneficial use right that has had the Period of Use administratively determined? (Yes) 15. Is irrigation claimed as a Purpose of Use? (No) 18. Is a Period of Use remark and/or condition required?

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Recommendation Report 63-27214 V1

Quantity	3/13/2006 11:25:19 AM	segbert	(No) 1. Is the basis of this claim a Decree or License? (No) 2. Is the basis of this claim a Application or Permit? (No) 6. Is the basis of claim a posted notice? (Yes) 7. Is a flow measurement required? (Yes) 9. Is the source Groundwater and does the purpose of use require a diversion volume limit? (Yes) 10. Is a irrigation a purpose of use? (Yes) 12. Is a Quantity remark or condition required? Description for Question 7 - field exam Description for Question 10 - 4.5 x acres
----------	-----------------------	---------	--

Water Supply Bank:

Egbert, Sandy

From: Terry Scanlan [TScanlan@spfwater.com]
Sent: Tuesday, October 25, 2005 9:05 AM
To: Egbert, Sandy
Cc: Kevin Satterlee; Einar Norton
Subject: RE: BSU Recommendations

Sandy -

I met with BSU staff and reviewed archive material yesterday. Found some great documents regarding priority dates for irrigation well claims. I'll try to get it all sorted out by the end of the day today, and then get back to you.

The cooling well claim might be a bit tougher. I am still trying to put together a clear picture on that one regarding priority date and volume. With regard to your question, I think we can say that the chiller is the POU for the water right, as the well water does not mix with the fluid (water) used to cool the buildings. Thus, the cooling activity associated with the diverted water occurs at the chiller.

Terry

-----Original Message-----

From: Egbert, Sandy [mailto:Sandy.Egbert@idwr.idaho.gov]
Sent: Friday, October 21, 2005 3:48 PM
To: Terry Scanlan
Subject: BSU Recommendations

Terry

I though I would follow up on our meeting of Oct. 13 and see how things are going with the collection of the information we requested for the Boise State claims. We are coming up on our deadline for processing recommendations for Basin 63 Part 2 but if we can get the information we need to complete the Boise State recommendations by early next week we will still be able to get them in the upcoming Preliminary Directors Report. If that isn't possible we could hold them for Basin 63 Part 3 and put them with Canyon County claims.

Jan and I were discussing the cooling claim 63-31796 and we realized we might need more clarification on the system and how it works before we can accurately recommend it. For example, is the chiller the POU or is the building(s) being cooled the POU? Does the water from the well mix with the water that is used for cooling the building? Do you think it would be possible to have another meeting on these claims after you have all the information collected?

Sandy Egbert
GIS Specialist

Memorandum

To: Claim File Nos. 63-27213, 27214, 27216 & 31796 – Boise State University

From: Jan Shurte & Sandy Egbert

Subject: Meeting notes from 10-13-05

A meeting was held concerning the above claims with representatives from Boise State University, Einar Norton, Engineer, Kevin Satterlee, Attorney and Terry Scanlon, Consultant. The following notes, per claim number, were made:

63-31796 – Requested Evidence of Priority – cooling well – 1960 priority. Claim originally was filed for the Liberal Arts Building. It was brought up at the meeting that approx. 3 buildings use this well for cooling at the present time. Discussed filing an application for permit for the two additional buildings and others that are planned to be added in the next five years. Terry Scanlan was going to pursue the idea of filing an application for permit in the Boise State University area. Evidence from 1960 would be for this well when it was used as a water source for the boiler. Terry has a pump curve on the well. They also agreed to gps the well site and submit additional well information. Explained we are not presently approving application for permit for pre-1987 development in the treasure valley. Affirmed this with Steve Lester. The cooling system for this system is comprised of the well diverting to a chiller (in a separate bldg) which then pumps the water to one building on to others and back through the chiller. Condensed water is released from the chiller building into a drain into the river. A question was raised concerning the location of the place of use – if it could be the chiller building or the buildings themselves. ~~It was decided the buildings would have to be the place of use listed, thus, a new application for permit is needed for the additional building places of use.~~

63-27213 – Well #1 – Will be sending in well information and reviewing irrigated acreage map. Terry stated he would return well information for a theoretical calculation next week. Evidence of priority will be sent in also.

63-27214 – Well #2 and Well #5 – both have been abandoned and a new well in the NWNE, S15 has been drilled and is in use to replace these. The new well is in the same 1/41/4 as the original Well #2 was, therefore, no transfer was needed. The new well will be called Well #2. Will be submitting information on this well for theoretical and evidence of priority.

63-27216 – Well #3 – Will be submitting evidence of priority and well information for theoretical.

63-27217 – Well #4 – Same as above.

Terry also stated they will be looking for information to support the fact that the wells were interconnected prior to 1987, hoping to end up with one water right for all the wells, total cfs and total acres – same priority date claimed on all rights.

They will be looking over the map of the irrigated acres to see if they find an area left out or one in that should have been left out. This information should be coming back, along with all the information above within 1 week. Will need follow-up.

With representatives from Boise State University, Idaho State University, and the Idaho Department of Water Resources, the above information was discussed and a plan was developed to address the issues.

10

ABANDONED
63-27214
#5

63-27214
#2 *Done*
Abandoned

SW

SWSE

SESE

63-27217
#4

NOV #2
Proposed
New Well

10
15

NENW

NWNE

NENE

63-27216
#3

63-27213
#1

From: Steve Swain
To: Norton, Einar
Date: 10/6/2005 4:30:10 PM
Subject: Re: Fwd: Water Right Adjudication Meeting

Einar,
Can you or Leondus set up a time to meet with Terry before next Thursday(10/13/05)? By the way, that meeting with the Dept of Water Resources has been rescheduled for Thursday 1:30-2:30 at Department of Water Resources, 2735 Airport Way.
Steve

Steve,

Please have somebody call Terry and ask him to come on site. Have someone who knows all the water sources meet with him and explain how they all work and fit together.

Given that the IDWR is considering altering our water rights, I think it is very important that Terry know exactly how all those water sources fit together before we go to the meeting.

Kevin

>>> Steve Swain 10/05/05 3:09 PM >>>

Kevin,
After talking with my staff, I am told that we have already given Terry all of the information we have available on the wells. If you would like me to assign someone to meet with him on site, I would be happy to do this. Would you also like to get together to see what information we have? I am available the first of next week.
Steve

>>> Kevin Satterlee 10/03/05 11:07 AM >>>

Steve,


We need to see if we can compile the information noted below. Should we have a meeting? If so, who should be in it? Or do you want to work on compiling it and then meet prior to the IDWR meeting?

Kevin

>>> "Terry Scanlan" <TScanlan@spfwater.com> 10/02/05 4:58 PM >>>

Kevin – I spoke with Sandy Egbert at IDWR on Friday. The purpose of the meeting on October 13 is to discuss specifics of the following water right claims: 63-31796 - liberal arts cooling well 63-27213 - irrigation well in the NENE Section 15 (Well No. 1) 63-27214 - irrigation wells in the SWSE Section 10 (Well No. 5, presumed abandoned) and NWNE Section 15 (Well No. 2, replaced in 2003 with 10 inch well and 0.70 cfs pump) 63-27216 - irrigation well in the NWNE Section 15 (Well No. 3) 63-27217 - irrigation well in the SESE Section 10 (Well No. 4) The Department of Water Resources needs information on use and history of these wells such as the following: Priority date verification. Since these are all beneficial use claims, the use must have been initiated prior to 1963 to qualify. Perhaps you can provide a history of the campus development that can be used to show when irrigation activities began. I understand that the cooling well was originally used for boiler make up water beginning in 1960. Discharge rate. If actual capacity is unknown, then horsepower, discharge pressure, and pumping level can be used to estimate rate. Pump curves would help. I have curves for the cooling well and for Well No. 2. Description of use.

For the cooling well, a description of the chiller would be useful. For irrigation wells, a description of the irrigation system would help. The Dept. would like to know whether the wells are supplemental to surface water supplies. I have searched the Idaho Dept. of Water Resources on-line well log database in an attempt to find well drillers reports for these wells. The well drillers reports for Wells 2 (2003) and 4 (1976) are available, and also the abandonment report for the previous Well 2. There were no reports found for irrigation wells 1, 4 and 5, or for the liberal arts cooling well. I suggest that you have BSU staff compile any available data on wells and pumps, and a history of campus development that would be useful for documenting when irrigation activities were initiated. The information should be forward to me. I can then meet with BSU staff on site to inspect and document the systems prior to the meeting with IDWR on the 13th. I suspect that review of the well and pump data will result in changes to claims, and potential disallowal of one or more claims. For instance, since Well No. 4 was drilled in 1976 it would not qualify as a beneficial use water right unless we can show that it replaced an older well. However, we can probably list it as a point of diversion on one of the other water rights. Also each of the four irrigation water rights lists a diversion rate of 1 cfs. It is likely that the total diversion rate from the campus wells is less than 4 cfs, so one or more of the rights will be reduced. We may end up with a single water right, listing the total capacity of the currently operating wells as water right diversion rate. Call with questions. Terry Scanlan 208-383-4140 jhjljkj




IDAHO DEPARTMENT OF WATER RESOURCES


Claim: 63-27214

Date Prepared: 08-28-03

Prepared By: Gene Gibson



T03N, R02E
S-10 & S-15



● Points of Diversion

□ Place of use

□ Section

□ 1/4 1/4

1987 NAPP

MEMORANDUM

Date: April 14, 2003

From: Craig L. Saxton

To: File

Subject: BSU SRBA claims 63-07091, 63-07287, 63-27213, 63-27214, 63-27216, and 63-27217

Met with Kevin Satterlee and Terry Scanlan concerning BSU SRBA claims.

The main concern was to amend 63-27214 to show two points of diversion and talk to Rob about abandoning Well #2 and drilling a new well.

Claim 63-27214 claimed only one point of diversion but spoke of two in the Remarks. We amended the claim to add both points of diversion Well #2 and #5. Well #2 has been abandoned and Well #5 is going to be abandoned when the new well is drilled. New well will be drilled in the same QQ as well #2 so no transfer is needed.

Despite the plan to abandon well #5, we left it on the claim until it is actually abandoned.

Kevin located the locations of Wells 1 thru 5 on the map and they have been added into the B63-2 POD shape file.

Need to set up a field exam with Kevin to locate Boise River diversions for SRBA claims 63-07091, 63-07287.

All wells are inter-connected.

10

63-27214
#5

SESW

63-27217
#4

SWSE

63-27214
#2
Abandoned

SESE

Proposed
New Well

10
15


NENW

NWNE

NENE

63-27216
#3

63-27213
#1





Well #5 North of BSU Morrison Hall
Per Interpid.
3 HP 50' HEAD
35 PSI

63-27214



WELL #2 NORTH OF BSA PAVILION
INTREPID INFO.

3 HP 50' HEAD

35 PSI

63-27214

The following is how Mr. Lopez did the injected lands
for claims 63-27213, 27214, 27216, 27217.

3W 2E 9Ac

10 - SW SW 35% 10 Ac. ?

{ SE SW 35% 14 Ac.

SW SE 20% 8 Ac

SE SE 15% 6 Ac.

38 Ac

15 NWNW 20% 8 Ac

NE NW 50% 20 Ac

NW NE 75% 24 Ac

NE NE 15% 6 Ac

SE NW 8 Ac

SW NE 66 Ac

104 Ac

\$ 354

104

300

200

604

- 354

\$ 250⁰⁰ Due.

A63-27213 ✓

A63-27214 ✓

A63-27216 ✓

A63-27217 ✓

MICROFILMED

AUG 02 1994

8/21/92

Mr. Lojek was in the office this date.
Discussed average determination ~~and~~ and discrepancy
between licensed rights and claims submitted.
Appt. next Friday JDL

RECORDED

AUG 02 1994

8/7/92

Donald W. Lojek for BSA claim.

Mr. Lojek called and indicated he will have the information requested in about a wk.

He apologized for the delay.

RECORDED

AUG 02 1994

From Joe C.

April 27, 92

Mr. Lopez was in this date.

I went over the items which Roman listed in her review of the claims.

He took copies of license and circled items on proof copy with him for further clarification.

Will call Wash next wk for appt.

MISPOFILED

AUG 02 1994



December 6, 2005

Jan Shurte
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705

Subject: SRBA Claims 63-27213 and 63-27214

Dear Jan:

On behalf of Boise State University, enclosed please find amended SRBA claims 63-27213 and 63-27214. Included with the claims are data supporting priority dates and diversion rates. Place of use acreage determination is based on IDWR claim review data.

Please contact me with any questions.

Sincerely,

Terry M. Scanlan

Cc: Kevin Satterlee - BSU

ATTORNEYS AT LAW
LOJEK & GABBERT
CHARTERED

305 W. FORT P.O. BOX 1712
BOISE, IDAHO 83701

RECEIVED

OCT 05 1992

Department of Water Resources

Donald W. Lojek

October 2, 1992

Phone: (208) 343-7733
Facsimile: (208) 389-1294
Firm members licensed to practice
law in the following states:
Idaho, Colorado, Utah, Illinois

Mr. John D. Carlson
Adjudication Supervisor
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, ID 83720-9000

A63-27213

pd 10-6-92
C025667
\$257.50

Re: Snake River Basin Adjudication (SRBA)
Ada County - Notices of Claim #A63-07287, A63-07091 and Four
Unnumbered Claims for Boise State University (BSU)

Dear Mr. Carlson:

Enclosed is Boise State University's check in the amount of \$257.50 to cover the application for water rights under the Snake River Basin Adjudication Plan.

I also enclose for your files a special Power of Attorney issued by Boise State University to me for purposes of the Snake River Basin Adjudication. This enables me to sign any documents or to take whatever steps need to be taken in order to facilitate the position of the University's rights.

I will need a receipt of some kind from the Idaho Department of Water Resources so that I can document for the University the purposes to which the check is put. If you could send that to me at the above address, I would be grateful.

Thanks for all your help.

Very truly yours,



DONALD W. LOJEK

L:s

Enc.

MICROFILMED
AUG 02 1994

RECEIVED

OCT 05 1992

Department of Water Resources

SPECIAL POWER OF ATTORNEY

This Power of Attorney is made on the 29th day of September, 1992,

BETWEEN: the Principal, BOISE STATE UNIVERSITY, whose address is 1910 University Drive, Boise, ID 83725, referred to as "We" or "Our";

AND: the Agent, DONALD W. LOJEK, whose address is 305 West Fort Street, Boise, Idaho, referred to as "You" or "I".

GRANT OF AUTHORITY: We appoint You to act as Our Agent (called an Attorney in Fact) to do each and every act which We could personally do for the following uses and purposes:

To do those acts necessary in order to perfect and to protect any and all water rights held or to be acquired by Boise State University and which are or may be involved in that certain case now pending before the District Court of the Fifth Judicial District of the State of Idaho in and for the County of Twin Falls, styled "In Re the General Adjudication of Rights to the Use of Water From the Snake River Basin Water System."

POWERS: We give You all the power and authority which We may legally give to You for this purpose. You may revoke this Power of Attorney or appoint a new Agent in your place with notice. We approve and confirm all that You or your substitute may lawfully do on Our behalf in connection with the adjudication described above.

SIGNATURES: By signing below, I acknowledge that I have received a copy of this Power of Attorney.

BOISE STATE UNIVERSITY

LOJEK & GABBERT CHARTERED

By: Larry G. Selland
Larry G. Selland, President

By: DWL.
Donald W. Lojek

SPECIAL POWER OF ATTORNEY

MICROFILMED

AUG 02 1994

ATTORNEYS AT LAW
LOJEK & GABBERT
CHARTERED

305 W. FORT P.O. BOX 1712
BOISE, IDAHO 83701

RECEIVED

AUG 24 1992

Department of Water Resources

Donald W. Lojek

August 21, 1992

Phone: (208) 343-7733
Facsimile: (208) 389-1294
Firm members licensed to practice
law in the following states:
Idaho, Colorado, Utah, Illinois

Mr. John D. Carlson
Adjudication Supervisor
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, ID 83720-9000

Re: Snake River Basin Adjudication (SRBA)
Ada County - Notices of Claim #A63-07287, A63-07091 and Four
Unnumbered Claims for Boise State University (BSU)

Dear Mr. Carlson:

This will confirm our appointment for 2:00 o'clock p.m. on Friday, August 28th. Thank you very much for your courtesy in every respect. I will endeavor to have all of the information before you on Friday.

Very truly yours,



DONALD W. LOJEK

Ljs

RECEIVED

AUG 24 1992

ATTORNEYS AT LAW
LOJEK & GABBERT
CHARTERED

305 W. FORT P.O. BOX 1712
BOISE, IDAHO 83701

RECEIVED

AUG 18 1992

Department of Water Resources

Donald W. Lojek

August 17, 1992

Phone: (208) 343-7733
Facsimile: (208) 389-1294
Firm members licensed to practice
law in the following states:
Idaho, Colorado, Utah, Illinois

Mr. John D. Carlson
Adjudication Supervisor
State of Idaho
Department of Water Resources
1301 North Orchard Street
Boise, ID 83720-9000

Re: Snake River Basin Adjudication (SRBA)
Ada County - Notices of Claim #A63-07287, A63-07091 and Four
Unnumbered Claims for Boise State University (BSU)

Dear Mr. Carlson:

Mr. Hosford and I have nearly completed our work on the water claims but the ITT Building project intervened at the last moment. Would it be possible for me to meet with you either Thursday afternoon or any time on Friday? I believe I would have all of the information at that time and would simply need your assistance in making the necessary corrections/additions/deletions.

Thank you for your forbearance on this important matter.

Very truly yours,



DONALD W. LOJEK

L:s

MICROFILMED

AUG 02 1994



State of Idaho
DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000
Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

July 8, 1992

file on JDC's desk (yellow)

Donald W. Lojek
Lojek & Hall, Ctd.
P.O. Box 1712
Boise ID, 83701

RE: Snake River Basin Adjudication (SRBA)
Ada County - Notices of Claim #A63-07287, A63-07091 and Four
Unnumbered Claims for Boise State University (BSU)

Dear Mr. Lojek:

I recently sent you a letter (6/3/92) suggesting that BSU should make the decision on which lands are being irrigated with a total of 53.5 acres claimed. Also, you had previously picked up from this office a list of other items which require attention before a claim is considered complete.

The department cannot retain incomplete claims. Please contact me regarding your intention for these documents by August 7, 1992. If we do not hear from you by that date, we will return the claims and begin the refund process of your filing fees. You may resubmit the completed claims when the information becomes available and before the department reviews this Basin for the Director's Report to the court. Do not hesitate to contact this office if you have any questions.

Sincerely,

John D. Carlson

John D. Carlson
Adjudication Supervisor

JDC:sf:state:tf

MICROFILMED

AUG 02 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 3, 1992

Donald W. Lojek
Lojek & Hall, Ctd.
P.O. Box 1712
Boise, ID 83701

RE: Snake River Basin Adjudication (SRBA)
Ada County - Notices of Claim #A63-07287 & A63-07091,
and Four Unnumbered Claims for Boise State University (BSU)

Dear Mr. Lojek:

When you were in this office on April 22, 1992, we discussed the claims referenced above submitted for BSU. We went over the deficiencies of the claims with one of those items being the legal description describing the place of use for irrigation purposes.

Regarding the legal description, I indicated I would look at our maps to see if I could be of any help in describing which 40-acre tract and how many acres in each tract were irrigated.

After reviewing the Government plats, orthophotoquads, orthophotoquads with landsat overlay (which depict irrigated acres), landsat acreage count and topographic maps, (copies all of which I have enclosed), it appears to me that it would be in your client's best interest to look these over and make this decision.

You will note that the Government plat does not show the Boise River to be in the same location as the orthophoto or topographic map. Also, the acreage count around the multiple buildings and the river with its abundant foliage may not be as accurate as someone who manages and is familiar with the complex could be.

Your attention to this matter will be greatly appreciated.

Sincerely,

John D. Carlson

John D. Carlson
Adjudication Supervisor

JDC:sf:state:tf
Enclosures:

Copy of Government Plat, Orthophoto Quad, Orthophoto
quad/landsat Overlay, Topographic Map, Landsat Acreage
Count

UNPROCESSED

AUG 02 1994



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

CECIL D. ANDRUS
GOVERNOR

R. KEITH HIGGINSON
DIRECTOR

June 3, 1992

Donald W. Lojek
Lojek & Hall, Ctd.
P.O. Box 1712
Boise, ID 83701

RE: Snake River Basin Adjudication (SRBA)
Ada County - Notices of Claim #A63-07287 & A63-07091,
and Four Unnumbered Claims for Boise State University (BSU)

Dear Mr. Lojek:

When you were in this office on April 22, 1992, we discussed the claims referenced above submitted for BSU. We went over the deficiencies of the claims with one of those items being the legal description describing the place of use for irrigation purposes.

Regarding the legal description, I indicated I would look at our maps to see if I could be of any help in describing which 40-acre tract and how many acres in each tract were irrigated.

After reviewing the Government plats, orthophotoquads, orthophotoquads with landsat overlay (which depict irrigated acres), landsat acreage count and topographic maps, (copies all of which I have enclosed), it appears to me that it would be in your client's best interest to look these over and make this decision.

You will note that the Government plat does not show the Boise River to be in the same location as the orthophoto or topographic map. Also, the acreage count around the multiple buildings and the river with its abundant foliage may not be as accurate as someone who manages and is familiar with the complex could be.

Your attention to this matter will be greatly appreciated.

Sincerely,

John D. Carlson
John D. Carlson
Adjudication Supervisor

JDC:sf:state:tf

Enclosures:

Copy of Government Plat, Orthophoto Quad, Orthophoto
quad/landsat Overlay, Topographic Map, Landsat Acreage
Count

MICROFILMED

AUG 02 1994

Landsat

SD-ZZZ

Idaho Department of Water Resources
TWP-RNG-SECT Query

Date: 05/28/92
Time: 08:05:02

Twp	Rng	Sect	Tract	Lot	Acres	Cty	Comments
03N	02E	15		1	1.0	1	
03N	02E	15		5	8.0	1	

(Enter=Next Page)

(GOLD7=Bail Out)

(Menu _____)

MIAMI FILMED
AUG 02 1994

Landsat

SD-ZZZ

Idaho Department of Water Resources
TWP-RNG-SECT Query

Date: 05/28/92
Time: 08:04:36

Twp	Rng	Sect	Tract	Lot	Acres	Cty	Comments
03N	02E	10	CI TY		45.0	1	
03N	02E	10		2	4.0	1	
03N	02E	10		3	21.0	1	
03N	02E	10		4	32.0	1	
03N	02E	10		6	2.0	1	
03N	02E	10		7	21.0	1	
03N	02E	10		8	6.0	1	
03N	02E	10		9	14.0	1	
03N	02E	10		10	26.0	1	
03N	02E	10		11	19.0	1	
03N	02E	10		12	2.0	1	
03N	02E	10		13	12.0	1	

(Enter=Next Page)


(GOLD7=Bail Out)

(Menu _____)

MICROFILMED

AUG 12 1994

C3N02E



UNPROCESSED

AUG 02 1994