

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTUSE TYPEWRITER OR
BALLPOINT PENState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Mr Ken Henry</u> Address <u>1008 Nth St Cda 82814</u> Drilling Permit No. <u>95-91-N-28</u> Water Right Permit No. _____	7. WATER LEVEL Static water level <u>120</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow <u>analys 30+</u> Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ Describe artesian or temperature zones below.																																																																						
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailor ☒ Air ☐ Other _____ <table border="1" style="width:100%"><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr><tr><td><u>30+</u></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr><tr><td></td><td></td><td></td></tr></table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>30+</u>																																																																		
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																					
<u>30+</u>																																																																							
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>8"</td><td>0</td><td>4</td><td>Top Soil</td><td></td><td>X</td></tr><tr><td>8"</td><td>4</td><td>12</td><td>Yellow Clay Boulders</td><td></td><td>X</td></tr><tr><td>8"</td><td>12</td><td>45</td><td>Yellow Clay Sand Gravel</td><td></td><td>X</td></tr><tr><td>8"</td><td>45</td><td>60</td><td>Tan Clay</td><td></td><td>X</td></tr><tr><td>8"</td><td>60</td><td>90</td><td>Black Basalt</td><td></td><td>X</td></tr><tr><td>8"</td><td>90</td><td>120</td><td>Tan Clay</td><td></td><td>X</td></tr><tr><td>6"</td><td>120</td><td>160</td><td>Yellow Clay</td><td></td><td>X</td></tr><tr><td>6"</td><td>160</td><td>190</td><td>Tan Clay</td><td></td><td>X</td></tr><tr><td>6"</td><td>190</td><td>300</td><td>Black Basalt</td><td></td><td>X</td></tr><tr><td>6"</td><td>300</td><td>320</td><td>Clay Black Basalt</td><td></td><td>X</td></tr></tbody></table>	Bore Diam.	Depth		Material	Water		From	To	Yes	No	8"	0	4	Top Soil		X	8"	4	12	Yellow Clay Boulders		X	8"	12	45	Yellow Clay Sand Gravel		X	8"	45	60	Tan Clay		X	8"	60	90	Black Basalt		X	8"	90	120	Tan Clay		X	6"	120	160	Yellow Clay		X	6"	160	190	Tan Clay		X	6"	190	300	Black Basalt		X	6"	300	320	Clay Black Basalt		X
Bore Diam.	Depth		Material	Water																																																																			
	From	To		Yes	No																																																																		
8"	0	4	Top Soil		X																																																																		
8"	4	12	Yellow Clay Boulders		X																																																																		
8"	12	45	Yellow Clay Sand Gravel		X																																																																		
8"	45	60	Tan Clay		X																																																																		
8"	60	90	Black Basalt		X																																																																		
8"	90	120	Tan Clay		X																																																																		
6"	120	160	Yellow Clay		X																																																																		
6"	160	190	Tan Clay		X																																																																		
6"	190	300	Black Basalt		X																																																																		
6"	300	320	Clay Black Basalt		X																																																																		
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>5-17</u> finished <u>5-21</u>																																																																						
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other <u>PVC 4"</u> <table border="1" style="width:100%"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td><u>250</u> inches</td><td><u>6</u> inches</td><td><u>1</u> feet</td><td><u>192</u> feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation _____ inches by _____ inches <table border="1" style="width:100%"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td><u>180</u> feet</td><td><u>320</u> feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld _____ ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>192</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	<u>180</u> feet	<u>320</u> feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>H2O Well Service</u> Firm No. <u>448</u> Address <u>Hayden 2nd</u> Date <u>5-22-91</u> Signed by (Firm Official) <u>John Johnson</u> and (Operator) <u>Mark Johnson</u>																																						
Thickness	Diameter	From	To																																																																				
<u>250</u> inches	<u>6</u> inches	<u>1</u> feet	<u>192</u> feet																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																				
_____ inches	_____ inches	_____ feet	_____ feet																																																																				
Number	From	To																																																																					
_____ perforations	<u>180</u> feet	<u>320</u> feet																																																																					
_____ perforations	_____ feet	_____ feet																																																																					
_____ perforations	_____ feet	_____ feet																																																																					
6. LOCATION OF WELL Sketch map location must agree with written location. N W E Subdivision Name <u>DEC 04 1991</u> Lot No. _____ Block No. _____ County <u>Boise</u> <u>Ne 1/4 Sec. 17, T. 48 N, R. 4 E</u>	12. USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT																																																																						

WARRANTY DEED

Order No.:202059911

FOR VALUE RECEIVED

Georgia D. Henry and Kenneth L. Henry, Wife and Husband

the grantor(s), do(es) hereby grant, bargain, sell and convey unto

Chris Belstler and Dana M. Belstler, Husband and Wife

whose current address is

362 Sunpark Court, San Jose, CA 95136

the grantee(s), the following described premises, in Kootenai County, Idaho, TO WIT:

All that portion of Government Lot 1, Section 17, Township 48 North, Range 4 West, Boise Meridian, described as follows:

Beginning at the Northeast corner of said Government Lot 1; thence

North 89°36' West, along the North line of said Government Lot 1, 330.2 feet; thence

South 0°24' West, to a point on the North line of Rockford Bay Road; thence

Easterly along said North line of Rockford Bay Road to a point which bears South 0°24' West, from the Point of Beginning; thence

North 0°24' East, to the Point of Beginning.

TO HAVE AND TO HOLD the said premises, with their appurtenances unto the said Grantee, heirs and assigns forever. And the said Grantor does hereby covenant to and with the said Grantee(s), that (s)he is/are the owner(s) in fee simple of said premises; that they are free from all encumbrances Except: Current Year Taxes, conditions, covenants, restrictions, reservations, easements, rights and rights of way, apparent or of record.

And that (s)he will warrant and defend the same from all lawful claims whatsoever.

Dated: September 19, 2005

Georgia D. Henry
Georgia D. Henry

Kenneth L. Henry
Kenneth L. Henry

State of Idaho }
 } ss
County of }

On this 19TH day of SEPTEMBER 2005, before me, a Notary Public in and for said state, personally appeared GEORGIA D. HENRY AND KENNETH L. HENRY known or identified to me to be the person(s) whose name(s) are subscribed to the within Instrument and acknowledged to me that they executed same.
IN WITNESS WHEREOF, I have hereunto set my hand and affixed my official seal the day and year in this certificate first above written.

Attachment "B", Page 1 of 1,
Belstler

[Signature]
Notary Public for the State of Idaho
Residing at: COEUR D'ALENE FALLS, ID



Attachment "C", Page 1 of 1, Belstler