

Water Right Number - R35-07114

Prefix Translation:

RESEARCH

Old (D) Number -

*** C - CURRENT OWNER ***
BOYD

RAYMOND F

1 - C/O PAUL KLASSEN
2 - 2923 W 1700 S AVE
3 -
City- ABERDEEN
Phone - 208-397-4061

State- ID Zip- 83210

Priority Date - 02/02/1970

Region - 15 EASTERN

Stage - L - LICENSE

Status -

Source - GROUNDWATER

Tributary -

Twn Rng Sec Tract Lot RFlg County Point of Diversion
07S 29E 9 NW SE NE (77) POWER

Code Description Period From Period To Water Use Diversion Rate Diversion Volume

01 - IRRIGATION

04/01

10/31

2.400

628.00

Total Div. Rate - 2.400

Total Div. Volume - 628.00

Total Consumptive Use - 474.0

KW Usage - 94 9-11-98

Twn	Rng	Sec	Tract	Lot	Acres	Place of Use	Code	Description	County
07S	29E	9	NE NE		39.0		01	IRRIGATION	(77) POWER
07S	29E	9	NW NE		39.0		01	IRRIGATION	(77) POWER
07S	29E	9	SW NE		40.0		01	IRRIGATION	(77) POWER
07S	29E	9	SE NE		39.0		01	IRRIGATION	(77) POWER

Total Acres: 157.0

- - - Diversion Means - WELL 440' DEEP, 18 OR 20' CASING, 250 HP PUMP, WHEEL LINES

- - - Non-Irrigation Use -

- - - Other Rights for Same Use - NONE

- - - Remarks - No Remarks found.

- - - Old Water Right Numbers Found

CA 5-29-92

Water right number - R35-07114

Prefix Translation: RESEARCH

NO1 - A MEASURING DEVICE OF A TYPE APPROVED BY IDWR SHALL BE MAINTAINED
- AS A PART OF THE DIVERGING WORKS.

Decree Plaintiff - - - + Decree Defendant - - - + Decree Date - +
00/00/0000

Date: 05/15/1992 User Id: FRITSCHL Subject: COPIED FROM REMARKS
PROPERTY IS LEASED TO PAUL KLASSEN.

Audit Fields - - +
05/29/92 FRITSCHL

Court Report Filing		Field Inspection Made		Civil Case Number	
Objection Filed Date	- 00/00/0000	Field Inspection Flag	- 05/15/1992	Old Case Number	- 39576
Response Filed Date	- 00/00/0000	Verified Date	- 05/29/1992	Old Judicial District	-
Claim Received Date	- 03/22/1990	Last Amended Date	- 00/00/0000	Temporary Right	- P
		Receipt Number	- E012504	Water District	-
		POU Ownership Flag	- Y	Federal/State Indicator	- S
		Name Connector	-	Presumption Flag	-
				Notice of Error Flag	-

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

13:45:20
10/30/91

CLAIM NUMBER: A35-07114

MR ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	FIELD EXAM BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE			<i>In Office</i>					
POINT OF DIV	Y		<i>CA 5-15-92</i>	N	<i>6</i>	<i>CA 5-15-92</i>	<i>CA 5-15-92</i>	<i>CA 5-24-92</i>
SOURCE				N	<i>6 & 1</i>			
PLACE OF USE	Y			N	<i>6 & 4</i>			
IV. AMOUNT CF\$/VOLUME				N	<i>6</i>			
CONSUMPTIVE USE				Y	<i>6</i>			
IMPOSES				N	<i>6</i>			
PERIOD OF USE				N	<i>6</i>			
ASIS OF CLAIM				Y	<i>6</i>			
REMARKS	Y			N	<i>6</i>			

"VERIFIED BY" CODES

TOPO MAP/ORTHO-PQ = 1
 ASCS MAP = 2
 WATERMASTER RECORDS = 3
 MAPS PHOTOS = 4
 FIELD EXAM = 5
 OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

INSTRUCTIONS TO PROPERTY / REMARKS:

[illegible]

2. AJ CLAIM: A A35-07114 PRIORITY DATE: 02-02-1970 STAGE: L ✓

3. MR RECORD: A 55-07114 PRIORITY DATE: 02-02-1970 STAGE: L ✓

4. FIELD EXAM REQUIRED? FIELD EXAMINER

DUE TO PRIORITY DATE DISCREPANCY? (Y/N) DATABASE N

ARE THERE OBVIOUS REASONS TO QUESTION THE PRIORITY DATE CLAIMED? Y() N(X)

REMARKS: *Priority date claimed matches license.*

RECOMMENDED PRIORITY DATE:

02-02-1970

REVIEWED BY

AA

DATE

5-15-92

1. AD CLAIM POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	INTY
A35-07114	07S	29E	9	NW	EE	WE		POWER

OTHER AD CLAIMS WITH SAME AD POD
A PREFIX R PREFIX
NONE NONE

HR RECORDS IN SAME 40 ACRE TRACT
NONE

NOTICE: 6 ROUND DATES

TRTA:

2. HR POINT OF DIVERSION AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	INTY
A35-07114	07S	29E	9	SE	SE	WE		POWER

OTHER HR RECORDS WITH SAME HR POD
AD CLAIMS IN SAME 40 ACRE TRACT
A PREFIX R PREFIX
NONE NONE

SOURCE: 6 ROUND DATES

TRTA:

3. FIELD EXAM REQUIRED?

DOE TO POD DISCREPANCY?	(Y/N)	DATABASE	FIELD EXAMINER
DOE TO SOURCE DISCREPANCY?	(Y/N)	N	<u>N</u>

REMARKS:

P.O.D. claimed matches location of well on O.G.

AGE: 4
POINT OF DIVERSION REVIEW SHEET CONTINUED

CLAIM NUMBER: A35-37114

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE:		1/4		1/4	1/4	LOT	COUNTY
TWP. R3E. SEC.		1/4		1/4	1/4		
75	29E-2	NW	SE	NE			Boone
SOURCE: GROUNDWATER		RIS:					
ENTERED BY: BF		DATE: 5-15-92					

A. FOOT WATER RIGHT NUMBERS: A35-07114

B. POY LISTING

TRP ANJ	SEC	1/4	1/4	LOT	NAME	AJ #ACRES	MR 4/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
075	29E	9	NE	NE	BOVD, RAYMOND F.	A35-07114	739.0	35-07114	739.0	42.0
075	29E	7	N4	NE	BOVD, RAYMOND F.	A35-07114	739.0	35-07114	739.0	37.0
075	29E	9	S4	NE	BOVD, RAYMOND F.	A35-07114	740.0	35-07114	740.0	39.0
075	29E	9	SE	NE	BOVD, RAYMOND F.	A35-07114	737.0	35-07114	739.0	42.0
TOTAL ACRES						A35-07114	157.00	157.00	160.00	157

ARG IRRIGATED ACRES FOUND IN TRACTS OTHER THAN INDICATED ABOVE, Y () N (X)
 IF YES SEE ATTACHED SHEET:

C. FIELD EXAM REQUIRED?

DUE TO POY DISCREPANCY? (Y/N)

DATABASE Y FIELD EXAMINED N

PRESCRIPTION FLAG:

REMARKS:

Claimed P.O.U. matches licensed P.O.U. Land appears
 registered on NAPP A35-07114

RECOMMENDATIONS:

TOTAL ACRES: 157

REQUIRED BY: CA

DATE: 5-15-92

1. AD CLAIMED USE:

PURPOSES
A35-07114 TRANSITION

MONTH/DAY
FROM 04-15 TO 10-15

DIVERSION QUANTITY
2.400 CFS

TOTAL DIVERSION RATE/VOLUME CLAIMED

2.400 CFS 549.50 AF/A

2. WR RECORDED USE:

PURPOSES
A35-07114 TRANSITION

MONTH/DAY
FROM 04-15 TO 10-15

DIVERSION QUANTITY
2.400 CFS 549.50 AF/A

TOTAL DIVERSION RATE/VOLUME CLAIMED

2.400 CFS 549.50 AF/A

RECOMPTION FLAG:

3. FIELD EXAM REQUIRED?

DUE TO RATE-USE DISCREPANCY? (Y/N) FIELD
DUE TO DIVERSION RATE DISCREPANCY? (Y/N) DATABASE EXAMINER
DUE TO PERIOD FROM/TO DISCREPANCY? (Y/N) N N

4. PERIOD OF USE:

RECOMMEND AS CLAIMED?

RECOMMEND TO WR STANDARDS OR OTHER?

REMARKS:

4-1 Y 10-31 = WR Standard

Y() N(X)
Y(X) N() EXPLAIN IN REMARKS, BELOW.

1. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS?

Y (5) N ()

AV TOTAL CLAIMED DIVERSION RATE: 2.600 CFS
WR ROOT RIGHT TOTAL DIVERSION RATE: 2.600 CFS

*** IF NO OR IF STATUTORY CLAIM OR BENEFICIAL USE THEN FLOW MEASUREMENT REQUIRED. ***
** IF AN AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS **
** CLAIMED AND AN EXAM IS NOT REQUIRED, EXPLAIN IN REMARKS. **

FLOW MEASUREMENT REQUIRED?

DOE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N) FIELD DATABASE EXAMINER
N

3.

FLOW MEASUREMENT

MEASUREMENT METHOD NA SEE ATTACHED CALCULATIONS.

4. ARE OTHER WATER RIGHTS USED? Y () N (X) IF YES COMPLETE OVERLAP REVIEW.

OTHER RIGHTS LISTED IN CLAIM: NONE

NO CLAIMS FOUND WITH SAME POU AND IRRIGATION USAGE

NO RIGHTS WITH SAME POU BUT NOT USED FOR IRRIGATION

0.

RATE/VOLUME CALCULATIONS: (IRRIGATION)

1A. IRRIGATION RATE

ACRES 152 X 0.02 CFS/ACRE = 3.14 CFS
(TAKEN FROM P/U REVIEW)

1B. CALCULATIONS

DID AMOUNT CLAIMED EXCEED 0.02 CFS/ACRE? Y() N(X)

3.14 > 2.40

*** IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() ***

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 471.0 AF/A

ACRES 152 X CONSUMPTIVE VOL. AF/A FOR AREA 3 =

TOTAL CONSUMPTIVE USE 471 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = 549.50 AF/A

ACRES 152 X DIVERSION VOL. AF/A FOR AREA 4 =

TOTAL DIVERSION VOLUME 628 AF/A

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(X)

REMARKS: (INCLUDE LIMITATIONS ON CONSUMPTIVE USE FOR COMBINED RIGHTS.)

RECOMMENDATIONS:

REC. PURPOSES	REC. PERIOD		REC. DIV RATE CFS		REC. DIV VOL. AF/A		REC. CONS. USE	
	FROM	TO						
IRRIGATION	04-15	10-15	DATABASE 2.400	EXAMINER 2.40	DATABASE 628	EXAMINER 628	DATABASE 471.0	EXAMINER 471
TOTAL FOR THIS RIGHT	4-1	10-31	2.400	2.40	548-30	628	471.0	471

REVIEWED BY: CF DATE: 5-15-92

CHECK ONLY THE FOLLOWING THAT APPLY:

MEMBERSHIP _____
CORRECTION/ABANDON _____
ADDITIONAL DIV. AMOUNT _____

ACCEPTED AS CLAIMED
()
()
()
NEEDS REVIEW
()
()
()

SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 35-07114
TOTAL DIVERSION RATE OF WR SPLITS

DATABASE 2.400

EXAMINER 2.40

CFS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	A35-07114	2.400	-		35-07114	2.400
TOTAL CFS		2.400				2.400

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW SHEET ATTACHED? (Y/N)

DATABASE Y

FIELD EXAMINER

REMARKS:

Recommend standard season, increase diversion volume.
Approval condition HQ1

ATTESTATION:

SIGNATURE:

Carter Fritschle


DATE: 5-15-92

NAME OF FIELD EXAMINER:

Carter Fritschle

TITLE: Sr. W.R. Agent

35-07114




500 0 500 1000 Feet



T07S R29E S09

Map prepared by: Carter Fritschle
Date prepared: 06/22/98
1987-1988 NAPP photography



IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A35-07114

Date Received:

Receipt No: E012504

Received By: _____

RECEIVED

MAR 22 1980

Department of Water Resources
Eastern District Office

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name: RAYMOND F. BOYD
Address: C/O PAUL KLASSEN
2923 W 1700 S AVE.
ABERDEEN, ID

208-397-4061

83210

2. Date of Priority: FEB 02, 1970

3. Source: GROUNDWATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4	Lot	County
07S	29E	9	NW	SE	NE		POWER

5. Description of diverting works:

WELL 440' DEEP, 18 OR 20' CASING, 250HP PUMP, WHEEL LINES

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
IRRIGATION	04/15	10/15	2.400		

7. Total Quantity Appropriated is:

2.400 C.F.S. (and/or) 549.50 A.F.A.

8. Total consumptive use is 471.0 Acre Feet Per Annum.

9. Non-irrigation uses:

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
07S	29E	9	NE	NE		IRR	39.0
			NW	NE		IRR	39.0
			SW	NE		IRR	40.0

A35-07114

Page

1

Date: 03/15/90

MICROFILMED

DEC 10 1992

A3507114



10. Place of Use: Continued

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
07S	29E	9	SE NE		IRR	39.0

Section Acres 157.0

Total Acres 157.0

11. Place of use in counties: POWER

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:
PROPERTY IS LEASED TO PAUL KLASSEN.

15. Basis of Claim: LICENSE

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do not ✓ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Individuals:

I/We do solemnly swear or affirm that the statements contained in the foregoing document are true and correct.


Signature of Claimant(s): Raymond F Bayd Date: 3-20-90
_____ Date: _____

State of CALIFORNIA)
Idaho)
County of ALAMEDA) SS.

Subscribed and sworn (or affirmed) before me this 20TH day
of MARCH 19 90

James S. Song
Notary Public

Seal



Residing at NEWARK, CA
My Commission Expires 3/14/93

7119

12-199

A35-07114

BM

NORT

PLEASANT

VALLEY

4713

BM

4769

4772

4685

484

32

33

34

4761

4791

BM 4677

Cem

4801

4822

4792

4762

4680

4624

39

39

40

39

Well
4609
P.D.

Well
4585

Well
4587

Well
4551

Cem

CENTER

4552

4557

Well
4558

Well
4547

4529

4524

18

5

QUALITY REVIEW CHECKLIST FOR REPORT READY SRBA CLAIMS

	N/A	YES	NO	*
Does the name and address of the "owners" that will receive mail meet data entry standards? (Check the recommended right for compliance.)		☒		
Does the CVR contain information as to how the priority date was determined?		☒		
If the claim is based on beneficial use, is there an analysis of the evidence of priority submitted?	☒			
Is the stage code correct?		☒		
Did the reviewer <u>initial</u> the recommendation of the priority date?		☒		
Does the CVR contain information as to how the point of diversion was determined?		☒		
Did the reviewer <u>initial</u> the recommendation of the point of diversion, the source and the tributary?		☒		
Does the CVR contain a description of the system that includes information as to how the source and/or tributary were determined?			☒	
Does the CVR contain information as to how the place of use and number of acres (for irrigation rights) were determined?		☒		
Did the reviewer <u>initial</u> the recommendation of the place of use?		☒		
Does the CVR contain information as to how the nature of use was determined?			☒	
Does the CVR contain information as to how the season of use was determined?		☒		
If this right overlaps with other rights, was the overlap review completed?		☒		
Does the CVR contain information as to how the diversion rate was determined?		☒		
Does the CVR contain information as to how the diversion volume was determined?		☒		
Does the CVR contain information as to how the consumptive use volume was determined?		☒		
Did the reviewer <u>initial</u> the recommendation of the nature of use, the season of use, the diversion rate, the diversion volume and the consumptive use volume?		☒		
If the claim is based on a right that has conditions/remarks, have these conditions/remarks been considered in the recommendation?		☒		
Are all appropriate conditions/remarks included in the recommendation?		☒		
If remarks are included, are the remarks consistent with the "standard remarks" described in Adjudication Memo 32?		☒		
Was a split water right/diversion rate review completed?		☒		
If this claim is not being recommended, is the status code correct?		☒		
Does the reviewer's <u>signature</u> appear on the CVR?				
Has the "quicklook" page been completed?		☒		
If additional documents were used in the investigation of this right, are copies of those documents included in the file, or is there a reference to the identity and location of the documents?		☒		
Does the file contain a copy of the recommended right?		☒		

* See attachment for additional information or explanation.

Quality control review by EN date 3-22-94 Data entry changes by _____ date _____

State of Idaho
Department of Water Resources

WATER RIGHT LICENSE

License of Water Right No. 35-7114 Priority Feb. 2, 1970 Amount 2.40 cfs

THIS IS TO CERTIFY, that RAYMOND F. BOYD
of Aberdeen, Idaho, has complied with the terms and conditions of Permit
No. 35-7114 issued pursuant to Application for Permit dated February 2, 1970,
and has submitted proof to the Department of Water Resources on January 13, 1975,
that he has applied water to a beneficial use; an examination by the Department indicates that the works have a
capacity for the diversion of 2.40 cfs of water from a ground water source,
tributary to _____, and that the permit holder has applied to a beneficial use and
established a right to use water as follows:

Beneficial Use	Period of Use	Rate of Diversion	Annual Volume
<u>Irrigation</u>	from <u>April 15</u> to <u>Oct. 15</u>	at <u>2.40</u> cfs and	<u>549.5 acre feet or</u>
	from _____ to _____	at _____ cfs and	<u>3.5 af per acre</u>
	from _____ to _____	at _____ cfs and	

(both dates inclusive)

Subject, however, to the condition that no more than 2.40 cfs of water be diverted at any one time, and
that the amount of water so diverted and to which such right is entitled and confirmed is for the purpose
aforementioned and is limited to the amount which can actually be beneficially used and shall not exceed
549.5 acre feet per year, said waters to be diverted within the SE 1/4 NE 1/4 of Sec. 9,
Twp. 7 S, Rge. 29 E, B. M. in the County of Power

Description and location of place of use:

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
7 S	29 E	9	39	39	40	39													157

Total number of acres irrigated 157

A measuring device of a type approved by the Department shall be permanently
maintained as part of the diverting works.

NOTE: Modifications to or variance from this license must be made within the limits of Section 42-222, Idaho
Code, or the applicable Idaho Law. This right may be forfeited by five years of non-use.

The right to the use of the water hereby confirmed is restricted and appurtenant to the lands or place of use
herein described, as provided by the laws of Idaho.

Witness the seal and signature of the Director, affixed at Boise, Idaho, this 9 day of
October, 19 76.

Director

DEPARTMENT OF WATER ADMINISTRATION
FIELD REPORT

FIELD REPORT

1. Name of permit holder Raymond F. Boyd
Post office address c/o Paul Klassen, R.R. Box 157, Aberdeen, ID Phone _____
Person to contact _____ Phone _____

2. Source of water supply: Groundwater ☒ Surface water ☐ _____
(name spring, stream, etc.)
Tributary to _____

3. Water will be used for the following purposes:

Amount 2.7 c.f.s. for irrigation
AF/Annum (nature of use)

Period of Use: from Apr. 15 to Oct. 15
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum _____ (nature of use)

Period of Use: from _____ to _____
(mo.-day) inclusive (mo.-day)

Amount _____ c.f.s. for _____
 _____ AF/Annum (nature of use)

Period of Use: from _____ to _____
(ma.-day) inclusive (mo.-day)

Other uses:

4. Total amount to be appropriated:

Max Rate of Diversion 2.7 cubic feet per second and annual volume _____ AF/Annum.

- 5. Location of Point(s) of Diversion:**

Township 7S N/S, Range 29E E/W, B.M., Section 9, Subdivision SE $\frac{1}{4}$ NE $\frac{1}{4}$, Power
County

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ 1/4 _____ 1/4 _____
County _____
County _____

Township _____ N/S, Range _____ E/W, B.M., Section _____, Subdivision _____ $\frac{1}{4}$ _____ $\frac{1}{4}$ _____
County _____

Other Points of Diversions:


Description of diverting works: 10" column, 200 hp motor, well casing, 405' deep well, 330' lift.

Measuring device required: yes ☒ no ☐

6. Londs to be irrigoted or ploce of use.


[illegible]

TOTAL ACREAGE **160**



T
7
S

Diagram of System



DATE OF EXAM July 30, 1975

ACREAGE
Found 157
Recommended 157

Irrigation Requirement 3.5 Ac Ft/Ac

USE
Irrigation Q = 2.40 c.f.s. V = 549.5 AF/Ann. from Apr 15 to Oct 15
Domestic Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____
Livestock Q = _____ c.f.s. V = _____ AF/Ann. from _____ to _____

Is water co-mingled? yes _____ no ✓

Name source: W.A.
Twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Exchange? yes _____ no ✓

Name source exchanged with: W.A.
Twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of injection: W.A.
Twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Point of exchange: W.A.
Twp. _____ N/S, Rge _____ E/W, B.M., Sec. _____, Sub. _____ 1/4 _____ 1/4 _____ County _____

Total Q measured 2.40 cfs Method of measurement In line Meter

Total Q recommended 2.40 cfs Meter No. MO433598 Type Badger 10" Condition New

Total V recommended 549.5 AF/Ann

Recommended Amendments:

P.D. _____
Place of Use _____
Other _____
None X

MEASUREMENT CALCULATION:

$$Q = 1080 \text{ gal/min} = 2.40 \text{ cfs}$$

$$V = 157 \text{ A.} \times 3.5 = 549.5 \text{ AF/Ann}$$

SYSTEM DESCRIPTION:

U.S. Motors 200 Hp Ser# CC1006584
Johnson Pump Ser# G-B14381
10" discharge North To East - West MAIN buried
4 1/2 mi wheel lateral with 1/4" No.


REMARKS:

No other Water Rights for this ground

Examiner's Signature Bill Rhoads Date Sept 30, 1975

Checked by Loren O'Halloran Date Dec 18, 1975

Approved by _____ Date _____



32 33

33 34

34 35

6
191.1

F
141.4

D
31.7

A-257
B
20.4

A
151.3

E
1085

C
122.6

A
140.0

A-304
C
4.7

A
73.3

39

A
159.6

39

A-337
Boyd
(Klassen)

40

39

C
38.7

E
29.7

G
49.5

F
49.5

17 16

9 10
17 15



State of Idaho

DEPARTMENT OF WATER RESOURCES

1301 North Orchard Street, Statehouse Mail, Boise, Idaho 83720-9000

Phone: (208) 327-7900 FAX: (208) 327-7866

RECEIVED
NOV 25 1996
Department of Water Resources

**PHILIP E. BATT
GOVERNOR**

October 1, 1996

**KARL J. DREHER
DIRECTOR**

RAYMOND F BOYD
C/O PAUL KLASSEN
754 WASHBURN ST
~~Pocatello~~ ID 83202-1738

CHUBBUCK

Re: Snake River Basin Adjudication (SRBA)
Notice of Claim No. A35-07114
Change of Address

*'A' + 'R' records modified 11-26-96.
-ss*

Dear Claimant,

IDWR has been notified the address presently in our claim records is incorrect. Although we have reached you at the address above, we need you to confirm this is your correct mailing address. Future notices related to your SRBA claim can be sent only to the address on your claim or as otherwise changed by you. The staff of this agency must avoid relying upon the word of others about your mailing address.

If the address above is correct, please sign your name at the bottom of this letter, and return it to this office. Otherwise, please make the proper corrections, sign, and return this letter. Thank you for your help. We hope to assure that you receive future notices about SRBA matters.

If the ownership of the property to which the water right referenced above apply has changed, please call this office toll-free at 1-800/451-4129 to obtain a form to make this required change to the claim record.

Sincerely,

Adjudication Bureau Staff

SO:ss:region

#####

The address is correct as shown above or as otherwise changed.

Paul Klassen

Claimant Signature

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
1301 North Orchard Street, P.O. Box 83720
Boise, Idaho 83720-0098



RECEIVED
SEP 25 1996

Department of Water Resources

PAUL 923

✓ A35-07114
RAYMOND F BOYD
C/O PAUL KLASSEN
2923 W 1700 S AVE
ABERDEEN

ID 83210

PAUL 923 832103003 1495 09/20/96
FORWARD TIME EXP RTN TO SEND
KLASSEN, PAUL
754 WASHBURN ST
POCATELLO ID 83202-1738
RETURN TO SENDER

83210



MICROFILMED
NOV 15 1996