

Water Right Number - R35-07132

Prefix Translation: RESEARCH

Old (D) Number -

*** C - CURRENT OWNER ***
BARNES
Last Name - First Name - Address -
MYRON L.
1 - 973 WEST HWY 39
2 -
3 -
City- BLACKFOOT
Phone - 208-684-4175
State- ID zip- 83221

Priority Date - + 03/13/1970 + 15 EASTERN + L - LICENSE + Status -

Source - GROUNDWATER + Tributary -

Twn	Rng	Sec	Tract	Lot	Rflg	County	Point of Diversion	Stream Index (Blank if no Index Code)
03S	34E	4	NE NW	3		(11) BINGHAM		

Code	Description	Period From	Period To	Water Use	Diversion Rate	Diversion Volume
01 - IRRIGATION		04/01	10/31		0.600	120.00

+ - Total Div. Rate - + 0.600 + - Total Div. Volume - + 120.00 + - Total Consumptive Use - + ~~120.00~~ + - KW Usage - +

Twn	Rng	Sec	Tract	Lot	Acres	Code	Description	County
03S	34E	4	NE NW	3	30.0	01 IRRIGATION		(11) BINGHAM

Total Acres: 30.0

+ - Diversion Means - WELL, PUMP & MAINLINE TO LATERALS WITH SPRINKLERS

+ - Non-Irrigation Use - NONE

+ - Other Rights for Same Use - NONE

Remarks - No Remarks found.

Old Water Right Numbers - No Old Water Right Numbers found.

Conditions of Approval - No Conditions of Approval found.

Decree Plaintiff - Decree Defendant - Decree Date - 00/00/0000

Prefix Translation: RESEARCH

.....-Comments-.....
No Comments Found


Court Report Filing	-	00/00/0000	Field Inspection Made	-	00/00/0000	Civil Case Number	-	39576
Objection Filed Date	-	00/00/0000	Field Inspection Flag	-		Old Case Number	-	
Response Filed Date	-	00/00/0000	Verified Date	-	01/03/1992	Old Judicial District	-	
Claim Received Date	-	01/19/1989	Last Amended Date	-	00/00/0000	Temporary Right	-	P
Proof Due Date	-	00/00/0000	Proof Made Date	-	00/00/0000	Water District	-	
Licensed Date	-	00/00/0000	Receipt Number	-	E005551	Federal/State Indicator	-	S
Claims Tape Error Flag	-		POU Ownership Flag	-	Y	Presumption Flag	-	
Fee Exempt Flag	-		Name Connector	-		Notice of Error Flag	-	

IDAHO DEPARTMENT OF WATER RESOURCES

MYRON L. BARNES

Water Right No(s).

35-07132



0 1320 Feet


Township(s) 3S, Range(s) 34E
Section(s) 4

● Point of Diversion
Location

Place of Use
Boundary

Section Lines

Quarter/Quarter Lines



GIS Place of Use Illustration
1987/1988 NAPP Photography
Prepared by: Greg Taylor
Date: May 26, 1998

Verified in office
11/26/81

POINT OF DIVERSION R34E

School

Cemetery

PLACE OF USE

T2S
T3S

Plane R

35-07132

STATE OF IOWA
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

12:40:46
10/24/91

PAGE: 1
GENERAL INFORMATION

CLAIM NUMBER: A35-07132

NAME: JAMES

FIRST: MYRON L.

ADDRESS: 375 WEST HWY 59

CITY: BLAUGUST

STATE: ID

ZIP: 83221

PHONE NUMBER: 208-584-4173

OWNER CODE: C

FIELD EXAM REQUESTED?

DATE: 10/23/91

FIELD EXAMINER

VERIFICATION REQUIRED DUE TO REMARKS?

RE REMARKS IN CLAIM

FIELD EXAMINATION INFORMATION

CONTACT PERSON:

PHONE NUMBER: () -

DATE OF FIELD EXAM: / /

APPOINTMENT MADE: Y () N ()

TIME: : A () P ()

ACCOMPANIED BY:

PHONE NUMBER: () -

RELATIONSHIP TO CLAIMANT:

DIRECTIONS TO PROPERTY / REMARKS:

1. AD CLAIM: # 435-07132 PRIORITY DATE: 03-15-1970 STAGE: L
2. WR RECEIVED: # 35-07132 PRIORITY DATE: 03-15-1970 STAGE: L

3. FIELD EXAM REQUIRED?

DATE TO PRIORITY DATE DISCREPANCY? (Y/N) N DATABASE FIELD EXAMINER

ARE THERE USPTO'S REASONS TO QUESTION THE PRIORITY DATE CLAIMED? () NO (X) YES EXPLAIN.

REMARKS:

RECOMMENDED PRIORITY DATE:
03-15-1970

REVIEWED BY

AP

DATE

11/24/91

• AD CLAIM POINT OF DISCREPANCY AND SOURCE:

RIGHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
35-07132	035	34E	4		NE	WN	2	SINGHAM

OTHER AD CLAIMS WITH SAME AD POB
1 PREFIX 2 PREFIX
NONE NONE

40 RECORDS IN SAME 40 ACRE TRACT

SOURCE: GROUNDWATER

TOT3:

• WR POINT OF DISCREPANCY AND SOURCE:

RISHT	TWP.	RGE.	SEC.	1/4	1/4	1/4	LOT	CNTY
35-07132	035	34E	4		NE	WN		SINGHAM

OTHER WR RECORDS WITH SAME WR POB

40 CLAIMS IN SAME 40 ACRE TRACT
1 PREFIX 2 PREFIX

NAME 435-11096 NONE

SOURCE: GROUNDWATER

TOT3:

• FIELD EXAM REQUIRED?

DUE TO POB DISCREPANCY?	(Y/N)	DATE	FIELD EXAMINER
DUE TO SOURCE DISCREPANCY?	(Y/N)		

REMARKS:

No change per license, OO, and survey maps.
PD is in lot 3

RECOMMENDED POINT(S) OF DIVERSION AND SOURCE: 1/4 1/4 LOT COUNTY

N

TH? Rse. J.C.

NO CHANGE

SOURCE: 6 ROUNDWATER

TR18:

REVIEWED BY: *AL*

DATE: 11/26/12

4. ADJUTANT GENERAL NUMBERS: A35-07132

5. JOB LISTING

JOB NO.	SEC	1/4	1/4	LOT	NAME	ADJ #/ACRES	AG #/ACRES	LANDSAT DATA	FIELD EXAM.	RECOMM. ACRES
35-07132	4	NE	NE	3	BARNES, MYRON L.	45-07132 / 50.0	-	-	30	30
		NE	NE	3	STANLEY, LAWRENCE	45-1202 / 5.0	-	-		
		NE	NE	3	BARNES, MYRON L.	45-1202 /	-	-		
		NE	NE	3	BARNES, MYRON L.	45-1202 /	-	-		
		NE	NE	3	BARNES, MYRON L.	45-1202 /	-	-		
		NE	NE	3	BARNES, MYRON L.	45-1202 /	-	-		
		NE	NE	3	BARNES, MYRON L.	45-1202 /	-	-		
		NE	NE	3	BARNES, MYRON L.	45-1202 /	-	-		
		NE	NE	3	BARNES, MYRON L.	45-1202 /	-	-		
		NE	NE	3	BARNES, MYRON L.	45-1202 /	-	-		

TOTAL ACRES 45-07132 30.00 41.00

ADJUTANT GENERAL NUMBERS FOUND IN TRACTS OTHER THAN INDICATED ABOVE: Y () N (✓)

6. FIELD EXAM REQUIRED?

USE TO PBJ DISCREPANCY? (Y/N)

DATE EXAMINER
 Y N

PRESUMPTION FLAG:

REMARKS:

NO CHANGE Per AGCS photo, OQ, NAPP

RECOMMENDATIONS:

TOTAL ACRES: 30.0

REVIEWED BY: *[Signature]*

DATE: 11/26/94

1. NO CLAIMED USES:

PURPOSES MONTH/DAY DIVERSION QUANTITY
A35-07132 TREATMENT RQ1 04-01 TO 11-02 .500 CFS

TOTAL DIVERSION RATE/VOLUME CLAIMED .600 CFS

2. NR RECORDED USES:

PURPOSES MONTH/DAY DIVERSION QUANTITY
A35-07132 IRRIGATION RQ1 04-01 TO 10-15 .500 CFS
105.00 AF/A

TOTAL DIVERSION RATE/VOLUME CLAIMED .500 CFS 105.00 AF/A

PRESCRIPTION FLAG:

3. FIELD EXAM REQUIRED?

	FIELD	EXAMINER
DUE TO DATE-JSE DISCREPANCY?	(Y/N)	N
DUE TO DIVERSION RATE DISCREPANCY?	(Y/N)	N
DUE TO PERIOD FROM/TO DISCREPANCY?	(Y/N)	Y

4. PERIOD OF USE:

RECOMMEND AS CLAIMED?

RECOMMEND TO HQ STANDARDS OR OTHER? ☒ Y ☐ N ☐ EXPLAIN IN REMARKS, BELOW.

REMARKS:

4-1 to 10-31 per WR studs as of 12-18-91

A. DOES DIVERSION RATE CLAIMED AGREE WITH EXISTING RECORDS? Y () N ()

AD TOTAL CLAIMED DIVERSION RATE: 0.500 CFS
AD NEXT RIGHT TOTAL DIVERSION RATE: 0.500 CFS

*** IF NO OR IF STATUTORY CLAIM OR BENEFICIAL USE THEN FLOW MEASUREMENT REQUIRED. ***
** IF AN AMOUNT SMALLER THAN THE ORIGINAL DIVERSION RATE IS **
** CLAIMED AND AN EXAM IS NOT REQUIRED, EXPLAIN IN REMARKS. **

FLOW MEASUREMENT REQUIRED? FIELD
DUE TO STAGE OR DIVERSION RATE DISCREPANCY? (Y/N) Y N DATABASE EXAMINER

B. FLOW MEASUREMENT METHOD FLOW MEASUREMENT
MEASUREMENT METHOD _____, SEE ATTACHED CALCULATIONS.

C. ARE OTHER WATER RIGHTS USED? Y () N () IF YES COMPLETE OVERLAP REVIEW.
OTHER RIGHTS LISTED IN CLAIM: NONE

LIST ALL RIGHTS WITH A SAME POW AND IRRIGATION USAGE:

CLAIM	SOURCE	NAME	DIV. RATE	RATE/ACRE	DIV. VOL.	DIV. VOL./ACRE
A55-01132	GROUNDWATER	BARNES, MYRON L.	0.500	0.020		
A55-12202	GROUNDWATER	STANDER, LAWRENCE	0.100	0.020		

LIST ALL RIGHTS WITH SAME POW BUT NOT USED FOR IRRIGATION.

CLAIM NO.	PURPOSES	NAME	MONTH/DAY	RATE	VOLUME
A55-11095	DOMESTIC	BARNES, MYRON L.	FROM 01-01 TO 12-31	0.040 CFS	
A55-11096	STOCKWATER	BARNES, MYRON L.	FROM 01-01 TO 12-31	0.020 CFS	

04

DATE/VOLUME CALCULATIONS: (IRRIGATION)

12. IRRIGATION RATE

AREA 30 X 0.02 CFS/ACRE = 0.60 CFS
(TAKEN FROM P/9 REVIEW)

13. CALCULATIONS

DUES AMOUNT CLAIMED EXCEEDS 0.02 CFS/ACRE? Y() N(X)

ADD IF YES ADDITIONAL WATER USE FORM FILED AND ATTACHED? Y() N() YES

2. IRRIGATION CONSUMPTIVE USE

CLAIMED CONSUMPTIVE USE = 30.0 AF/A

AREA 30 X CONSUMPTIVE VOL. AF/A FOR AREA 3.0 =

TOTAL CONSUMPTIVE USE 30.0 AF/A

3. IRRIGATION DIVERSION VOLUME

CLAIMED DIVERSION VOLUME = 4.0 AF/A

AREA 30 X DIVERSION VOL. AF/A FOR AREA 3.0 =

TOTAL DIVERSION VOLUME 105.0 AF/A
120.0

4. CALCULATIONS FOR USES OTHER THAN IRRIGATION:

SEE ATTACHED SHEET? Y() N(X)

REMARKS: (INCLUDE LIMITATIONS ON CONSUMPTIVE USE FOR COMBINED RIGHTS.)

RECOMMENDATIONS:

REC. PERIOD	REC. DLY	REC. DLY	REC. CONS.
PURPOSES	TO	RATE CF,	USE
10-31	10-31	0.630	90.0
10-31	10-31	0.630	90.0
TOTAL FOR THIS RIGHT		0.630	90.0

DATE: 11/26/91

REVIEWED BY: *edj*

2. CHECK ONLY THE FOLLOWING THAT APPLY:

OWNERSHIP _____
FORFEIT/ABANDON _____
ADDITIONAL DIV. NUMBER _____

ACCEPTED AS CLAIMED ()
NEEDS REVIEW ()
()
()

3. SPLIT WATER RIGHT REVIEW

ROOT WATER RIGHT NUMBER: 35-07132
TOTAL DIVERSION RATE OF 4R SPLITS 0.600
DATABASE 0.600
EXAMINER
CFS

SPLITS:

OLD RIGHT NUMBERS	CURRENT CLAIM NUMBERS	DIVERSION RATE	CURRENT "R" CLAIM NUM.	"R" DIV. RATE	WR RIGHT NUMBERS	DIVERSION RATE
-	435-07132	0.600	-	-	35-07132	0.600

TOTAL CFS

0.600

0.600

DIVERSION RATE REVIEW

DO THE SUM CFS RATE OF THE SPLITS EQUAL THE ROOT RIGHT CFS RATE? (Y/N)
IF NO, IS THE WRITTEN REVIEW SHEET ATTACHED? (Y/N)

DATABASE Y
FIELD EXAMINER

REMARKS:

Play

AUTHENTICATION:

SIGNATURE: *[Signature]* DATE: 11/26/81

NAME OF FIELD EXAMINER: *GT Taylor* TITLE: *Water Agent*

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM VERIFICATION REPORT

12:43:46
10/26/91

PAGE: 11
SUBALOOK INFORMATION

CLAIM NUMBER: 835-77132

CLAIM ELEMENT	FIELD EXAM Y/N	CORRESPONDENCE SENT/RECEIVED BY WHOM/DATE	CHANGE CLAIM Y/N	VERIFIED BY CODE	COMPLETED REVIEW WHOM/DATE	COMPLETED DATA ENTRY WHOM/DATE	VERIFIED DATE WHOM/DATE
PRIORITY DATE							
POINT OF VIEW	Y	11/26/91			11/26/91 GIT	1-3-92 GIT	1-3-92 GIT
SOURCE		CH. J.	N	1, 2, 4, L			
PLACE OF USE	Y	11/26/91	N	4, 2, 4, L			
220V, AMOUNT OF 3/4 VOLUME							
CONSUMPTIVE USE	-						
PURPOSES							
PERIOD OF USE	Y	10-19-91					
SUBSIS OF CLAIM		CH. J.	Y	4, 2, 4, L			
REMARKS							

"VERIFIED BY" CODES

FDPB HSP/DRT-HS-PO = 1
ISCS MAP = 2
4AREMASTER RECORDS = 3
NAPP PHOTOS = 4
FIELD EXAM = 5
OTHER (SEE REMARKS) = 6

THESE CODES ARE USED TO INDICATE HOW THE FIELD EXAMINER VERIFIED THE INFORMATION
USED FOR THIS FIELD EXAMINATION. INDICATED ARE ALL CODES WHICH APPLY.

