

HALFHIDE PIN 50N03W-05-3450



Parcel No. 52 N03W-05-3400 Code Area

Name/Address Ward

H 2 Rent \$135/Mo

IDAHO RESIDENTIAL PROPERTY RECORD		SHEET NO.	
MISCELLANEOUS DATA		VALUES SUMMARY	
CLASS	<u>2</u>	YEAR	YEAR
USE CODE		RESIDENCE	\$ <u>7389</u>
MARKET GRADE		GARAGE	\$ <u>1318</u>
SHAPE CODE	<u>A</u>	CARPORT	\$
YEAR BUILT	<u>1943</u>	OTHER IMPROV.	\$ <u>541</u>
YEAR REMODELED		TOTAL IMPROV.	\$ <u>9248</u>
EFFECTIVE AGE	<u>42</u>	LAND	\$
ZONING CODE		MARKET VALUE	\$
DATE OCCUPIED			
PURCHASE INFORMATION			
PREBUILT	YES NO	PRICE	DATE
BUILDING PERMIT		PRICE	DATE
INTERIOR INSPECT.		PRICE	DATE
UNDER CONSTRUCT		RENT	PER DATE
% COMPLETE	%		
PHOTO NO.			

6-3-88
52 and detached garage
now burned down

Sales Analysis
H2
S-2 / 9/8
Converted to
uninhabitable
4/11/78

NEIGHBORHOOD		OFF-SITE IMPROVEMENTS		WATER FRONT PROPERTY	
1 URBAN	PROPERTY VALUES:	STREET:	5 ASPHALT/CONCRETE	1 LAKE	6 BEACH:
2 SUBURBAN	8 STABLE	2 NONE	6 GRAVEL/DIRT	2 RIVER / CREEK	None P F A G E
3 RURAL	7 IMPROVING	3 PUBLIC ACCESS	7 SIDEWALKS	3 ACCRETION	7 GRADE:
4 RECREATIONAL	8 DECLINING	4 PRIVATE ACCESS	8 CURB/GUTTERS	4 BLUFF LAND	P F A G E
5		50		5 FLOOD PLAIN	
ON SITE UTILITIES		SITE ADJUSTMENTS		SUBJECT DIMENSIONS	
1 ELECTRICITY	5 PUBLIC WATER	1 Location	5 Width	Eff. Frontage	Depth
2 GAS	6 PRIVATE WELL	2 Access	6 Depth	Other	
3 UNDER GROUND	7 PUBLIC SEWER	3 View	7 Plottage	COMPOSITE ADJUSTMENT	
4 CABLE TV	8 SEPTIC SYSTEM	4 Topography	8 Beach	Front Foot	LF X \$ = \$
50		TOTAL FACTOR: %		Square Foot	Q X \$ = \$
REMARKS		MARKET DATA		Acres/Site	A X \$ = \$
		Std. Unit	\$	TOTAL FACTOR %	
		COMPARABLES:		\$	
				Other \$	
				LAND VALUE \$	

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Administration within 30 days after the completion or abandonment of the well.

RECEIVED

[illegible]

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORTState law requires that this report be filed with the Director, Department of Water Resources
within 30 days after the completion or abandonment of the well.USE TYPEWRITER OR
BALLPOINT PEN

1. WELL OWNER Name <u>Mr. & Mrs Douglas Higley</u> Address <u>E. 3206 Thomas Lane CDA, Idaho 83814</u> Owner's Permit No. <u>95-74-N-38-1</u>		7. WATER LEVEL Static water level <u>25</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>cold</u> °F. Quality <u>good</u> <i>Describe artesian or temperature zones below.</i>																																			
2. NATURE OF WORK ☐ New well ☒ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td>5 to 6 G.P.M.</td><td></td><td></td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	5 to 6 G.P.M.																														
Discharge G.P.M.	Pumping Level	Hours Pumped																																			
5 to 6 G.P.M.																																					
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		9. LITHOLOGIC LOG <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th colspan="2">Water</th></tr><tr><th>From</th><th>To</th><th>Yes</th><th>No</th></tr></thead><tbody><tr><td>6</td><td>55</td><td>90</td><td>soft shale</td><td></td><td>X</td></tr><tr><td>6</td><td>90</td><td>140</td><td>firm black shale</td><td></td><td>X</td></tr><tr><td>6</td><td>140</td><td>201</td><td>black & gray seams</td><td></td><td>X</td></tr><tr><td>6</td><td>201</td><td>265</td><td>black & gray</td><td>X</td><td></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water		From	To	Yes	No	6	55	90	soft shale		X	6	90	140	firm black shale		X	6	140	201	black & gray seams		X	6	201	265	black & gray	X	
Bore Diam.	Depth		Material		Water																																
	From	To		Yes	No																																
6	55	90	soft shale		X																																
6	90	140	firm black shale		X																																
6	140	201	black & gray seams		X																																
6	201	265	black & gray	X																																	
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		RECEIVED SEP 1983 Department of Water Resources Northern District Office																																			
5. WELL CONSTRUCTION Casing schedule: ☐ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☐ Yes ☐ No Was a packer or seal used? ☐ Yes ☐ No Perforated? ☐ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1"><thead><tr><th>Number</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ perforations</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Well screen installed? ☐ Yes ☐ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth _____ Material used in seal: ☐ Cement grout ☐ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☐ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____				Thickness	Diameter	From	To	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet	_____ perforations	_____ feet	_____ feet		
Thickness	Diameter			From	To																																
_____ inches	_____ inches			_____ feet	_____ feet																																
_____ inches	_____ inches			_____ feet	_____ feet																																
_____ inches	_____ inches			_____ feet	_____ feet																																
_____ inches	_____ inches			_____ feet	_____ feet																																
Number	From			To																																	
_____ perforations	_____ feet			_____ feet																																	
_____ perforations	_____ feet			_____ feet																																	
_____ perforations	_____ feet	_____ feet																																			
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. <table border="1"><tr><td>N</td><td></td><td></td></tr><tr><td>W</td><td></td><td>E</td></tr><tr><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td></tr></table> County <u>Kootenai</u> Subdivision Name _____ Lot No. _____ Block No. _____ NW 1/4 NW 1/4 Sec. 5 T. 50N N/S, R. 3W E/W.		N			W		E				S			10. Work started <u>8/15/83</u> finished <u>8/15/83</u>																							
N																																					
W		E																																			
S																																					
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Murphy Drilling Co.</u> Firm No. <u>269</u> Address <u>P.O. Box 430</u> <u>Greenacres, Wa. 99010</u> Date <u>8/29/83</u> Signed by (Firm Official) <u>BO Murphy</u> and (Operator) <u>BO Murphy</u>																																					