

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE SNAKE RIVER BASIN WATER SYSTEM.

CIVIL CASE NUMBER: 39576

Ident. Number: A63-03215
Date Received: ~~3/16/1990~~ 3-20-90
Receipt No: WD11518
Received By: _____

RECEIVED

MAR 20 1990

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

Department of Water Resources

Western Regional Office

1. Name: IDAHO CONCRETE COMPANY

208-459-6311

Address: C/O TIM JOHNSON
PO BOX 670
CALDWELL, ID

83606

2. Date of Priority: SEP 08, 1960

3. Source: GROUNDWATER

Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of	1/4 of	1/4 of	Lot	County
04N	03W	21		NE	NW		CANYON
				NW	NW	3	CANYON

5. Description of diverting works:
70' DEEP, 12 " CS

6. Water is used for the following purposes:

Purpose	From	To	C.F.S.	(or)	A.F.A.
INDUSTRIAL	01/01	12/31	0.220		
DOMESTIC	01/01	12/31	0.020		

7. Total Quantity Appropriated is:
0.220 C.F.S. (and/or)

A.F.A.

8. Total consumptive use is

Acre Feet Per Annum.

9. Non-irrigation uses:

I/CONCRETE PLANT, DOMESTIC-RESTROOMS IN PLANT

A63-03215

Page

1

Date: 03/16/90

MICROFILMED
AUG 18 1992

10. Place of Use:

Township	Range	Section	1/4 of	1/4	Lot	Use	Acres
04N	03W	21	NW	NW	3	INDUST	

11. Place of use in counties: CANYON

12. Do you own the property listed above as place of use? YES

13. Other Water Rights Used:
NONE

14. Remarks:

SUPPLEMENTAL WELL DRILLED IN APPROXIMATELY 1963 AND IS HOOKED UP TO THE SAME SYSTEM. 85' DEEP, 12" CS. THIS WELL IS LOCATED IN THE NE1/4NW1/4 OF SECTION 21.
ALTERNATE PHONE NUMBER=888-1133.
ADDED THE DOMESTIC USAGE WHICH HAS BEEN IN USE SINCE THE PRIORITY DATE OF THIS WATER RIGHT. NO ADDITIONAL WATER.

15. Basis of Claim: LICENSE
Water Right Number: 29025

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Snake River Basin Adjudication." (b.) I/We do X do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 1

For Organizations:

I do solemnly swear or affirm that I am Sec/Trea of

Idaho Concrete Company, that I have signed the foregoing
Organization
document in the space below as Sec/Trea of

Idaho Concrete Company and that the statements contained in the
Organization
foregoing document are true and correct.

James B. Johnson
Signature of Authorized Agent

Sec/Trea Idaho Concrete Company
Title and Organization

3-19-90
Date

State of Idaho)
County of Canyon) SS.

Subscribed and sworn (or affirmed) before me this 19 day

of March 19 90

Leotis McCoshum
Notary Public


Seal

Residing at Caldwell

My Commission Expires 1-5-1994


T 4N, R 3W, Sec 21, NW NW

A63 03215



STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGIONAL OFFICE
2735 AIRPORT WAY
BOISE, IDAHO 83705

ADDRESS SERVICE
REQUESTED



UNITED STATES POSTAGE
02 1A
\$01.11
0004385333 FEB 02
MAILED FROM ZIP CODE 83705

FIRST CLASS

RECEIVED
FEB 06 2007
WATER RESOURCES
WESTERN REGION

DELIVERED TO ADDRESSEE
ADDRESSED TO ADDRESSEE
SERIALIZED

DELIVERED TO ADDRESSEE
ADDRESSED TO ADDRESSEE
SERIALIZED


519-5000

63-3215
63-3216

0

ADDRESS SERVICE
REQUESTED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WESTERN REGIONAL OFFICE
2735 AIRPORT BLVD
BOISE, IDAHO 83705



RECEIVED

001 12 15

WATER RESOURCES
WESTERN REGION

IDAHO CONCRETE CO
670 KIRK BLVD
421 ROEDER AVE
CALDWELL, IDAHO 83405

63-3215
3216

06/26/2006

IDAHO DEPARTMENT OF WATER RESOURCES
PRELIMINARY RECOMMENDATION OF WATER RIGHTS ACQUIRED UNDER STATE LAW

RIGHT NUMBER: 63-3215

NAME AND ADDRESS: IDAHO CONCRETE CO
C/O KIRK ELLINGFORD
421 ROEDEL AVE
CALDWELL ID 83605

SOURCE: GROUND WATER

TRIBUTARY:

QUANTITY: 0.220 CFS
23.000 AFY

PRIORITY DATE: 09/08/1960

POINT OF DIVERSION:

T04N R03W S21 NWNW Lot 3 Within CANYON County

PURPOSE AND
PERIOD OF USE:

PURPOSE OF USE

PERIOD OF USE

QUANTITY

INDUSTRIAL

01/01 12/31

0.220 CFS
23.00 AFY

PLACE OF USE: INDUSTRIAL Within CANYON County

T04N R03W S21 Lot 3 NWNW

OTHER PROVISIONS NECESSARY FOR DEFINITION OR ADMINISTRATION OF THIS WATER RIGHT:

This partial decree is subject to such general provisions necessary for the definition of the rights or for the efficient administration of the water rights as may be ultimately determined by the Court at a point in time no later than the entry of a final unified decree. Section 42-1412(6), Idaho Code.

EXPLANATORY MATERIAL: BASIS OF CLAIM - License

Industrial use is in a ready mix concrete batch plant.

Idaho Department of Water Resources

T04N, R03W, SEC 21

Claim No: 63-3215

Prepared By: Kimberly Brown

Date: June 26, 2006



Place of Use




Section Lines



1/4 1/4



Point of Diversion



Water license No. G-29025

Page 1

IDAHO DEPARTMENT OF WATER RESOURCES

Adjudication Claim Report 63-3215

WATER RIGHT NUMBER: 63-3215 ✓

Owner Type

Original Owner

Name and Address

UTAH IDAHO CONCRETE PIPE CO INC ✓
PO BOX 972
NAMPA, ID 83651

Current Owner

IDAHO CONCRETE CO *According to the Change in Address:*
C/O TIM JOHNSON Kirk Ellingford
~~PO BOX 670~~ 421 Roedel Ave.
CALDWELL, ID 83606
(208) 459-6311 5

2005 Canyon
County tax lot data
Current Owner:

Naomi A. Jackson, et al
P.O. Box 670
Caldwell 83606

Priority Date: 09/08/1960 ✓

Basis: License ✓

Status: Active

Source

GROUND WATER ✓

Tributary

Beneficial Use

INDUSTRIAL ✓

From To

1/01 to 12/31

Diversion Rate

0.220 CFS ✓

Annual Volume

23.0 AF

~~DOMESTIC (not lic.)~~

1/01 to 12/31

0.020 CFS ✓

Total Diversion:

0.220 CFS ✓

23.0 AF

Location of Point(s) of Diversion

~~GROUND WATER~~

Govt. Lot 2

NE 1/4 NW 1/4

(not lic.)

Sec. 21, Twp 04N, Rge 03W, B.M.

#3 well

CANYON County

GROUND WATER

L3 (NW 1/4 NW 1/4) ✓

Sec. 21, Twp 04N, Rge 03W, B.M. ✓

Well #2

CANYON County

Place of Use

INDUSTRIAL ✓

* 2 PODs claimed - 1 lic.

Twps Rge Sec

04N 03W 21

NE

NW

SE

SW

NE

NW

SE

SW

NE

NW

SE

SW

NE

NW

SE

SW

NE

NW

SE

SW

Totals

NE

NW

SE

SW

~~DOMESTIC~~ same as INDUSTRIAL

Parcel No: R35073000000

Conditions of Approval:

1.

SUPPLEMENTAL WELL DRILLED IN APPROXIMATELY 1963 AND IS HOOKED UP TO THE SAME SYSTEM. 85' DEEP, 12" CS. THIS WELL IS LOCATED IN THE NE 1/4 NW 1/4 OF SECTION 21.

ALTERNATE PHONE NUMBER=888-1133.

ADDED THE DOMESTIC USAGE WHICH HAS BEEN IN USE SINCE THE PRIORITY DATE OF THIS WATER RIGHT. NO ADDITIONAL WATER.

ADD - Industrial use is for a ready mix concrete batch plant.

~~ADD XOI - Domestic use is for concrete plant's restrooms.~~

Field Exam Date 6.26.06

(in-office review)

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
ADJUDICATION FIELD REPORT

Prior to Field Exam

- ☒ Copy of Claim, claim has been signed, sealed, and dated by notary?
- ☒ Check fees paid \$72.00
- ☐ Well logs (if needed)
- ☒ Copy of topo or NAPP
- ☒ Check of Govt. Lots, if needed, Govt. Plat/Tax lot information
- ☒ Check POD & POU overlap, see below - include overlapping right for exam
- ☐ Evidence of Priority - if none, talk with claimant N/A

CLAIMANT INFORMATION - verify contact information is complete

Claim No(s) A63-3215

Owner: ID Concrete Co. Phone No. 459-6311

Current Address: c/o Tim Johnson, P.O. Box 670, Caldwell

- ☒ No change NAME IS THE SAME
- ☒ NEW OWNER Naomi Jackson, et al / P.O. Box 670 Caldwell
- ☐ No change Address
- ☐ NEW ADDRESS (change in address form) c/o Kirk Ellingford 421 Roedel Ave. 83605
- ☐ How long owned property?

Accompanied by: N/A

PRIORITY DATE

- ☒ No change - Complete evidence submitted or not necessary
- ☐ Incomplete - Claimant should be asked when water was first used and submit proof of date.
- ☒ Priority date is acceptable/within mandatory filing dates?

Priority date, per claimant, is: 09/08/60

(If priority date, based on your exam, seems questionable, explain below.)

Source: Ground Water Tributary to _____

- ☒ No Change - SAME SOURCE
- ☐ Source found is different than claimed: _____

POINT OF DIVERSION

- ☐ No change
- ☒ POD found is different than claimed: unable to recommend domestic well in NENW
- ☐ If different, when did POD change? _____

"Well"
#2

Only the ¹ well in the NWNW, S21 was licensed; but another well in the NENW, S21 was claimed. I found a Well Driller's Report in our files for an ^{new} Idaho Concrete domestic well in lot 2.

drilled in 1972. When I met with Kirk Ellingford on 6/20/06, he said he would speak with some of the long-time employees to make sure there was no pre-existing domestic well prior to 1972. When Mr. Ellingford came back to the office on 06/22/06, he said that Jerry Hall verified that there was no pre-existing well, since the shop was built in the 1970's (see conversation memos). Because the domestic well in the NE HW, S21 was not licensed & was drilled in 1972, I cannot recommend it on this claim.

DIVERSION AND DELIVERY SYSTEM Points of Diversion:

ID #	Govt Lot #	1/4	1/4	1/4	Sec.	Twp.	Rge.	County	Method of Determination/Remarks
	3		NW	NW	21	4N	3W		GPS ID (only)

Description of diverting works

See Report of Engineer.

85' deep, 12" casing

OVERLAP REVIEW

Other water rights with the same point of diversion: None

Does overlap add acres or uses to existing system, increase rate of flow or volume, or other? Explain:

WATER USES

☐ No change

☐ Different Uses

Use Industrial From _____ To _____ Amount _____ CFS 23.0 AFA

Use _____ From _____ To _____ Amount _____ CFS _____ AFA

Use _____ From _____ To _____ Amount _____ CFS _____ AFA

TOTAL VOLUME - Groundwater only

☒ Incomplete on claim, the total is, Amount _____ CFS 23.0 AFA

☐ Changes found, the new total is, Amount _____ CFS _____ AFA

☐ More than 1" per Acre? Yes _____ (claimant must complete excess flow sheet)

NON-IRRIGATION USES:

☐ No change

☐ Changes Exam found: Domestic # of homes _____ Stock # _____

Types _____ Additional comments: _____

PLACE OF USE:

☐ No Change

☒ Changes shown below:

Domestic use in the NENW (for "the shop") will not be recommended.

Parcel No: R 35073 00000. (36.7-40.7 AC)

Volume:

$0.22 \text{ cfs} \times 1.9835 \times 312 \text{ days} = 136.1 \text{ AFA}$ (V) $24,000 \text{ gal/day} \times 312 \text{ days/yr}$

$325,850 \text{ AF} = 22.97$

$\Rightarrow 23.0 \text{ AFA}$

AFTER EXAM THE FILE SHOULD CONTAIN:

- ☒ Completed claim checklist
- ☐ Photographs of POD's and POU
- ☐ GPS readings
- ☒ Completed map and or GIS layout showing POD's and POU

DATE EXAM CONDUCTED: _____

6.26.06

(in-office review)

FIELD EXAMINER: _____

Kimberly Brown

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-3215

WATER RIGHT NUMBER: 63-3215

<u>Owner Type</u>	<u>Name and Address</u>
Current Owner	UTAH IDAHO CONCRETE PIPE CO INC PO BOX 972 NAMPA, ID 83651

Priority Date: 09/08/1960

Basis: License

Status: Active

<u>Source</u>	<u>Tributary</u>
GROUND WATER	

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
INDUSTRIAL	/ to /	0.220 CFS	
	<u>Total Diversion:</u>	0.220 CFS	

Location of Point(s) of Diversion

GROUND WATER	L3 (NW1/4NW1/4)	Sec. 21, Twp 04N, Rge 03W, B.M.
CANYON County		

Place of Use

INDUSTRIAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	03W	21						X											
								L 3											

Conditions of Approval:Remarks:Comments:

WELL DRILLER'S REPORT

State law requires that this report be filed with the State Reclamation Engineer within 30 days after completion or abandonment of the well.

REF

[illegible]

**WELL LOG AND REPORT TO THE
STATE RECLAMATION ENGINEER OF IDAHO**

026387

RECEIVED
NOV 22 1960

Log Department of Reclamation

Rec. _____, 19____

Well No. _____

Permit No. _____

(DO NOT FILL IN)

Owner Idaho Concrete Pipe Co. Address 222 Caldwell Bl. Nampa Idaho

Driller Francis Veach Address 226 E. Pine Lic. No. _____

Location of Well: 1/4 m. W. of Caldwell on Wilder Highway 1/4 m. N. R. 3 NW Canyon County, _____

and _____ feet N/S, and _____ feet E/W from _____ Corner of _____ 1/4 Sec.

Size of Drilled Hole 6" Total depth of Well 325'

Give depth of standing water from surface top of ground Water Temp. 52° Fahrenheit

On pumping test delivery was 100 gal. g.p.m. or _____ c.f.s. Drawdown was 20' feet.

Size of pump and motor used to make the test air compressor

Length of time pumped during check was 22 hr., _____ minutes.

If flowing well, give flow in c.f.s. _____ or g.p.m. _____ and shut in pressure _____

If flowing well, describe control works _____

(TYPE AND SIZE OF VALVE, ETC.)

Water will be used for m/c concrete Weight of casing per linear foot _____

Thickness of casing 3/8" Casing material steel

E.G., PIPE, CONCRETE, WOOD.

Diameter, length and location of casing 6" diameter - 315' length - top to 315'
(CASING 12" IN DIAMETER AND UNDER GIVE INSIDE DIAMETER;
CASING OVER 12" IN DIAMETER GIVE OUTSIDE DIAMETER.)

Number and size of perforations _____ located _____ feet to _____ feet
from surface of ground.

Other perforations _____

Date of commencement of well March 31 Date of completion of well April 27

Type of well rig 71 Star

CASING RECORD

DIAM. CASING	FROM FEET	TO FEET	LENGTH	"REMARKS" -- SEALS, GROUTING, ETC.

GENERAL INFORMATION—Pumping Test, Quality of Water, Etc.

6" Johnson brass well screen from 315' to 325'

S. 21 4N 3W

Lot 3 -
NW NW

026388

WELL LOG

From Feet	To Feet	Type of Material	Drilling Time		Water-bearing Formation Ans. Yes or No	Casing Perforated Ans. Yes or No
			Hrs.	Min.		
1	25	gravel			Yes	
25	80	layers of yellow clay			No	
80	98	strat. of blue clay			"	
98	135	fine gray sand.			little Yes	
135	140	coarse sand with little water.			"	
140	147	sandy clay			No	
147	163	clean fine sand			little Yes	
163	190	clay			No	
190	206	clay & sand.			"	
206	214	clay			"	
214	219	sand (fine)			little Yes	
219	233	sandy clay			No	
233	262	blue clay			No	
262	296	sticky yellow clay			No	
296	303	fine muddy sand.			No	
303	311	blue shale			No	
311	318	yellow clay			No	
318	321	water sand.			Yes	
321	325	Shale			No	

If more space is required use Sheet No. 2

WELL DRILLER'S STATEMENT

This well was drilled under my jurisdiction and the above information is true and correct to the best of my knowledge and belief.

Signed

Francis Vesich


By

License No.

41

Dated Nov. 18

1960



IDAHO DEPARTMENT OF WATER RESOURCES
ADJUDICATION CLAIM POU REVIEW REPORT
ADJUDICATION CLAIM NUMBER: 63-3215

03/20/2006

1

Right #	Type	Twp	Rge	Sec	QQ	Q	Lot	Purpose of Use	Acres/Total	Name
~~3215~~	~~Claim~~	~~04N~~	~~03W~~	~~21~~	~~NW~~	~~NW~~	~~3~~	~~INDUSTRIAL~~		~~IDAHO CONCRETE CO~~
3216	Claim	04N	03W	21	NW	NW	3	INDUSTRIAL		IDAHO CONCRETE CO
~~3215~~	~~Water Right~~	~~04N~~	~~03W~~	~~21~~	~~NW~~	~~NW~~	~~3~~	~~INDUSTRIAL~~		~~UTAH IDAHO CONCRETE PIPE CO II~~
3216	Water Right	04N	03W	21	NW	NW	3	INDUSTRIAL		UTAH IDAHO CONCRETE PIPE CO II

- no overlap

Receipt Details for ID W011518

Status	Adjustment Type	Version
	Adjusted Receipt	1

General Information:

Date Received	Date Deposited	Region	Total Amount	Payment Type
3/21/1990 9:17:35 AM	3/21/1990	Western	\$362.00	Check
Payer		IDAHO CONCRETE COMPANY		

Account Information:

Check #	Account #	Credit Card Name	Authorization #
123			
Card Expiration Date	Credit Card Transaction #		

Comment APPLICATION FOR PERMIT

Fee Detail:

Amount	Description	PCA	Fund	Fund Detail	Subsidiary	Object
\$332.00	ADJUDICATION CLAIM FEE	410162	9337	0	0	6490
\$30.00	APPLICATION FOR PERMIT	620350	1238	0	0	6390

Refund(s):

Amount	Payee	Date	Document Number
--------	-------	------	-----------------

Water Right Information:

Basin Number	Sequence Number	Split Suffix	Amount	Type
63	3216		\$260.00	Claim
63	3215		\$72.00	Claim

Print Report

RECEIVED

JUN 20 2006

WATER RESOURCES
WESTERN REGION

Snake River Basin Adjudication
Change in Address of Notice of Claim

Water Right Number(s): 63-3215 & 63-3216

Previous Mailing Address: C/O Tim Johnson
Box 670

New Mailing Address: Caldwell ID 83606
C/O Kirk Ellingford
~~P.O. Box~~ 421 Raedel Ave
Caldwell ID 83605

Telephone Number: (208) 573-5922

Signature of all Claimant(s): Kirk Ellingford
Please print your name below your signature.
KIRK ELLINGFORD

Please mail or FAX this completed form to the office nearest you:

Adjudication Bureau
Idaho Dept. of Water Resources
1910 Northwest Blvd., Ste. 210
Coeur d'Alene, ID 83814-2615
Ph. 208/769-1450 or
FAX 208/769-1454

Adjudication Bureau
Idaho Dept. of Water Resources
2735 Airport Way
Boise, ID 83705-5082
Ph. 208/334-2190 or
FAX 208/334-2348

ATTN: Kimberly Brown

Adjudication Bureau
Idaho Dept. of Water Resources
1341 Fillmore St., Ste. 200
Twin Falls, ID 83301-3380
Ph. 208/525-7161 or
FAX 208/736-3037

Adjudication Bureau
Idaho Dept. of Water Resources
900 N. Skyline, Ste. A
Idaho Falls, ID 83402-3653
Ph. 208/736-3033 or
FAX 208/525-7177

Adjudication Bureau
Idaho Dept. Of Water Resources
322 E. Front St.
P.O. Box 83720
Boise, Id 83720-0098
Ph 208/287-4800
FAX 208/287-6701

"for our purposes -"
Well #2

RECEIVED

JUN 22 2006

WATER RESOURCES
WESTERN REGION

INDUSTRIAL USE VOLUME

* Please keep in mind that these questions pertain only to the use of the water listed on the enclosed **Adjudication Claim Report #A63-3215**.

Type of Establishment: (example – camp, church, country club, bar/lounge, boardinghouse, factory, motel, highway rest area, hospital, laundry, office, park, restaurant, school, service station, theater)

Ready mix BATCH PLANT.
Truck wash Down.
Truck End of Day washout.
Some Times DUST control And site wash Down

Type of Facilities: (example: kitchen facility/cafeteria, lavatory facilities, shower(s), bath(s), sink(s), trailers, flush toilets)

Ready mix BATCH PLANT.

Number of Fixtures: (example: number of flush toilets, number of bathtubs, number of bathroom/kitchen sinks, number of showers, etc.)

2 Flush Toilets
2 Sinks
1 water Fountain

How many employees (and/or public individuals) per day use each of the facilities your commercial use is based upon?

40

How many hours per day is the facility open for this specific use?

16 hrs per DAY

How many days per week is the facility open for this use?

6 DAYS Some Time 7 DAYS


Is this facility open year round? ☒ Yes ☐ No

If not, please indicate the length of time the facility is open during the year.

** Most businesses have a good idea of how many gallons of water per day they use. If this is true in your case, please indicate how many **total gallons of water you use** for the industrial purposes explained above:

74,880 gals per DAY

Additional information you feel may be pertinent:


Your name

208-573-5922
Business telephone number

Please return to:

ATTN: Kimberly Brown
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082



IDAHO CONCRETE
C O M P A N Y

Kirk Ellingford
Production Manager/Ada County

155 E. Amity
Boise, ID 83716
kellingford@idahoconcrete.com



Office (208) 345-3412
Cell (208) 573-5922
Fax (208) 345-8397

IDAHO DEPARTMENT OF WATER RESOURCES

Water Right Report 63-3215

WATER RIGHT NUMBER: 63-3215

Owner Type Name and Address
 Current Owner UTAH IDAHO CONCRETE PIPE CO INC
 PO BOX 972
 NAMPA, ID 83651

Priority Date: 09/08/1960

Basis: License

Status: Active

Source Tributary
 GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
INDUSTRIAL	/ to /	0.220 CFS	?
(+) DOMESTIC (claimed)		.02 cfs	
	<u>Total Diversion:</u>	0.220 CFS	

Location of Point(s) of Diversion 2 wells:
 GROUND WATER L3 (NW1/4NW1/4)
 CANYON County

Sec. 21, Twp 04N, Rge 03W, B.M.

(+) NE NW, Sec. 21, T04N, R03W (claimed)

Place of Use
 INDUSTRIAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	03W	21						X											
								L3											

Conditions of Approval:

* Industrial use is in a ready mix concrete plant.

Remarks:Comments:

* Domestic use is for the concrete plant's restrooms.

SESW

SWSW

#63-3215
2005 NAPP

Indicate the location of the ready mix concrete plant & indicate where the concrete plant's restrooms are locate. Plus, draw the location of the two wells responsible for both of these uses.

NENW

NWNW
#1
#2
#3
#4
#5
#6
#7
#8
#9
#10
#11
#12
#13
#14
#15
#16
#17
#18
#19
#20
#21
#22
#23
#24
#25
#26
#27
#28
#29
#30
#31
#32
#33
#34
#35
#36
#37
#38
#39
#40
#41
#42
#43
#44
#45
#46
#47
#48
#49
#50
#51
#52
#53
#54
#55
#56
#57
#58
#59
#60
#61
#62
#63
#64
#65
#66
#67
#68
#69
#70
#71
#72
#73
#74
#75
#76
#77
#78
#79
#80
#81
#82
#83
#84
#85
#86
#87
#88
#89
#90
#91
#92
#93
#94
#95
#96
#97
#98
#99
#100

#3-3215

#3

#2

#1

For our purposes -
"Well #3"

INDUSTRIAL USE VOLUME

* Please keep in mind that these questions pertain only to the use of the water listed on the enclosed Adjudication Claim Report #A63-3215.

Type of Establishment: (example - camp, church, country club, bar/lounge, boardinghouse, factory, motel, highway rest area, hospital, laundry, office, park, restaurant, school, service station, theater)

Well #3 is used as a backup to well #2 if it
breaks down. IT Feed Shop And Truck Wash out.
For end of Day.

Type of Facilities: (example: kitchen facility/cafeteria, lavatory facilities, shower(s), bath(s), sink(s), trailers, flush toilets)

Shop & Rock mix Batch Plant. 3 Flush Toilets
3 Trucks 1 water Fountain. 1 Truck wash Down
Stand

Number of Fixtures: (example: number of flush toilets, number of bathtubs, number of bathroom/kitchen sinks, number of showers, etc.)

3 Flush Toilets 3 sinks 1 water Fountain.
1 Truck wash Down

How many employees (and/or public individuals) per day use each of the facilities your commercial use is based upon?

40 people.

How many hours per day is the facility open for this specific use?

20 hrs Two Shifts

How many days per week is the facility open for this use?

6 DAYS

RECEIVED

JUN 22 2006

WATER RESOURCES
WESTERN REGION

Is this facility open year round? ☒ Yes ☐ No
If not, please indicate the length of time the facility is open during the year.

** Most businesses have a good idea of how many gallons of water per day they use. If this is true in your case, please indicate how many **total gallons of water** you use for the industrial purposes explained above:

24,000 gal per DAY

Additional information you feel may be pertinent:

This well could run at 98 gal per min. If well #2 was broke down and not in use. But only if well #2 was down. It is also a back up well.

= 0.22 cfs

Kirk Ellingford
Your name

208 573-5922
Business telephone number

Please return to:

ATTN: Kimberly Brown
Idaho Department of Water Resources
2735 Airport Way
Boise, ID 83705-5082



IDAHO CONCRETE
C O M P A N Y

Kirk Ellingford
Production Manager/Ada County

155 E. Amity
Boise, ID 83716
kellingford@idahoconcrete.com



Office (208) 345-3412
Cell (208) 573-5922
Fax (208) 345-8397

IDAHO DEPARTMENT OF WATER RESOURCES
Water Right Report 63-3215

WATER RIGHT NUMBER: 63-3215

Owner Type Name and Address
Current Owner UTAH IDAHO CONCRETE PIPE CO INC
 PO BOX 972
 NAMPA, ID 83651

Priority Date: 09/08/1960
Basis: License
Status: Active

Source Tributary
GROUND WATER

<u>Beneficial Use</u>	<u>From</u> <u>To</u>	<u>Diversion Rate</u>	<u>Annual Volume</u>
INDUSTRIAL	/ to /	0.220 CFS	?
(+) DOMESTIC (claimed)		0.02 cfs	
	<u>Total Diversion:</u>	0.220 CFS	

Location of Point(s) of Diversion 2 wells:
GROUND WATER L3 (NW1/4NW1/4)
CANYON County

Sec. 21, Twp 04N, Rge 03W, B.M.

(+) NE NW, Sec. 21, T04N, R03W (claimed)

Place of Use
INDUSTRIAL

Twp	Rge	Sec	NE				NW				SW				SE				Totals
			NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	
04N	03W	21						X											
								L3											

Conditions of Approval:

* Industrial use is in a ready mix concrete plant.

Remarks:Comments:

* Domestic use is for the concrete plant's restrooms.

well #2 & #3
ARE on the same
Permit.

Kip

CONVERSATION MEMORANDUM

RE: Snake River Basin Adjudication Water Right Nos. A63-3215 & A63-3216

June 12, 2006

Since the letter requesting Industrial Volume information was returned, I called #459-6311. When I asked to speak with Timothy Johnson, I was told that Mr. Johnson no longer works there. The man who answered the telephone said that they closed off the old P.O. box and that their new address is: P.O. Box 1310, Nampa 83653. Since Timothy Johnson is no longer an employee, I asked if there was another contact that I should send the water right information to. It was suggested that I send the information to: Kirk Ellingford. Therefore, I faxed (#455-2061) the request for industrial volume information (ATTN: Kirk Ellingford) and also re-mailed the originally requested information again (plus a *Change in Address* form) to ID Concrete's new P.O. Box address.

June 20, 2006

Kirk Ellingford, the Production Manager, came into the Western Region office and we went through everything together.

Regarding Claim #63-3216, we decided to call this well "**Well #1**." (The three well numbers were created by me and Mr. Ellingford only for our own purposes of making sense of the three wells and keeping everything easily understandable; especially for the wells' locations on the enclosed aerials.) According to Mr. Ellingford, Well #1 has a 12" casing, a 50 HP pump, and runs (estimate) approximately 600-800 gal/min. In addition to being used to wash sand and gravel for the ready mix batch plant, it's also used to fill-up the water trucks and used for dust control and to cool "material" (or aggregates).

Regarding Claim #63-3215:

- Mr. Ellingford said that "**Well #2**" has a 6" casing, is the sole water source for the batch plant, and is used to produce ready mix and wash out the trucks. According to Mr. Ellingford's estimate, Well #2 probably produces approximately 40,000 to 60,000 gal/day.

- “Well #3,” which is located in the NENW, is used for “the Shop” has an 8” casing. According to Mr. Ellingford, it feeds the shop’s restrooms, wash basins and guards. Mr. Ellingford said that Well #3 also is used for the batch plant’s restrooms and to supplement the wash-out of mixers at the end of the day. Mr. Ellingford also informed me that Well #3 can connect to Well #2. Basically, if Well #2 goes down, Well #3 is used as a backup.


I asked Mr. Ellingford if he was aware if there was a pre-existing well to Well #3 prior to 1972. He replied that he would look into it and have an answer for me when he returns in a few days time to submit all of the Industrial Use Volume questionnaires and the Change of Address form.

June 22, 2006

When Mr. Ellingford came back to the office to deliver all of the completed *Industrial Use Volume* questionnaires, etc., he also informed me that there was no pre-existing Shop well (Well #3). According to Jerry Nall, a long-time employee, the Shop was built in the 1970s and there was no well prior to that.

Therefore, I can only assume that Well #3 was drilled in 1972 when the shop was constructed (see Well Driller’s Report in #63-3215 file dated 11/22/1972).

Kimberly Brown
Senior Water Resource Agent
Western Region



IDAHO CONCRETE
C O M P A N Y

Kirk Ellingford
Production Manager/Ada County

155 E. Amity
Boise, ID 83716
kellingford@idahococoncrete.com



Office (208) 345-3412
Cell (208) 573-5922
Fax (208) 345-8397

* * * Memory TX Result Report (Jun. 12. 2006 2:23PM) * * *

1) Idaho Dept. of Water Resources
2)

Date/Time: Jun. 12. 2006 2:21PM

File	No. Mode	Destination	Pg(s)	Result	Page Not Sent
4902 Memory TX		94552061	P. 9	OK	

Reason for error

m. 1) Hang up or line fail	E. 2) Busy
m. 3) No answer	E. 4) No facsimile connection
m. 5) Exceeded max. E-mail size	



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2198
FAX (208) 334-2348JAMES E. RUSCH
Governor
KARL J. DREHER
Director

FAX COVER SHEET

FROM Kimberly Porown DATE 6-12-06
 TO Kirk Ellingford, ID Concrete FAX # 455-2061
 RE Water Claims # 63-3215 & #63-3216
Mr. Ellingford - I recently sent this information to
P.O. Box 670 and was just informed, over the phone, that P.O. Box
1510 is correct. I am faxing these documents to you today and
will mail the hard copies to you tomorrow, since there are
 TOTAL PAGES SENT 8 + COVER SHEET two aerial photos that
won't fax well.

IDWR INFORMATION & THE INTERNET

-KB

You can search for IDWR records on the Internet at www.idwr.idaho.gov

See main menu in the upper left corner. Click on any of these main menus for a more specific homepage with more information. Most IDWR records are organized by township, range and section. Township, range and section information is usually available from county offices. For best results, try a broad search first and narrow the search as needed to avoid overlooking the information you seek.

Water Right &/or Adjudication Information: click main menu on-line data for that homepage, then click water right & adjudication search. For type of query, select all tribe & water rights then click the where tab and enter township, range, section (and maybe 1/4 or 1/4 of section). Be sure to choose "Point of Diversion" or "Place of Use" depending on the information you need ("both" means diversion and use within identical search parameters, not that things are within the parameters).

Well Log Information: on-line data, then well construction search. Enter the township, range and section. Results will list information about 1/4 location in a section. Many well logs have been scanned and are available on the Internet.

Forms, Rules and Statutes: click that main menu item to find this homepage.

If you cannot find any information or have trouble interpreting the information, contact the IDWR staff person on duty each day. This person is called the "office day" person and is available to provide general assistance. Call the office day person at 208-334-2198 between the hours of 8 and 5 Monday through Friday.

Your cooperation in using the Internet is appreciated. Your help in asking for the "office day" person for general help instead of a particular IDWR staff member helps us improve our efficiency and provide better, more cost effective service to the public. Thank you.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

JAMES E. RISCH
Governor

KARL J. DREHER
Director

FAX COVER SHEET

FROM Kimberly Brown DATE 6.12.06
TO Kirk Ellingford, ID Concrete FAX # 455-2061
RE Water Claims # 63-3215 & #63-3216

Mr. Ellingford - I recently sent this information to
P.O. Box 670 and was just informed, over the phone, that P.O. B
1310 is correct. I am faxing these documents to you today on
will mail the hard copies to you tomorrow, since there are
TOTAL PAGES SENT 8 + COVER SHEET two aerial photos that
won't fax well.

IDWR INFORMATION & THE INTERNET

-KB

You can search for IDWR records on the Internet at www.idwr.idaho.gov

See main menus in the upper left corner. Click on any of those main menus for a more specific homepage with more information. Most IDWR records are organized by township, range and section. Township, range and section information is usually available from county offices. For best results, try a broad search first and narrow the search as needed to avoid overlooking the information you seek.

Water Right &/or Adjudication information: click main menu on-line data for that homepage, then click water right & adjudication search. For type of query, select all srba & water rights then click the where tab and enter township, range, section (and maybe 1/4 or 1/4 1/4 of section). Be sure to choose "Point of Diversion" or "Place of Use" depending on the information you need ("both" means diversion and use within identical search parameters, not that either are within the parameters).

Well Log information: on-line data, then well construction search. Enter the township, range and section. Results will list information about 1/4 1/4 location in a section. Many well logs have been scanned and are available on the Internet.

Forms, Rules and Statutes: click that main menu item to find this homepage.

If you cannot find any information or have trouble interpreting the information, contact the IDWR staff person on duty each day. This person is called the "office day" person and is available to provide general assistance. Call the office day person at 208-334-2190 between the hours of 8 and 5 Monday through Friday.

Your cooperation in using the Internet is appreciated. Your help in asking for the "office day" person for general help instead of a particular IDWR staff member helps us improve our efficiency and provide better, more cost effective service to the public. Thank you.



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

June 7, 2006

JAMES E. RISCH
Governor

KARL J. DREHER
Director

IDAHO CONCRET CO
C/O TIM JOHNSON
PO BOX 670
CALDWELL ID 83606

RE: EVIDENCE OF SUPPLEMENTAL WELL DRILLED IN 1963
Snake River Basin Claim No(s): A63-3215

Dear Claimants,

During my initial review of this claim, I found that only one well was licensed; but your company claimed two – more specifically, an additional well was claimed in the NENW, Sec. 21. The remarks placed on the *Notice of Claim* by Timothy B. Johnson, the Secretary/Treasurer of your company in 1990, state that this supplemental well (which is 85' deep with a 12' casing) was “drilled in approximately 1963 and is hooked up to the same system.” Since this “supplemental” well was not originally licensed, it is necessary that you submit:

1. the exact date of this change and
2. evidence to support this change

The date of this change and the required evidence supporting this addition of the supplemental well must also be submitted by June 23, 2006. If I do not receive this information by June 23, 2006, only the one well located in the NWNW, Sec. 21 will be recommended due to lack of evidence.

In addition, domestic use (for the concrete plant's restrooms) was also claimed, even though it was not originally licensed. Timothy Johnson's remarks state, “Added the domestic usage which has been in use since the priority date of this water right.” Please also include any information you can regarding this addition of domestic use to the water right.

Please contact me at #334-2190 if you have any questions.

Respectfully Submitted,

A handwritten signature in black ink that reads 'Kimberly Brown'. The signature is written in a cursive, flowing style.

Kimberly Brown
Senior Water Resource Agent
Western Region Adjudication Bureau



State of Idaho

DEPARTMENT OF WATER RESOURCES

Western Region, 2735 Airport Way, Boise, Idaho 83705-5082 - (208) 334-2190

FAX (208) 334-2348

June 7, 2006

JAMES E. RISCH
Governor

KARL J. DREHER
Director

IDAHO CONCRETE CO
C/O TIM JOHNSON
PO BOX 670
CALDWELL ID 83606

RE: Industrial Use for Snake River Basin Adjudication Claims #A63-3215 & -3216

To Whom It May Concern,

The Idaho Department of Water Resources is currently reviewing the water right claims you filed during claims taking in the Snake River Basin Adjudication (SRBA). During the initial review of both claims, I found that you claimed industrial uses that require a volume amount be included in our recommendations to the SRBA Court (please refer to the enclosed copy of your adjudication claim report: under Annual Volume). In order for us to calculate your annual volume, it is necessary that we ask for additional information not gathered when you, or the original claimant, filed this water right.

Please refer to the Industrial Use Volume sheet (enclosed), answer the appropriate questions as specifically as possible, and return it to this office by June 23, 2006 so that we are able to calculate the annual volume associated with your water rights; as required by the SRBA Court.

This review of your claim, in addition to the submittal of our recommendation to the SRBA Court, will result in a decreed right for your property. This water right then remains with the land as long as it is being used. We will give you the opportunity to review our recommendation and provide feedback, if necessary, prior to its submittal to the SRBA Court.

Please feel free to contact me at 334-2190 if you have any questions.

Respectfully submitted,

Kimberly Brown
Water Resource Agent

Enclosures

SWSW

SESW


#63-3215
2005 NAPP

NWNW

NENW

Indicate the location of the ready mix concrete plant & indicate where the concrete plant's restrooms are locate. Plus, draw the location of the two wells responsible for both of these uses.

FIRST CLASS



UNITED STATES POSTAGE
02 1A
0004389393
\$ 00.87
JUN 08 2006
MAILED FROM ZIP CODE 83102

RECEIVED

JUN 12 2006

WATER RESOURCES
WESTERN REGION

IDAHO DEPARTMENT OF WATER RESOURCES

2735 Airport Way
Boise, ID 83705-5082
(208) 334-2130

TO

IDAHO CONCRETE CO
C/O TIMOTHY JOHNSON
PO BOX 670
CALDWELL ID 83606

63-3215

6/12/06:

Present to:

Idaho Concrete Co.

c/o Kirk Ellingford

P.O. Box 1310

Nampa 83653

-KB

708
+

Amount 0.22 c.f.o.

Priority Sept. 8, 1960

UTAH-IDAHO CONCRETE PIPE CO., Inc.

UTAH-IDAHO CONCRETE PIPE CO., Inc.

The Point of Diversion is located Lot 3

That the amount of water to which such right is entitled and hereby confirmed, for the purposes aforesaid, is limited to an amount actually needed and beneficially used for said purposes, and shall not exceed 0.22 cubic feet per second.

Twp.	Range	Sec.	Forty-acre Tract	No. Acres Described in Permit	No. Acres Actually Irrigated
4 N.	3 W.	21	NE $\frac{1}{4}$ NW $\frac{1}{4}$ (Lot 3)	For Manufacturing - a ready mix concrete	operation of plant

WITNESS the seal and signature of the State Reclamation Engineer, affixed at Boise, Idaho, this
22nd day of March, 1961.

(SEAL)

63 2215

STATE OF IDAHO
DEPARTMENT OF RECLAMATION
BOISE, IDAHO
REPORT OF ENGINEER

Permit No. G-29025

This proof is for Completion of Works & Beneficial Use In Water District No. _____

1. Name of applicant Utah-Idaho Concrete Pipe Co., Inc.2. Source of water supply: drilled well3. Location of point of diversion: Is in the Lot 3 (SE 1/4) of Section 21T. 4 N. R. 3 W. County of Canyon

4. Describe works as they exist, giving dimensions and capacities of same: 5HP Fairbanks Morse Motor, 440V, Type K2KV, Ser F281032, F.M. Pump, Model 6980. Ser D8C 25 61, Mounted top 6" csg. 1' above concrete floor. 3" lead and 2" dash East, thence right angle 4' north into 525 galon (30" x 72") horizontal storage + pressure tank. (85" Max Pressure) Check valve and pressure gauge, south in line between Pump + Tank. Tank thence 30' N. (5' x 4' x 4") attached to 20' x 40' bldg. of cinder block const. Metal Roof. 2450' Main from pressure tank south to batch plant and 1 1/2" X 200' East to truck washdown agent pit. 1 1/2" over flow pipe in 6" csg under Pump 3" above floor. South 6' then 200' East into washdown pit then to drain pits north to river. Est. 1 1/2" flow. Ed. and Hansen. G.E. controls switch box on south wall 17' East. Well 325' deep. Csg 6" x 315' w/ 10' screen on bottom. Pump capacity 100 gpm.

5. Water is used for: operation of a ready mix concrete plant6. State whether or not water has been turned into works of diversion: yes.

7. List legal subdivisions of lands to be irrigated. If proof is for beneficial use, give exact number of acres under cultivation in each forty-acre tract. (Describe manner and place of use if other than irrigation):

place of use: Lot 3 (SE 1/4) Sec. 21, Twp. 4 N., Rge. 3 W.B.M.

(Lot 3, Sec 21, Twp 4N, R3W is right) (the addition of SE 1/4 SE 1/4 is wrong)

(Submit map on attached plat, showing location and details of above description.)

8. What large stream would the water here appropriated finally reach?

Remarks: Mr. Lawrence Band, plant Supt. along.

This water is used for batch plant mixing of concrete and the wash down of truck before & after delivery and office use.

No measuring device in main line. There are 2 different gallowage meters in control room of batch plant. to measure gallons to each batch mixed only.

This examination was made on the 10th day of March, 1961

(Signed)

Lynn Johnson

Examiner.

29025

Application No. G- 37016
Permit No. G- 29025
District No.

1. Name of Applicant: Utah-Idaho Concrete Pipe Co., Inc.,
Postoffice address: Box 972, Nampa County: Canyon State: Idaho
2. Quantity of water claimed:
- (a) Rate of withdrawal in cubic feet per second 0.22 or Idaho
Miners' inches 11+ or gallons per minute 100 gallons
- (b) Annual withdrawal in acre feet per annum
3. Source of water supply: Drilled well cased, pump and motor installed
4. Location of point of diversion or well is in the Lot 3 ~~of Section 21~~ of Section 21
Twp. 4 North, Rge. 3 West, B.M., County of Canyon
5. Water is to be used for: Operation of a ready mix concrete plant
6. If for municipal, industrial or recreational purposes, give:
- (a) Point of use of water is in the Lot 3 ~~of Section 21~~ of Section 21, Twp. 4 No.
Rge. 3 West, B.M.
- (b) Waste water or sewage effluent is to be returned to Boise River
at a point in the Lot 3 ~~of Section 21~~ of Section 21, Twp. 4 N., Rge. 3 W., B.M.
7. Kind of works: Ready mix concrete plant
8. Estimated cost of works: \$ 3,000.00
9. (a) Is reservoir to be used? No
(b) Capacity of reservoir:
10. The time required for the completion of such work and complete application of the water to the proposed use is 5
years. Well pump installed and all works completed as of June 24, 1960
11. If applicant is a corporation, give:
- I. (a) Date and place of incorporation: June 13, 1946, at Salt Lake City, Utah; (a foreign corp.
authorized to do business within the State of Idaho)
(b) Amount of capital stock: \$1,000,000.00, (c) Amount paid in: \$400,000.00
(d) Names and addresses of directors: George R. Jessen, Box 972, Nampa, Idaho; Marco Messina,
Salt Lake City, Utah; Elisabeth S. Jessen, Box 972, Nampa, Idaho; (Managing Agent in
Idaho: Robert Todeschi, Box 972, Nampa, Idaho)
- II. The financial resources of the applicant are (a) Cash on hand: \$
(b) Treasury stock: (c) Bonds to be issued:
(d) Other resources:
12. The land to be irrigated is described in the following tabulation:
13. Existing water rights and/or valid permits appurtenant to the lands to be irrigated are:
- (a) (cubic feet per second, inches or gallons per minute) of the water herein applied for is to be supple-
mental to the existing water rights.
- (b) (cubic feet per second, inches or gallons per minute) is for new lands.

Remarks:

BE IT KNOWN THAT The undersigned hereby makes application for permit to appropriate the public waters of the State of Idaho as herein set forth.

UTAH-IDAHO CONCRETE PIPE CO., INC., Applicant.

By s/ Robert Todeschi Agent.

Date of first receipt at Department of Reclamation: 8:00 A.M. September 8, 1960

Returned to applicant for correction:

Corrected application received:

Approval of State Reclamation Engineer

The number of this permit is G- 29025

Recorded in Book 102 Page 29025 Approved September 21, 1960

This is to certify that I have examined the within application for a permit to appropriate the public waters of the State of Idaho, and hereby approve the same, subject to the following limitations and conditions:

Bond in the sum of \$ to be filed on or before

Work to begin on or before

temporarily interrupted by circumstances over which the permit holder has no control.

One-fifth of the work above specified to be completed on or before March 21, 1963

The whole of said work to be completed and beneficial use of water appropriated in accordance herewith, to be made and proofs offered on or before September 21, 1965

Witness my hand this 21st day of September, 1960

s/ GEO. N. CARTER
STATE RECLAMATION ENGINEER.

IN TESTIMONY WHEREOF, We, ROBERT E. SMYLLIE, Governor of the State of Idaho, and ARNOLD WILLIAMS, Secretary of State of the State of Idaho, have caused this instrument to be executed in the name of the State of Idaho, and caused the Great Seal of the State of Idaho to be hereunto affixed, this 21st day of September, 1960.

Countersigned:

STATE OF IDAHO

(SEAL)

By s/ ARNOLD WILLIAMS

Secretary of State.

By s/ ROBERT E. SMYLLIE
Governor

12.

Twp.	Range	Sec.	NE 1/4				NW 1/4				SW 1/4				SE 1/4				Totals
			NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	NE 1/4	NW 1/4	SW 1/4	SE 1/4	
Permit No. G-29025 CERTIFICATE OF COMPLETION OF WORKS																			
TO ALL WHOM IT MAY CONCERN:																			
This is to certify that UTAH-IDAHO CONCRETE PIPE CO., Inc. of Nampa, County of Canyon and State of Idaho, the holder of Permit No. G-29025, ~~bearing date of priority of September 8, 1960~~ , issued upon Application No. G-37016, bearing date of priority of September 8, 1960, authorizing the diversion of 0.22 second feet of waters of a well, County of Canyon, State of Idaho, for manufacturing purposes, has fully complied with the provisions of the laws of the State of Idaho relating to the proof of completion of the works of diversion set out and described in said Permit; that said works are adequate for diverting and conveying to the place of intended use 0.22 second feet of the waters of a well from subterranean flow; that the point of diversion of said waters is NW 1/4 (Lot 3), Sec. 21, T. 4 N., R. 3 W., B. M.; and that the lands proposed to be irrigated by the use of said water are described as follows, to-wit:																			
For Manufacturing in NW 1/4 (Lot 3), Sec. 21, T. 4 N., R. 3 W., B. M.																			
Witness my hand this 22nd day of March, A. D., 1961.																			
Proof of Completion of Works Made: November 16, 1960.																			
s/ GEO. N. CARTER State Reclamation Engineer																			
ISSUED FOR 0.22 sec. ft. Page 7061																			

