

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE STATE OF IDAHO,
IN AND FOR THE COUNTY OF TWIN FALLS

IN RE THE GENERAL ADJUDICATION
OF RIGHTS TO THE USE OF WATER FROM
THE COEUR D'ALENE-SPOKANE RIVER BASIN WATER SYSTEM

CIVIL CASE NUMBER: 49576

Ident. Number 95-12074
Date Received: 3/4/2010
Receipt No: N623706
Received By: *um*

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW
For Domestic and/or Stockwater Purposes
Where Daily Use is less than 13,000 gallons per day

1. Name of Claimant(s)

PATCHEN LEGACY TRUST
6677 W COUGAR GULCH RD
COEUR D ALENE ID USA 83814-9735

Phone: (208) 765-6239

2. Date of Priority: 09/17/1988

3. Source: GROUND WATER Trib. to:

4. Point of Diversion:

Township	Range	Section	1/4 of 1/4 of 1/4 Lot	County	Type
50N	04W	29	NE SW	KOOTENAI	

5. Description of diverting works:

6 IN WELL WITH SUBMERSIBLE PUMP

6. Water is used for the following purposes:

Purpose	From To	C.F.S.	(or) A.F.A
DOMESTIC	01/01 12/31	0.04	

7. Total Quantity Appropriated is:
0.04 C.F.S.

8. Total consumptive use:

9. Non-irrigation uses:
Number of homes: 2

10. Place of use:

Township	Range	Section	1/4 of 1/4	Lot	Use	Acres
50N	04W	29	SE	NW	DOMESTIC	
			NE	SW	DOMESTIC	

11. Place of use in counties: KOOTENAI

12. Do you own the property listed above as place of use? . Yes

13. Other Water Rights Used:

14. Remarks:

15. Basis of Claim: Beneficial Use

16. Signature(s)

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the COEUR D'ALENE-SPOKANE River Basin Adjudication." (b.) I/We do _____ do not _____ wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: _____

For Organizations:

I do solemnly swear or affirm under penalty of perjury that I am

Trustee of Patchen Legacy Trust
Title Organization

that I have signed the foregoing document in the space below as

Trustee of Patchen Legacy Trust

and that the statements contained in the foregoing document are true and correct.

Carol J. Unsworth
Signature of Authorized Agent

Trustee
Title and Organization

4 March 2010
Date

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

RECEIVED
OCT 20 1988

State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>Roger Kurland</u> Address <u>Redland Calif.</u> Owner's Permit No. <u>95-88-N-91</u>	7. WATER LEVEL Department of Water Resources Static water level _____ feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature <u>Cool</u> °F. Quality <u>Good</u> <i>Describe artesian or temperature zones below.</i>																																																										
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☐ Pump ☐ Bailer ☒ Air ☐ Other _____ <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Discharge G.P.M.</th> <th>Pumping Level</th> <th>Hours Pumped</th> </tr> </thead> <tbody> <tr> <td><u>12</u></td> <td><u>175</u></td> <td><u>2</u></td> </tr> <tr> <td><u>15</u></td> <td><u>225</u></td> <td><u>2</u></td> </tr> </tbody> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	<u>12</u>	<u>175</u>	<u>2</u>	<u>15</u>	<u>225</u>	<u>2</u>																																																	
Discharge G.P.M.	Pumping Level	Hours Pumped																																																									
<u>12</u>	<u>175</u>	<u>2</u>																																																									
<u>15</u>	<u>225</u>	<u>2</u>																																																									
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th colspan="2">Water</th> </tr> <tr> <th>From</th> <th>To</th> <th>Yes</th> <th>No</th> </tr> </thead> <tbody> <tr> <td><u>8</u></td> <td><u>0</u></td> <td><u>168</u></td> <td></td> <td></td> <td></td> </tr> <tr> <td><u>6</u></td> <td><u>168</u></td> <td><u>550</u></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td><u>0</u></td> <td><u>15</u></td> <td><u>Loose Clay</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>150</u></td> <td><u>160</u></td> <td><u>Granite</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>160</u></td> <td><u>170</u></td> <td><u>Loose Broken Green Rock & Clay</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>170</u></td> <td><u>230</u></td> <td><u>Granite</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>230</u></td> <td><u>245</u></td> <td><u>Loose Broken Green Rock</u></td> <td></td> <td>☒</td> </tr> <tr> <td></td> <td><u>245</u></td> <td><u>350</u></td> <td><u>Granite</u></td> <td></td> <td>☒</td> </tr> </tbody> </table> <i>Hole was very loose & casing extra hole was drilled to allow for fill.</i> C13620	Bore Diam.	Depth		Material	Water		From	To	Yes	No	<u>8</u>	<u>0</u>	<u>168</u>				<u>6</u>	<u>168</u>	<u>550</u>					<u>0</u>	<u>15</u>	<u>Loose Clay</u>		☒		<u>150</u>	<u>160</u>	<u>Granite</u>		☒		<u>160</u>	<u>170</u>	<u>Loose Broken Green Rock & Clay</u>		☒		<u>170</u>	<u>230</u>	<u>Granite</u>		☒		<u>230</u>	<u>245</u>	<u>Loose Broken Green Rock</u>		☒		<u>245</u>	<u>350</u>	<u>Granite</u>		☒
Bore Diam.	Depth		Material	Water																																																							
	From	To		Yes	No																																																						
<u>8</u>	<u>0</u>	<u>168</u>																																																									
<u>6</u>	<u>168</u>	<u>550</u>																																																									
	<u>0</u>	<u>15</u>	<u>Loose Clay</u>		☒																																																						
	<u>150</u>	<u>160</u>	<u>Granite</u>		☒																																																						
	<u>160</u>	<u>170</u>	<u>Loose Broken Green Rock & Clay</u>		☒																																																						
	<u>170</u>	<u>230</u>	<u>Granite</u>		☒																																																						
	<u>230</u>	<u>245</u>	<u>Loose Broken Green Rock</u>		☒																																																						
	<u>245</u>	<u>350</u>	<u>Granite</u>		☒																																																						
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____	10. Work started <u>9-12-88</u> finished <u>9-16-88</u>																																																										
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other <u>PVC</u> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>0.250</u> inches</td> <td><u>6</u> inches</td> <td><u>2</u> feet</td> <td><u>168</u> feet</td> </tr> <tr> <td><u>2.00</u> inches</td> <td><u>4</u> inches</td> <td><u>145</u> feet</td> <td><u>225</u> feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> <tr> <td>_____ inches</td> <td>_____ inches</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☒ Yes ☐ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☒ Knife ☒ Torch Size of perforation <u>3</u> inches by <u>16</u> inches <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td><u>6" Steel 20</u> perforations</td> <td><u>148</u> feet</td> <td><u>168</u> feet</td> </tr> <tr> <td><u>4" PVC 80</u> perforations</td> <td><u>145</u> feet</td> <td><u>225</u> feet</td> </tr> <tr> <td>_____ perforations</td> <td>_____ feet</td> <td>_____ feet</td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☐ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>25</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Pudding clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☐ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☒ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	<u>0.250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>168</u> feet	<u>2.00</u> inches	<u>4</u> inches	<u>145</u> feet	<u>225</u> feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	Number	From	To	<u>6" Steel 20</u> perforations	<u>148</u> feet	<u>168</u> feet	<u>4" PVC 80</u> perforations	<u>145</u> feet	<u>225</u> feet	_____ perforations	_____ feet	_____ feet	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Hao</u> Firm No. <u>448</u> Address <u>Hayden Idaho</u> Date <u>9-19-88</u> Signed by (Firm Official) <u>John Wheeler</u> and (Operator) <u>Wayne Miller</u>																										
Thickness	Diameter	From	To																																																								
<u>0.250</u> inches	<u>6</u> inches	<u>2</u> feet	<u>168</u> feet																																																								
<u>2.00</u> inches	<u>4</u> inches	<u>145</u> feet	<u>225</u> feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
_____ inches	_____ inches	_____ feet	_____ feet																																																								
Number	From	To																																																									
<u>6" Steel 20</u> perforations	<u>148</u> feet	<u>168</u> feet																																																									
<u>4" PVC 80</u> perforations	<u>145</u> feet	<u>225</u> feet																																																									
_____ perforations	_____ feet	_____ feet																																																									
6. LOCATION OF WELL Sketch map location must agree with written location. N <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:25%; text-align: center;">W</td> <td style="width:25%; text-align: center;">A</td> <td style="width:25%; text-align: center;">E</td> <td style="width:25%;"></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </table> S Subdivision Name _____ Lot No. _____ Block No. _____ County <u>Kootenai</u> <u>SE 1/4 NW 1/4 Sec. 29, T. 50 N, R. 4 E (W)</u>	W	A	E														USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT																																										
W	A	E																																																									