


COEUR D'ALENE QUADRANGLE
IDAHO-KOOTENAI CO.
7.5 MINUTE SERIES (TOPOGRAPHIC)
NE 1/4 COEUR D'ALENE 18' QUADRANGLE




CDA
School Dist. 271
F. C. J. D. 411

The lat/long you provided was 47° 43' 57.900" N; 116° 49' 6.400" W

Here are the results:

SW quarter of the SE quarter of Section 27, Township 51N, Range 04W
IDTM NAD83 coordinates: Easting=2288681; Northing=1840669



Choose the map-display background:



Wells



Water Rights



Water Right Permits



Adjudication Claims



Adjudication Recommendations

* Positions of wells/headgates may be based upon the center of a quarter-quarter section; those obtained by GPS or survey are accurate.

Well D0010560

95-9028

State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09028

Priority: August 27, 1999

Maximum Diversion Rate: 1.00 CFS
Maximum Diversion Volume: 544.0 AF

It is hereby certified that COEUR D ALENE SCHOOL DISTRICT #271
311 N 10TH ST
COEUR D ALENE ID 83814

has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated August 27, 1999; and has submitted Proof of Beneficial Use on October 26, 2000. An examination indicates that the works have a diversion capacity of 1.0 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>DIVERSION RATE</u>	<u>ANNUAL DIVERSION VOLUME</u>
HEATING	01/01 to 12/31	1.00 CFS	298.0 AF
COOLING	01/01 to 12/31	1.00 CFS	246.0 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER (Injection) SW1/4SE1/4, Sec. 27, Twp 51N, Rge 04W, B.M., KOOTENAI County
GROUND WATER SW1/4SE1/4, Sec. 27, Twp 51N, Rge 04W, B.M., KOOTENAI County
GROUND WATER SW1/4SE1/4, Sec. 27, Twp 51N, Rge 04W, B.M., KOOTENAI County

PLACE OF USE:

HEATING

Twp	Rge	Sec	NE	NW	SW	SE	Totals
51N	04W	27	NE NW SW SE	NE NW SW SE	NE NW SW SE	NE NW SW SE	
					X	X	

PLACE OF USE:

COOLING


Twp	Rge	Sec	NE	NW	SW	SE	Totals
51N	04W	27	NE NW SW SE	NE NW SW SE	NE NW SW SE	NE NW SW SE	
					X	X	

CONDITIONS OF APPROVAL

1. Return flow discharged to a subsurface system must be authorized by a separate injection well permit and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards. Injection Well Permit 95-W4 has been assigned to the Skyway Elementary School.
2. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 15th day of July, 2008.


DAVID R. TUTHILL, JR.
Director

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-09028

RECEIVED
JUN 05 2008
IDWR/North

Date of Priority: August 27, 1999

Maximum Diversion Rate: 1.00 CFS
Maximum Diversion Volume: 544.0 AF

Comes now COEUR D ALENE SCHOOL DISTRICT #271
311 N 10TH ST
COEUR D ALENE ID 83814

and represents to the Director of the Idaho Department of Water Resources that he is the owner and holder of Permit to Appropriate the Public Waters of the State of Idaho No. 95-09028, and requests that the permit be changed as follows:

Source: GROUND WATER

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>	<u>ANNUAL VOLUME</u>
HEATING	01/01 to 12/31	1.00 CFS	298.0 AF
COOLING	01/01 to 12/31	1.00 CFS	246.0 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER (Injection) SW1/4SE1/4, Sec. 27, Twp 51N, Rge 04W, B.M., KOOTENAI County
GROUND WATER SW1/4SE1/4, Sec. 27, Twp 51N, Rge 04W, B.M., KOOTENAI County
GROUND WATER SW1/4SE1/4, Sec. 27, Twp 51N, Rge 04W, B.M., KOOTENAI County


PLACE OF USE: HEATING

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
51N 04W 27																X	X

PLACE OF USE: COOLING

Twp Rge Sec	NE				NW				SW				SE				
	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	NE	NW	SW	SE	Totals
51N 04W 27																X	X

Permit holder asserts that no one will be injured by such change and that such change will be made at permit holder's own risk. Signed this 22 day of May, 2008.


(Signature)

State of Idaho
Department of Water Resources
APPLICATION FOR AMENDMENT
(For Licensing Purposes)
WATER RIGHT NO. 95-09028

RECEIVED
JUN 05 2008
IDWR/North

FOR DEPARTMENT USE ONLY

Preliminary check by dm Fee = \$50.00 Receipted by do # N019297 Date 6/4/08


ACTION OF THE DEPARTMENT OF WATER RESOURCES

I, DAVID R. TUTHILL, JR., of the Department of Water Resources hereby approve the above Application for Amendment for Permit No. 95-09028 with the following:

CONDITIONS OF APPROVAL

1. Return flow discharged to a subsurface system must be authorized by a separate injection well permit and return flow if discharged to a surface water system shall meet Idaho Water Quality Standards. Injection Well Permit 95-W4 has been assigned to the Skyway Elementary School.
2. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to use power records to determine the amount of water diverted and shall annually report the information to the Department.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.

Witness my hand this 15th day of July, 2008.


DAVID R. TUTHILL, JR.
Director

SKYWAY

North

State of Idaho
Department of Water Resources

Permit To Appropriate Water

NO. 95-09028

Priority: August 27, 1999

Maximum Diversion Rate:

2.00 CFS

This is to certify, that SCHOOL DISTRICT NO 271
311 N 10TH ST
COEUR D ALENE ID 83814

has applied for a permit to appropriate water from: GROUNDWATER

and a permit is APPROVED for development of water as follows:

RECEIVED

NOV 22 1999

IDWR/North

<u>BENEFICIAL USE</u>	<u>PERIOD OF USE</u>	<u>RATE OF DIVERSION</u>
HEATING	01/01 to 12/31	1.00 CFS
COOLING	01/01 to 12/31	1.00 CFS
	Totals	2.00 CFS

LOCATION OF POINT(S) OF DIVERSION:

SESW , Sec. 27, Township 51N, Range 04W
KOOTENAI County

PLACE OF USE: HEATING

TWN RGE SEC

51N 04W 27 SESW

PLACE OF USE: COOLING, same as HEATING use

CONDITIONS OF APPROVAL AND REMARKS

1. Proof of application of water to beneficial use shall be submitted on or before December 1, 2000.
2. Subject to all prior water rights.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code.
4. After specific notification by the department, the right holder shall install a suitable measuring device or shall enter into an agreement with the department to determine the amount of water diverted from power records and shall annually report the information to the department.
5. Return flow discharged to a subsurface system must be authorized by a separate injection well permit.
6. Two points of diversion are located within the SESW, S27, T51N, R04W.
7. Heating and cooling uses are for school buildings.

This permit is issued pursuant to the provisions of Section 42-204, Idaho Code.
Witness the signature of the Director, affixed at Boise, this

18th day of November, 1999.

Karl J. Dreher
for Karl J. Dreher, Director

75-7028

Form 238-7
11/97IDAHO DEPARTMENT OF WATER RESOURCES
WELL DRILLER'S REPORT

Office Use Only			
Inspected by _____			
Twp _____	Rge _____	Sec _____	
1/4 _____	1/4 _____	1/4 _____	
Lat: : : _____		Long: : : _____	

1. WELL TAG NO. D0010559 Well #1
DRILLING PERMIT N 95-99-N-0152-000Other IDWR No 754922

2. OWNER:

Name Coeur d' Alene School District # 271Address 311 N 10th StreetCity Coeur d' Alene State ID _____ Zip 83814

3. LOCATION OF WELL by legal description:

N		Twp	51N	North	☒ or	South	☐
Rge		04W	East	☐ or	West	☒	
Sec		27	1/4	SE	1/4	SW	1/4
Gov't Lot		County <u>Kootenai</u>					
Lat		Long					

Address of Well Site: (see next line)

Courcelles Parkway & Voltaire Street off Ramsey City Coeur d' Alene

Lot _____ Blk _____ Sub. Name (see next line)

Coeur d' Alene Place - New Elem School

4. USE:

- ☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other Heat Loop system

5. TYPE OF WORK check all that apply (Replacement etc)

- ☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

- ☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			Amount	Method
Material	From	To	Sacks/Lbs	
Bentonite	0	18	11 sacks	pour in

Drive Shoe Used? ☐ Y ☒ N Shoe Depth(s) _____Drive Shoe Seal Tested? ☐ Y ☒ N How? _____

8. CASING/LINER

Diam	From	To	Gauge	Material	Casing	Liner	Weld	Thrded
8"	2	341	0.025	Steel	☒	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length Headpipe _____ Length Tailpipe _____

9. PERFORATIONS/SCREENS

- ☐ Perforations? Method _____
☒ Screens? Screen Type Stainless Steel

From	To	Slot	Nmbr	Diam	Material	Casing	Liner
339	349	.060		7"	Steel	☐	☐
349	359	.050		7"	Steel	☐	☐
						☐	☐

10. STATIC WATER LEVEL or ARTESIAN PRESSURE

260 ft. below ground, Artesian pressure _____ lb.

Depth flow encountered _____ 260 ft. Describe access port or

control devices: Steel cap welded

11. WELL TESTS:

- ☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min	Drawdown	Pump Level	Time
300+	100%	335	2 hrs.

Water Temp. _____ cold Bottom hole temp. _____ cold

Water Quality test or comments: (below) Depth first Water Encountered 260

clear, cold, no smell

12. LITHOLOGIC LOG (Describe repairs or abandonment)

Bore Diam	From	To	Remarks: Lithology, Water Quality and Temperature	Water	
				Y	N
10	0	18	Sand & gravel - 3/4 minus	☐	☒
8	18	40	Sand & gravel & cobbles	☐	☒
8	40	205	Sand & gravel - 3/4 minus	☐	☒
8	205	260	Sand & gravel - 3/8 minus	☐	☒
8	260	320	Sand & gravel - 1/4 minus	☒	☐
8	320	360	Sand & gravel - fine	☒	☐
				☐	☐
			Installed casing to 260 feet. Set 20	☐	☐
			feet of stainless screen then pulled	☐	☐
			casing back 17 feet.	☐	☐

Completed Depth 359 (Measurable)
Date: Started 9/10/99 Completed 9/14/99

13. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm United Drilling Inc. Firm No 414
 Name _____
 Firm Official Jason C. Beckham Date 9/16/99
 and _____
 Supervisor or Operator Jason C. Beckham Date 9/16/99

IDAHO DEPARTMENT OF WATER RESOURCES

WELL DRILLER'S REPORT

Office Use Only

 Inspected by _____
 Twp _____ Rge _____ Sec _____
 1/4 1/4 1/4
 Lat: : : Long: : :

WELL TAG NO. D0010560

LLING PERMIT N 95-99-N-0155-000

er IDWR No 754925

OWNER:

ne Coeur d'Alene School District # 271

ress 311 N 10th Street

Coeur d'Alene State ID Zip 83814

LOCATION OF WELL by legal description:

N	Twp	51N	North	☒ or	South	☐
	Rge	04W	East	☐ or	West	☒
	Sec	27	1/4 SE 1/4 SW 1/4			
			10 Ac 40 Ac 160 Ac			
	Gov't Lot		County Kootenai			
	Lat		Long			

S Address of Well Site: (see next line)

urcelles Parkway & Voltaire Street off Ramsey City Coeur d'Alene

Blk Sub. Name (see next line)

eur d'Alene Place - New Elem School

USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other Heat Loop System

TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

SEALING PROCEDURES

SEAL/FILTER PACK			Amount	Method
Material	From	To	Sacks/Lbs	
entonite	0	18	10 sacks	pour in

ive Shoe Used? ☐ Y ☒ N Shoe Depth(s)ive Shoe Seal Tested? ☐ Y ☒ N How?

CASING/LINER

Diam	From	To	Gauge	Material	Casng	Liner	Weld	Thrded
8	2	-340	0.025	Steel	☒	☐	☒	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

ngth Headpipe Length Tailpipe

PERFORATIONS/SCREENS

Perforations? Method

Screens? Screen Type Stainless Steel

From	To	Slot	Nmbr	Diam	Material	Casng	Liner
335	345	.060		7"	Steel	☐	☐
345	355	.050		7"	Steel	☐	☐
						☐	☐

). STATIC WATER LEVEL or ARTESIAN PRESSURE

260 ft. below ground. Artesian pressure lb.

pith flow encountered 260 ft. Describe access port or

ontrol devices: Steel cap welded

11. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pump Level	Time
300+	100%	340	2 hrs.

Water Temp. cold Bottom hole temp. cold

Water Quality test or comments: (below) Depth first Water Encountered 260

clear, cold, no small

12. LITHOLOGIC LOG (Describe repairs or abandonment)

Bore Diam	From	To	Remarks: Lithology, Water Quality and Temperature	Water	
				Y	N
10	0	18	Sand & gravel - 3/8" minus	☐	☒
8	18	40	Sand & gravel & cobbles	☐	☒
8	40	205	Sand & gravel - 3/4" minus	☐	☒
8	205	260	Sand & gravel - 3/8" minus	☐	☒
8	260	320	Sand & gravel - 1/4" minus	☒	☐
8	320	360	Sand & gravel - fine	☒	☐
				☐	☐
			Installed casing to 360 feet. Set 20'	☐	☐
			of screen then pulled casing back	☐	☐
			18 feet.	☐	☐

 Completed Depth 355 (Measurable)
 Date: Started 9/8/99 Completed 9/10/99

13. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name United Drilling Inc. Firm No 414

Firm Official Date 9/16/99

Supervisor or Operator Jason C. Beckham Date 9/16/99

Form 238-7
11/97

IDAHO DEPARTMENT OF WATER RESOURCES WELL DRILLER'S REPORT

Office Use Only			
Inspected by _____			
Twp _____	Rge _____	Sec _____	
1/4 _____	1/4 _____	1/4 _____	
Lat: : : _____		Long: : : _____	

1. WELL TAG NO. D0010712 - WELL #3

DRILLING PERMIT N 95-99-N-172
Other IDWR No 754942

2. OWNER:

Name Coeur d' Alene School District # 271
Address 311 N 10th Street
City Coeur d' Alene State ID Zip 83814

3. LOCATION OF WELL by legal description:

N		Twp	51N	North	☐ or	South	☐
		Rge	04W	East	☐ or	West	☐
		Sec	27	1/4	SE	1/4	SW 1/4
				10 Ac	40 Ac	160 Ac	
Gov't Lot		County <u>Kootenai</u>					
Lat		Long					

Address of Well Site: (see next line)

Courcelles Pkwy & Voltaire St off Ramsey - 10th Elem S City Coeur D' Alene

Lot _____ Blk _____ Sub. Name (see next line)
Coeur d' Alene Place

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☒ Injection ☐ Other

5. TYPE OF WORK check all that apply (Replacement etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			Amount	Method
Material	From	To	Sacks/Lbs	
Bentonite	0	18	15 sacks	pour in

Drive Shoe Used? ☒ Y ☐ N Shoe Depth(s) 310

Drive Shoe Seal Tested? ☐ Y ☒ N How? _____

8. CASING/LINER

Diam	From	To	Gauge	Material	Casing	Liner	Weld	Thrded
10	1	315	0.25	Steel	☐	☐	☐	☐
					☐	☐	☐	☐
					☐	☐	☐	☐

Length Headpipe _____ Length Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations? Method _____
☒ Screens? Screen Type Stainless

From	To	Slot	Nmbr	Diam	Material	Casing	Liner
310	350	.50		9"	Stainless	☐	☐
						☐	☐
						☐	☐

10. STATIC WATER LEVEL or ARTESIAN PRESSURE

260 ft. below ground. Artesian pressure _____ lb.
Depth flow encountered 260 ft. Describe access port or control devices: Bolt on Cap & locked

11. WELL TESTS:

☐ Pump ☐ Bailer ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pump Level	Time
400+	100%	330	4 hrs.

Water Temp. _____ cold Bottom hole temp. _____ cold
Water Quality test or comments: (below) Depth first Water Encountered 260
clear, cold, no smell

12. LITHOLOGIC LOG (Describe repairs or abandonment)


Bore Diam	From	To	Lithology, Water Quality and Temperature	Water
				Y N
12	0	18	Sand & gravel - 3/4 minus	☐ ☐
10	18	190	Sand & gravel - 3/4 minus	☐ ☐
10	190	350	Sand & gravel - fine	☐ ☐

Completed Depth 350 (Measurable)
Date, Started 10/4/99 Completed 10/8/99

13. DRILLERS CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm United Drilling Inc. Firm No 414
Name _____
Firm Official _____ Date 10/8/99
and _____
Supervisor or Operator Jason C. Beckham Date 10/8/99



Amt. of Fee \$: 25.00

Receipt No. 0050917

Receipt By: S. Martin

Date Received: 10-26-00

Rec'd \$100.00 on 10/12/00

Receipt No. 0050768 d

RECEIVED

OCT 26 2000

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

Department of Water Resources

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-09028 Telephone No. 1-208-664-8241

2. Name of Permit Holder(s):
Coeur d'Alene School Dist #221

3. Mailing Address: 311 N 10th

City Coeur d'Alene State Id Zip 83814

4. Source of Water: Well If GROUNDWATER (well), Date Drilled: mo. 10 / yr. 99

Well Driller: United Drilling Drilling Permit Number: 95-99-N-0152-000

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: HVAC Close Loop Heating System

6. Total rate of diversion and/or volume for which proof is submitted: 1 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No ✓

Has the measuring device been installed?

Yes ✓ or No _____

8. Fee Enclosed: \$ 125 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Bryan Martin Telephone Number: 208-664-8241

Address: 311 N 10th

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Bryan Martin Director of Maintenance Date: 9-22-00
(include your title, if on behalf of company or organization)

SKYWAY

Form No. 217
6/00

FOR OFFICE USE ONLY

Amt. of Fee \$: _____

Receipt No. _____

Receipt By: _____

Date Received: _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-08964 Telephone No. 1-208-664-8241

2. Name of Permit Holder(s):
Coeur d'Alene School Dist # 221

3. Mailing Address: 311 N 10th
City Coeur d'Alene State Id Zip 83814

4. Source of Water: Well If GROUNDWATER (well), Date Drilled: mo. 10 / yr. 99
Well Driller: United Drilling Drilling Permit Number: 95-99-N-0152-000

5. Use(s) (as authorized by the water right permit):

Domestic (No. of households): _____ Stockwater (No. and type of stock): _____

Irrigation (No. of acres): _____ Other: HVAC Close Loop Heating System

6. Total rate of diversion and/or volume for which proof is submitted: 1 cfs OR _____ acre-feet

7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)

(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)

Measuring Device: Is a measuring device required?

Yes _____ or No L

Has the measuring device been installed?

Yes L or No _____

8. Fee Enclosed: \$ 100 (See Fee Schedule on back of the instructions for filing proof of beneficial use)

9. Person to contact to accompany the Department representative during field examination of the water system.

Name: Bryan Martin Telephone Number: 208-664-8241

Address: 311 N 10th

10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Bryan Martin, Director of maintenance Date: 9-22-00
(include your title, if on behalf of company or organization)

SKYWAY

Form No 217
6/00

FOR OFFICE USE ONLY
Amt. of Fee \$: _____
Receipt No. _____
Receipt By: _____
Date Received: _____

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES

PROOF OF BENEFICIAL USE

The Idaho Department of Water Resources considers this form a statement that the permit holder(s) has/have completed all development that will occur under this permit and that water has been applied according to the provisions of the permit for the beneficial use(s) described below. This form must be accompanied by a license examination fee, when necessary, or be accompanied by a completed field examination report prepared by a certified water right examiner.

1. Permit No. 95-08964 Telephone No. 1-208-664-8241
2. Name of Permit Holder(s):
Coeur d'Alene School Dist #221
3. Mailing Address: 311 N 10th
City Coeur d'Alene State Id Zip 83814
4. Source of Water: Well If GROUNDWATER (well), Date Drilled: mo. 10 / yr. 99
Well Driller: United Drilling Drilling Permit Number: 95-99-N-0155-000
5. Use(s) (as authorized by the water right permit):
Domestic (No. of households): _____ Stockwater (No. and type of stock): _____
Irrigation (No. of acres): _____ Other: School Dist Close Loop Heating system
6. Total rate of diversion and/or volume for which proof is submitted: 1 cfs OR _____ acre-feet
7. Measuring Device Requirement: (refer to the approval conditions on your permit and respond accordingly)
(This question is not optional. Please check either yes or no. Proofs returned not checked accordingly, will be considered incomplete)
Measuring Device: Is a measuring device required? Yes _____ or No ✓
Has the measuring device been installed? Yes ✓ or No _____
8. Fee Enclosed: \$ 100 (See Fee Schedule on back of the instructions for filing proof of beneficial use)
9. Person to contact to accompany the Department representative during field examination of the water system.
Name: Bryan Martin Telephone Number: 208-664-8241
Address: 311 N 10th
10. The information given on this form is my true statement of the extent to which the above numbered permit has been developed and water has been diverted. I agree to relinquish any undeveloped portion of the permit to the State of Idaho.

Signature of permit holder: Bryan Martin Director of Maintenance Date: 9-22-00
(include your title, if on behalf of company of organization)