


THIS DRAWING IS TO BE USED FOR SURVEYING PURPOSES ONLY. THE COUNTY IS NOT RESPONSIBLE FOR ANY MISTAKES HEREIN CONTAINED.



6	5	4	3	2	1
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
31	32	33	34	35	36


KOOTENAI COUNTY
IDAHO

ARCHIVE REVISIONS

INITIALS	ACTIVITY	DATE
SW	SEATED NEW MAP	12-18-01
SW	HAYDEN SCHOOL SUB	02-02-04
SW	STRAWBERRY FIELDS	02-17-05
SW	STRAWBERRY FIELDS 2ND ADD	11-17-05
SW	STRAWBERRY FIELDS 2ND ADD	12-29-06
SW	STRAWBERRY FIELDS 2ND ADD	07-09-07

DATE: 12-18-01
DRAWN BY: [illegible]
CHECKED BY: [illegible]
APPROVED BY: [illegible]
SCALE: 1" = 400'

SW 1/4 Sec. 22 Tw



State of Idaho
Department of Water Resources
Water Right License

WATER RIGHT NO. 95-09229

Priority: May 17, 2004

Maximum Diversion Rate: 1.50 CFS
Maximum Diversion Volume: 816.0 AF

It is hereby certified that COEUR D ALENE SCHOOL DISTRICT #271
311 N 10TH ST

COEUR D ALENE ID 83814 has complied with the terms and conditions of the permit, issued pursuant to Application for Permit dated May 17, 2004; and has submitted Proof of Beneficial Use on June 16, 2005. An examination indicates that the works have a diversion capacity of 1.50 cfs of water from:

SOURCE

GROUND WATER

and a water right has been established as follows:

BENEFICIAL USE

PERIOD OF USE

DIVERSION RATE

**ANNUAL
DIVERSION VOLUME**

COOLING

01/01 to 12/31

1.50 CFS

369.0 AF

HEATING

01/01 to 12/31

1.50 CFS

447.0 AF

LOCATION OF POINT(S) OF DIVERSION:

GROUND WATER

NW1/4SW1/4, Sec. 22, Twp 51N, Rge 04W, B.M., KOOTENAI County

GROUND WATER

NW1/4SW1/4, Sec. 22, Twp 51N, Rge 04W, B.M., KOOTENAI County

GROUND WATER

(Injection) NW1/4SW1/4, Sec. 22, Twp 51N, Rge 04W, B.M., KOOTENAI County

PLACE OF USE:

COOLING

Twp	Rge	Sec	NE	NW	SW	SE	Totals
51N	04W	22	NE	NW	SW	SE	
					X		

PLACE OF USE:

HEATING


Twp	Rge	Sec	NE	NW	SW	SE	Totals
51N	04W	22	NE	NW	SW	SE	
					X		

CONDITIONS OF APPROVAL

1. This right authorizes the diversion of ground water within the Rathdrum Prairie Ground Water Management Area (RPGWMA). Use of water under this right shall be subject to the provisions of any management plan approved by the director for the RPGWMA. If the director determines that the ground water supply in the RPGWMA is insufficient to meet the demands of prior water rights within the RPGWMA, the director may order the diversion and use of water under this right to be reduced or curtailed until the director determines that there is sufficient ground water available for this right.
2. After specific notification by the Department, the right holder shall install a suitable measuring device or shall enter into an agreement with the Department to determine the amount of water diverted from power records and shall annually report the information to the Department.
3. Right holder shall comply with the drilling permit requirements of Section 42-235, Idaho Code and applicable Well Construction Rules of the Department.
4. Return flow discharged to a subsurface system must be authorized by a separate injection well permit. Permit 95-W5 has been assigned to Atlas Elementary School.

This license is issued pursuant to the provisions of Section 42-219, Idaho Code. The water right confirmed by this license is subject to all prior water rights and shall be used in accordance with Idaho law and applicable rules of the Department of Water Resources.

Signed and sealed this 15 day of July, 2008.


DAVID R. TUTHILL, JR.
Director



State of Idaho

DEPARTMENT OF WATER RESOURCES

Northern Region, 7600 N. Mineral Drive, Suite 100 • Coeur d'Alene, Idaho 83815

Phone: (208) 762-2800 • Fax: (208) 762-2819 • Web Site: www.idwr.idaho.gov

C. L. "BUTCH" OTTER
Governor

DAVID R. TUTHILL, JR.
Director

July 2, 2008

COEUR D ALENE SCHOOL DISTRICT #271
311 N 10TH ST
COEUR D ALENE ID 83814

RE: License No. 95-9229
Issuance of License

Dear Water Right Holder(s):

The Department of Water Resources has issued the enclosed Water Right License confirming that a water right has been established in accordance with your permit. Please be sure to thoroughly review the conditions of approval and remarks listed on your license.

The license is a PRELIMINARY ORDER issued by the Department pursuant to section 67-5243, Idaho Code. It can and will become a final order without further action by the Department unless a party petitions for reconsideration or files an exception and/or brief within fourteen (14) days of the service date as described in the enclosed information sheet.

Please note that water right owners are required to report any change of water right ownership and/or mailing address to the Department within 120 days of the change. Failure to report these changes could result in a \$100 late filing fee. Contact any office of the Department or visit the Department's homepage on the Internet to obtain the proper forms and instructions.

If you have any questions, please contact me at (208) 762-2800.

Sincerely,

Keith E. Franklin

Sr. Water Resources Agent

Enclosure(s)

CERTIFICATE OF SERVICE

I hereby certify that on July 2, 2008 I mailed a true and correct copy, postage prepaid, of the foregoing PRELIMINARY ORDER(Approved License) to the person(s) listed below:

RE: WATER RIGHT NO.

95-9229

COEUR D ALENE SCHOOL DISTRICT #271
311 N 10TH ST
COEUR D ALENE ID 83814

Carolyn S. Monitz

Carolyn S. Monitz
Technical Records Clerk

DEPARTMENT OF
WATER RESOURCES

JUN 04 2004

RECEIVED



42-39-1
5/94

(Internet)

APPROVED

EXPIRATION DATE: 9/30/2009

DEPARTMENT
APPROVED

Under the

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCES
APPLICATION FOR PERMIT TO
CONSTRUCT _____
MAINTAIN _____
AN INJECTION WELL

Under the Provisions of Title 42, Chapter 39 of the Idaho

I. GENERAL INFORMATION

- A. Name and Address of Legal Contact (x) Owner () Operator
Name Coeur d'Alene School District No 271
Address 311 N. 10th
City Coeur d'Alene State ID Zip Code 83814
Phone No. 208-664-9241
- Facility Name and Location (if different than above)
Name Atlas Elementary School
Address Honeysuckle Avenue off of Atlas Rd
City Hayden State ID Zip Code 83835
- B. Location of Well (attach map see item II L)
Township 51N Range 04W Section 22 1/4 NW 1/4 SW 1/4 Lot
Subdivision Name Block 1 Lot 1
County Kootenai
- C. Is facility located on Indian Lands? Yes () No (x)
- D. Injection Well Classification
1. Depth of well: Less than or equal to 18 feet below land surface
x Greater than 18 feet below land surface
2. Classification: 5A7 (see list below)

- | | | | |
|------|--------------------------------------|------|--------------------------------|
| 5A5 | Electric Power Generation | 5W10 | Cesspools |
| 5A6 | Geothermal Heat | 5W11 | Septic Systems (General) |
| 5A7 | Closed-Loop Heat Pump Return | 5W12 | Water Treatment Plant Effluent |
| 5A8 | Aquaculture Return Flow | 5W20 | Industrial Process Water |
| 5A19 | Cooling Water Return | 5W31 | Septic Systems (Well Disposal) |
| 5B22 | Saline Water Intrusion Barrier | 5W32 | Septic Systems (Drainfield) |
| 5D2 | Storm Runoff | 5X13 | Mine Tailings Backfill |
| 5D3 | Improved Sinkholes | 5X14 | Solution Mining |
| 5D4 | Industrial Storm Runoff | 5X15 | In-Situ Fossil Fuel Recovery |
| 5F1 | Agricultural Runoff Waste | 5X16 | Spent Brine Return Flow |
| 5G30 | Special Drainage Water | 5X25 | Experimental Technology |
| 5N24 | Low-level Radioactive Waste Disposal | 5X26 | Aquifer Remediation |
| 5R21 | Aquifer Recharge | 5X27 | Other Wells |
| 5S23 | Subsidence Control | 5X28 | Service Station Waste |
| 5W9 | Untreated Sewage | 5X29 | Abandoned Drinking Water Wells |

II. TECHNICAL DATA

- A. Description of injection well, if bored, drilled or driven
If well has not been constructed:

Well Bore: Diameter 10 inches Depth 350 feet

- B. Description of injection well, if bored, drilled or driven
If well is constructed:

Well Bore: Diameter _____ inches Depth _____ feet

Surface Casing: diameter _____ inches Depth _____ feet

Perforation depth: from _____ feet to _____ feet

Surface seal: () No () Yes, Type _____ Depth _____ feet

Secondary casing, if applicable:

Diameter _____ inches

Initial depth _____ feet Terminal depth _____

Seal type _____ Packer depth _____

Well Log available () No () Yes (if yes, attach a copy)

Driller's Name/Address _____

Month, Day, Year, Drilled _____

- C. Description of injection well, if dug

Surface dimensions _____ feet, by _____ feet, or Diameter _____ inches

Depth _____ feet Filler material, if any _____

Date constructed: _____

Name/address of contractor _____

- D. Distance to nearest domestic well within 1 mile miles

Direction to nearest domestic well NE

Depth to ground water 280'

- E. Frequency of Injection _____ Continuous _____ Seasonal ☒ Intermittent

Maximum Average Weekly Rate of Injection _____ gpm

Maximum Capacity 700 gpm

- F. Are hazardous wastes, as defined in 40 CFR, Part 261, present in the injected fluids? (excluding 5F1) Yes ☒ No

If yes, attach RCRA numbers for constituents identified as hazardous (see 40 CFR, Part 261 of the Federal Register):

- G. If well is class 5F1, (Agricultural Runoff Waste) or class 5D, (Surface runoff):
Method of irrigation for (for class 5F1): gravity sprinkler
Use of lands in drainage area:

Pesticides/fertilizers/chemicals used (type and quantity)

Approximate Drainage area: _____ acres

Settling pond at injection site? () No () Yes, size _____

Screening structure at well? () No () Yes, Size and mesh _____

- H. If well is class 5W20, (Industrial Process Waste) or other industrial waste:

Type of Waste _____

Describe Treatment prior to injection: _____

(Attach statement describing the complete physical, chemical and microbiological quality of the fluids.)

- I. Description of the type of business and the principal products _____

Elementary School

- J. Alternate methods of disposal that have been considered None

- K. Why were they rejected? HVAC system Geothermal Heat

L. Attach a topographic map or aerial photo showing area within a one mile radius, to include:

- a. Location of injection well described herein and associated facilities (drain ditches, settling pond, etc.),
- b. Other injection wells and associated facilities,
- c. Approximate drainage area (if applicable),
- d. Intake and discharge or injection structures (if applicable),
- e. Hazardous waste facilities,
- f. All drinking water wells,
- g. All other wells, springs and surface waters.

III. A. Any request to treat any document or portion thereof as a trade secret as defined under Chapter 8, Title 48, Idaho Code shall be made at the time said document is submitted to the Department. The person making the request shall stamp or otherwise mark each page or item on a page, to which the request applies, with the word "confidential."

Be it known that the undersigned (owner/operator) hereby makes Application for Permit to Construct or Maintain a Waste Disposal and Injection Well. The above information is true and correct to the best of my knowledge.

10-1-04
Date

Bryan Marks Dir of Maintenance
Signature and Title

B. Action of the Department of Water Resources

I have examined Application No. 95W005-1 and said application is hereby Approved subject to the attached conditions.

Witness my hand this 7th day of December 10 2004

Gary Paul
Official, Idaho Department of Water Resources
Chief Resource Protection Bureau
Title

For Department Use Only

Received by ast Date 6/1 Reviewed by _____

Fees 100.00 Received by JB Receipt No. N16305

Forwarded to S. O. _____

Notice of completion received _____

Field Inspection _____

WELL DRILLER'S REPORT

Twp. 1/4 Rge. 1/4 Sec. 1/4
Lat. 1/4 Long. 1/4

1. WELL TAG NO. D0033824

Drilling Permit No: _____

Other IDWR No. _____

2. OWNER

Name Coeur d'Alene School Dist. #271


Well Number: 787

Address 331 N 10th St

City Coeur d'Alene State ID Zip 83814

3. LOCATION OF WELL by legal description

sketch map location must agree with written location



Twp. 51 ☒ North or ☐ South

Rge. 04 ☐ East or ☒ West

Sec. 22 1/4 NW 1/4 SW 1/4

Gov't Lot _____ County KOOTENAI

Lat: _____ Long: _____

Address of Well Site Honeysuckle rd off Att

City Hayden

(Give at least name of road + Distance to Road or Landmark)

Lt. _____ Blk. _____ Sub. Name _____

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation

☐ Thermal ☒ Injection ☐ Other _____

5. TYPE OF WORK check all that apply (Replacement, etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☐ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
BENTONITE	0	20	550 lbs	Overbore

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 345

Was drive shoe seal tested? ☐ Y ☒ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner	Welded	Threaded
10	+3	345	.325	Steel	☒	☐	☒	☐

Length of Headpipe 6 Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method _____

☒ Screens Screen Type S.S. Telescoping

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
345	385	80	40	10	S.S.	☐	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

280 ft. below ground Artesian pressure _____ lb.

Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
150			

Water Temp. Cold _____ Bottom Hole Temp. Cold _____

Water Quality test or comments: Clear/Good

Depth first Water encountered 300

12. LITHOLOGIC LOG: (Describe repairs or abandonment)

				Water	
Surf Elev	From	To	Remarks: Lithology, Water Quality, Temperature	Y	N
12	0	32	Clayish Soil w/Gravel	☐	☒
12	32	118	Sand & Gravel	☐	☒
12	118	130	Gravel & Cobble	☐	☒
12	130	178	Sand & Gravel	☐	☒
12	178	185	Cobble & Gravel	☐	☒
12	185	215	Sand & Gravel	☐	☒
12	215	240	Silty Sand Gray Fine	☐	☒
12	240	342	Sand Mod Fine	☒	☐
12	342	390	Gravel & Sand	☒	☐

Completed Depth 385 (Measurable)

Date: Started 7/14/2004 Completed 7/23/2004

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name H2O Well Service, Inc. Firm No. 448

Firm Official [Signature] Date 07/27/04

and Supervisor or Operator [Signature] Date 8/26/04

Louie Hanner (Sign Oper & Firm Official and Operator)

Starships Consulting and
Management Services

WELL DRILLER'S REPORT

Office Use Only			
Inspected by			
Twp	Rge	Sec	
1/4	1/4	1/4	
Lat		Long	

1. WELL TAG NO. D0033826

Drilling Permit No: 815838

Other IDWR No. 95-9229

2. OWNER

Well Number:

Name Coeur d'Alene School Dist. #271

763

Address 311 N 10th Street

City Coeur d'Alene State ID Zip 83814

3. LOCATION OF WELL by legal description

sketch map location must agree with written location

N		Twp. 51		☒ North or ☐ South	
W		Rge. 04		☐ East or ☒ West	
E		Sec. 22		1/4 NW 1/4 SW 1/4	

Gov't Lot County KOOTENAI

Lat: : : Long: : :

Address of Well Site Honeysuckle Ave/Atlas

Atlas Elementary #2 City Hayden

(Give at least name of road + Distance to Road or Landmark)

Lt. Blk. Sub. Name

4. USE:

☐ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation
☐ Thermal ☐ Injection ☒ Other Heat Pump

5. TYPE OF WORK check all that apply (Replacement, etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Backs or Pounds	
BENTONITE	0	18	400 lbs	Overbore

Was drive shoe used? ☐ Y ☒ N Shoe Depth(s)Was drive shoe seal tested? ☐ Y ☐ N How?

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner Welded	Threaded
8	+2	361	.250	Steel	☒	☐	☒

Length of Headpipe 7' Length of Tailpipe

9. PERFORATIONS/SCREENS

☐ Perforations Method☒ Screens Screen Type Stainless Steel

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
361	381	80	1	7	S.S.	☒	☐

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

295 ft. below ground Artesian pressure lb.

Depth flow encountered ft. Describe access port or control devices:

11. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
200+			4 hr

Water Temp. Cold Bottom Hole Temp Cold

Water Quality test or comments: Clear

Depth first Water encountered 300

12. LITHOLOGIC LOG:(Describe repairs or abandonment)

Core Diam	From	To	Remarks: Lithology, Water Quality, Temperature	Water	
10	0	2	Top Soil	☐ Y	☒ N
10	2	36	Sand, Gravel & Cobble	☐	☒
10	36	247	Sand & Gravel	☐	☒
10	247	279	Sand, Gravel & Clay	☐	☒
10	279	295	Sand & Gravel	☐	☒
10	295	311	Sand & Gravel w/ water @ 300	☒	☐
10	311	338	Coarse Sand & Pea Gravel	☐	☐
10	338	381	Sand & Gravel	☒	☐

Completed Depth 381 (Measurable)

Date: Started 6/1/2004 Completed 6/10/2004

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name H2O Well Service, Inc. Firm No. 448

Firm Official Date 06/14/04

and Date 06/14/04

Supervisor or Operator Date

Todd Morgan (Sign Once if Firm Official and Operator)

Ship's Consulting and
Management Services

W L DRILLER'S REPORT

 Inspected by _____
 Twp. _____ Rge. _____ Sec. _____
 1/4 _____ 1/4 _____ 1/4 _____
 Lat. _____ Long. _____
1. WELL TAG NO. D0033825Drilling Permit No: 815383Other IDWR No. 95-9229

2. OWNER

Well Number: _____

Name Coeur d'Alene School Dist. #271 759Address 311 N 10th StreetCity Coeur d'Alene State ID Zip 83814

3. LOCATION OF WELL by legal description

sketch map location must agree with written location

Twp. 51 ☒ North or ☐ SouthRge. 04 ☐ East or ☒ WestSec. 22 1/4 NW 1/4 SW 1/4Gov't Lot. _____ County KOOTENAI

Lat: _____ Long: _____

Address of Well Site Honeysuckle Ave off AAtlas Elementary #1 City Hayden

(Show at least name of road & distance to Road or Landmark)

Lt. _____ Bk. _____ Sub. Name _____

4. USE:

☒ Domestic ☐ Municipal ☐ Monitor ☐ Irrigation☐ Thermal ☐ Injection ☒ Other Heat Pump

5. TYPE OF WORK check all that apply (Replacement, etc.)

☒ New Well ☐ Modify ☐ Abandonment ☐ Other _____

6. DRILL METHOD

☒ Air Rotary ☐ Cable ☐ Mud Rotary ☐ Other _____

7. SEALING PROCEDURES

SEAL/FILTER PACK			AMOUNT	METHOD
Material	From	To	Sacks or Pounds	
BENTONITE	0	20	800 lbs	Overbore

Was drive shoe used? ☒ Y ☐ N Shoe Depth(s) 355Was drive shoe seal tested? ☐ Y ☒ N How? _____

8. CASING/LINER:

Diameter	From	To	Gauge	Material	Casing	Liner Welded	Threaded
8	+2	-360	.250	Steel	☒	☐	☒
7	-350	-370	.250	Steel	☐	☒	☐

Length of Headpipe 8 Length of Tailpipe _____

9. PERFORATIONS/SCREENS

☐ Perforations Method☒ Screens Screen Type Stainless Steel

From	To	Slot Size	Number	Diameter	Material	Casing	Liner
359	369	80	2	7	S.S.	☐	☒
369	379	70	2	8	S.S.	☐	☒

10. STATIC WATER LEVEL OR ARTESIAN PRESSURE:

300 ft. below ground Artesian pressure _____ lb.

Depth flow encountered _____ ft. Describe access port or control devices: _____

11. WELL TESTS:

☐ Pump ☐ Bailor ☒ Air ☐ Flowing Artesian

Yield gal./min.	Drawdown	Pumping Level	Time
100+	100		

Water Temp. Cold _____ Bottom Hole Temp. Cold _____

Water Quality test or comments: _____

Depth first Water encountered 300

12. LITHOLOGIC LOG:(Describe repairs or abandonment)

From	From	To	Remarks: Lithology, Water Quality, Temperature	Water	Y	N
10	0	3	Top Soil		☐	☒
10	3	20	Gravels, Sand		☐	☒
8	20	80	Gravels, Sand		☐	☒
8	80	130	Sand Course, Gravels		☐	☒
8	130	230	Gravels, Sand		☐	☒
8	230	285	Sand, Gravels, Clay Tan		☐	☒
8	285	380	Gravels, Course Sand with 20 @ 300		☒	☐

COPY

Completed Depth 379 (Measurable)Date: Started 5/25/2004 Completed 5/28/2004

13. DRILLER'S CERTIFICATION

I/We certify that all minimum well construction standards were complied with at the time the rig was removed.

Firm Name H2O WellService, Inc. Firm No. 448Firm Official _____ Date 06/04/04

and

Supervisor or Operator _____ Date 06/03/04

Jim McLeslie (Sign Once if Firm Official and Operator)

Todd Morgan