

RECEIVED

**IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS**

DEC 15 2011

Department of Water Resources
Adjudication Bureau

**IN RE THE GENERAL ADJUDICATION OF RIGHTS TO THE USE OF
WATER FROM THE COEUR D'ALENE-SPOKANE RIVER BASIN
WATER SYSTEM**

CIVIL CASE **49576**
NUMBER:
Ident. Number: **91-7628**
Date Received:
Receipt No.: *X999999*

**NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW**

1. Name of Claimant(s):

Name	Address	City	State	Country	Postal Code
UNITED STATES OF AMERICA ACTING ON BEHALF OF THE USDA FOREST SERVICE	550 W. FORT STREET MSC 033	BOISE	ID	USA	83724

2. Date of Priority:

Date	Explanation
10/3/1986	Finished date on attached Well Drillers Report. Note - Range on Well Drillers Report is incorrect.

3. Source:

Source	Tributary	Type
GROUND WATER	TRIBUTARY NOT NEEDED	

4. Point Of Diversion:

Township	Range	Section	Gov Lot	QQ	Q	County
45N	05E	15		NE	NE	SHOSHONE

5. Water is used for the following purpose(s):

Water Use	Number Of Homes	Stock	Description
DOMESTIC	1	-	Avery Work Center.

6. Season(s) of Use:

Water Use	From Month/Day	To Month/Day
DOMESTIC	1 / 1	12 / 31

7. Quantity:

Water Use	CFS	AF	KW

DOMESTIC | 0.020 | 0.00 | 0.0

Totals:

CFS	AF	KW
0.020	0.00	

8. Place of Use:

Water Use	Township	Range	Section	QQ	Q	County	Gov Lot	Acreage
DOMESTIC	45N	05E	15	NE	NE	SHOSHONE	1	-
DOMESTIC	45N	05E	15	NW	NE	SHOSHONE	2	-
DOMESTIC	45N	05E	15	SE	SW	SHOSHONE	-	-
DOMESTIC	45N	05E	15	SE	SW	SHOSHONE	-	-

} Labels on IDWR Interactive map appear to be incorrect.

9. Basis of Claim:

Basis

Beneficial Use

10. Signature(s):

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Coeur d'Alene-Spokane River Basin Adjudication." (b.) I/We ☒ do not wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 3

For Individuals: I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): _____ Date: _____
 _____ Date: _____

For Organizations: I do solemnly swear or affirm under penalty of perjury that I am

Idaho Water Right Coordinator of USDA Forest Service
 Title Organization

that I have signed the foregoing document in the space below as


Idaho Water Right Coordinator of USDA Forest Service
 Title Organization

and that the statements contained in the foregoing document are true and correct.

Signature of Authorized Agent Steven M. Spencer Date 11/14/11
 Title and Organization Idaho Water Right Coordinator USDA Forest Service
 Please print name STEVEN M. SPENCER

WELL DRILLER'S REPORT


State law requires that this report be filed with the Director, Department of Water Resources within 30 days after the completion or abandonment of the well.

1. WELL OWNER USLA Forest Service Name <u>Cabo Penhandle National Forest</u> Address <u>1291 Ironwood Drive</u> <u>Coeur d'Alene, ID 83814</u> Owner's Permit No. _____	7. WATER LEVEL Static water level <u>16</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)	8. WELL TEST DATA ☒ Pump ☐ Bailor ☐ Air ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <th style="width: 33%;">Discharge G.P.M.</th> <th style="width: 33%;">Pumping Level</th> <th style="width: 33%;">Hours Pumped</th> </tr> <tr> <td style="text-align: center;">5</td> <td style="text-align: center;">REC'D FROM OCT 15 1986</td> <td></td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </table>	Discharge G.P.M.	Pumping Level	Hours Pumped	5	REC'D FROM OCT 15 1986																																																																			
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																							
5	REC'D FROM OCT 15 1986																																																																								
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)	9. LITHOLOGIC LOG <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th rowspan="2">Bore Diam.</th> <th colspan="2">Depth</th> <th rowspan="2">Material</th> <th rowspan="2">Water Yes/No</th> </tr> <tr> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>8"</td> <td>0</td> <td>4</td> <td>Top soil & broken rock</td> <td>X</td> </tr> <tr> <td>8"</td> <td>4</td> <td>18</td> <td>Quartzite, hard, gray</td> <td>X</td> </tr> <tr> <td>6"</td> <td>18</td> <td>20</td> <td>Quartzite, hard, gray</td> <td>X</td> </tr> <tr> <td>6"</td> <td>20</td> <td>22</td> <td>Quartzite, green & white, med</td> <td>X</td> </tr> <tr> <td>6"</td> <td>22</td> <td>30</td> <td>Quartzite, hard, gray</td> <td>X</td> </tr> <tr> <td>6"</td> <td>30</td> <td>32</td> <td>Quartzite, soft, fractured, reddish brown</td> <td>X</td> </tr> <tr> <td>6"</td> <td>32</td> <td>60</td> <td>Quartzite, hard, gray</td> <td>X</td> </tr> <tr> <td>6"</td> <td>60</td> <td>62</td> <td>Quartzite, soft, reddish brown</td> <td>X</td> </tr> <tr> <td>6"</td> <td>62</td> <td>70</td> <td>Quartzite, hard, dark gray</td> <td>X</td> </tr> <tr> <td>6"</td> <td>70</td> <td>93</td> <td>Quartzite, soft, fractured</td> <td>XX</td> </tr> <tr> <td>6"</td> <td>93</td> <td>235</td> <td>Quartzite, hard, gray</td> <td>XX</td> </tr> <tr> <td colspan="5" style="text-align: center;">228' of 4" PVC Liner Installed</td> </tr> <tr> <td colspan="5" style="text-align: center;">6" Drive shoe utilized</td> </tr> </tbody> </table>	Bore Diam.	Depth		Material	Water Yes/No	From	To	8"	0	4	Top soil & broken rock	X	8"	4	18	Quartzite, hard, gray	X	6"	18	20	Quartzite, hard, gray	X	6"	20	22	Quartzite, green & white, med	X	6"	22	30	Quartzite, hard, gray	X	6"	30	32	Quartzite, soft, fractured, reddish brown	X	6"	32	60	Quartzite, hard, gray	X	6"	60	62	Quartzite, soft, reddish brown	X	6"	62	70	Quartzite, hard, dark gray	X	6"	70	93	Quartzite, soft, fractured	XX	6"	93	235	Quartzite, hard, gray	XX	228' of 4" PVC Liner Installed					6" Drive shoe utilized				
Bore Diam.	Depth		Material	Water Yes/No																																																																					
	From	To																																																																							
8"	0	4	Top soil & broken rock	X																																																																					
8"	4	18	Quartzite, hard, gray	X																																																																					
6"	18	20	Quartzite, hard, gray	X																																																																					
6"	20	22	Quartzite, green & white, med	X																																																																					
6"	22	30	Quartzite, hard, gray	X																																																																					
6"	30	32	Quartzite, soft, fractured, reddish brown	X																																																																					
6"	32	60	Quartzite, hard, gray	X																																																																					
6"	60	62	Quartzite, soft, reddish brown	X																																																																					
6"	62	70	Quartzite, hard, dark gray	X																																																																					
6"	70	93	Quartzite, soft, fractured	XX																																																																					
6"	93	235	Quartzite, hard, gray	XX																																																																					
228' of 4" PVC Liner Installed																																																																									
6" Drive shoe utilized																																																																									
4. METHOD DRILLED ☒ Rotary ☒ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____																																																																									
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Thickness</th> <th>Diameter</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td>230 inches</td> <td>6 inches</td> <td>2 feet</td> <td>18 feet</td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☐ Yes ☒ No How perforated? ☐ Factory ☐ Knife ☐ Torch Size of perforation _____ inches by _____ inches <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>Number</th> <th>From</th> <th>To</th> </tr> </thead> <tbody> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> <td> </td> </tr> </tbody> </table> Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>18</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port _____	Thickness	Diameter	From	To	230 inches	6 inches	2 feet	18 feet													Number	From	To																																																		
Thickness	Diameter	From	To																																																																						
230 inches	6 inches	2 feet	18 feet																																																																						
Number	From	To																																																																							
6. LOCATION OF WELL Sketch map location must agree with written location.  Subdivision Name _____ Lot No. _____ Block No. _____ County <u>SHOSHONE</u> SE 1/4 SE 1/4 Sec. <u>10</u> , T. <u>45N</u> N/S, R. <u>6E</u> E/W.	10. Work started <u>9/30/86</u> finished <u>10/03/86</u>																																																																								
	11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>PONDEROSA DRILLING</u> Firm No. <u>228</u> <u>E. 6010 Broadway</u> Address <u>Spokane, WA 99212</u> Date <u>10/03/86</u> Signed by (Firm Official) <u>W. Scott Barrett</u> and _____ (Operator) <u>Louise Hanner</u>																																																																								

USE ADDITIONAL SHEETS IF NECESSARY - FORWARD THE WHITE COPY TO THE DEPARTMENT

C 014190
Recon US
All Min

C 014190
Recon US
All Min



Legend

- ESPA
- GCDB Township/Range
- GCDB Section
- GCDB Quarter-Quarter
- Counties

