

RECEIVED

NOV 01 2011

IN THE DISTRICT COURT OF THE FIFTH JUDICIAL DISTRICT OF THE
STATE OF IDAHO, IN AND FOR THE COUNTY OF TWIN FALLS

Department of Water Resources
Adjudication Bureau

IN RE THE GENERAL ADJUDICATION OF RIGHTS TO THE USE OF
WATER FROM THE COEUR D'ALENE-SPOKANE RIVER BASIN
WATER SYSTEM

CIVIL CASE 49576
NUMBER:
Ident. Number: 91-7558
Date Received:
Receipt No.: X999999

NOTICE OF CLAIM TO A WATER RIGHT
ACQUIRED UNDER STATE LAW

1. Name of Claimant(s):

Name	Address	City	State	Country	Postal Code
UNITED STATES OF AMERICA ACTING ON BEHALF OF THE USDA FOREST SERVICE	550 W. FORT STREET MSC 033	BOISE	ID	USA	83724

2. Date of Priority:

Date	Explanation
8/19/1992	Work Finished Date from Well Driller's Report 91-92-N-6.

3. Source:

Source	Tributary	Type
GROUND WATER	TRIBUTARY NOT NEEDED	

4. Point Of Diversion:

Township	Range	Section	Gov Lot	QQ	Q	County
46N	03E	30		NE	SE	SHOSHONE

5. Water is used for the following purpose(s):

Water Use	Number Of Homes	Stock	Description
DOMESTIC	1	-	Big Creek Campground.

6. Season(s) of Use:

Water Use	From Month/Day	To Month/Day
DOMESTIC	5 / 1	10 / 15

7. Quantity:

Water Use	CFS	AF	KW

DOMESTIC | 0.020 | 0.00 | 0.0

Totals:

CFS	AF	KW
0.020	0.00	

8. Place of Use:

Water Use	Township	Range	Section	QQ	Q	County	Gov Lot	Acreage
DOMESTIC	46N	03E	30	NE	SE	SHOSHONE	-	-
DOMESTIC	46N	03E	30	SE	NE	SHOSHONE	-	-

9. Basis of Claim:Basis

Beneficial Use

10. Signature(s):

(a.) By signing below, I/We acknowledge that I/We have received, read and understand the form entitled "How you will receive notice in the Coeur d'Alene-Spokane River Basin Adjudication." (b.) I/We ~~do~~ do not X wish to receive and pay a small annual fee for monthly copies of the docket sheet.

Number of attachments: 3

For Individuals: I/We do solemnly swear or affirm under penalty of perjury that the statements contained in the foregoing document are true and correct.

Signature of Claimant(s): _____ Date: _____
 _____ Date: _____

For Organizations: I do solemnly swear or affirm under penalty of perjury that I am

Idaho Water Right Coordinator of USDA Forest Service
 Title Organization

that I have signed the foregoing document in the space below as

Idaho Water Right Coordinator of USDA Forest Service
 Title Organization

and that the statements contained in the foregoing document are true and correct.

Signature of Authorized Agent Steven M. Spencer Date 8/24/11

Title and Organization Idaho Water Right Coordinator - USDA Forest Service

Please print name

Steven M. Spencer

RECEIVED

STATE OF IDAHO
DEPARTMENT OF WATER RESOURCESUSE TYPEWRITER OR
BALLPOINT PEN

MAR 24 1993

WELL DRILLER'S REPORT

State law requires that this report be filed with the Director, Department of Water Resources
Department of Water Resources
Within 30 days after the completion or abandonment of the well.

1. WELL OWNER Name <u>USDA Forest Service</u> Address <u>1201 Ironwood Dr Cda, Id 83814</u> Drilling Permit No. <u>91-92-N-6</u> Water Right Permit No. _____		7. WATER LEVEL Static water level <u>14</u> feet below land surface. Flowing? ☐ Yes ☒ No G.P.M. flow _____ Artesian closed-in pressure _____ p.s.i. Controlled by: ☐ Valve ☐ Cap ☐ Plug Temperature _____ °F. Quality _____ <i>Describe artesian or temperature zones below.</i>																																																																																								
2. NATURE OF WORK ☒ New well ☐ Deepened ☐ Replacement ☐ Well diameter increase ☐ Abandoned (describe abandonment procedures such as materials, plug depths, etc. in lithologic log)		8. WELL TEST DATA ☐ Pump ☐ Baller ☒ Air ☐ Other _____																																																																																								
3. PROPOSED USE ☒ Domestic ☐ Irrigation ☐ Test ☐ Municipal ☐ Industrial ☐ Stock ☐ Waste Disposal or Injection ☐ Other _____ (specify type)		<table border="1"><thead><tr><th>Discharge G.P.M.</th><th>Pumping Level</th><th>Hours Pumped</th></tr></thead><tbody><tr><td>2</td><td>155</td><td>2</td></tr></tbody></table>		Discharge G.P.M.	Pumping Level	Hours Pumped	2	155	2																																																																																	
Discharge G.P.M.	Pumping Level	Hours Pumped																																																																																								
2	155	2																																																																																								
4. METHOD DRILLED ☒ Rotary ☐ Air ☐ Hydraulic ☐ Reverse rotary ☐ Cable ☐ Dug ☐ Other _____		9. LITHOLOGIC LOG <u>090642</u> <table border="1"><thead><tr><th rowspan="2">Bore Diam.</th><th colspan="2">Depth</th><th rowspan="2">Material</th><th rowspan="2">Water Yes No</th></tr><tr><th>From</th><th>To</th></tr></thead><tbody><tr><td>8</td><td>0</td><td>16</td><td>river gravel</td><td>X</td></tr><tr><td></td><td>16</td><td>21</td><td>brown clay & gravel</td><td></td></tr><tr><td>6</td><td>21</td><td>30</td><td>brown clay & gravel</td><td></td></tr><tr><td></td><td>30</td><td>35</td><td>tan shale</td><td></td></tr><tr><td></td><td>35</td><td>54</td><td>brown shale, some white</td><td></td></tr><tr><td></td><td>54</td><td>55</td><td>soft white & green shale</td><td></td></tr><tr><td></td><td>55</td><td>68</td><td>brown & white shale</td><td></td></tr><tr><td></td><td>68</td><td>70</td><td>white shale</td><td></td></tr><tr><td></td><td>70</td><td>91</td><td>brown & white shale</td><td></td></tr><tr><td></td><td>91</td><td>108</td><td>white & brown shale</td><td></td></tr><tr><td></td><td>108</td><td>118</td><td>soft brown & white shale</td><td>X</td></tr><tr><td></td><td>118</td><td>120</td><td>white shale</td><td></td></tr><tr><td></td><td>120</td><td>128</td><td>soft brown, white, green shale</td><td></td></tr><tr><td></td><td>128</td><td>132</td><td>soft brown shale</td><td></td></tr><tr><td></td><td>132</td><td>135</td><td>white shale</td><td></td></tr><tr><td></td><td>135</td><td>157</td><td>brown & white shale</td><td></td></tr></tbody></table>		Bore Diam.	Depth		Material	Water Yes No	From	To	8	0	16	river gravel	X		16	21	brown clay & gravel		6	21	30	brown clay & gravel			30	35	tan shale			35	54	brown shale, some white			54	55	soft white & green shale			55	68	brown & white shale			68	70	white shale			70	91	brown & white shale			91	108	white & brown shale			108	118	soft brown & white shale	X		118	120	white shale			120	128	soft brown, white, green shale			128	132	soft brown shale			132	135	white shale			135	157	brown & white shale	
Bore Diam.	Depth		Material		Water Yes No																																																																																					
	From	To																																																																																								
8	0	16	river gravel	X																																																																																						
	16	21	brown clay & gravel																																																																																							
6	21	30	brown clay & gravel																																																																																							
	30	35	tan shale																																																																																							
	35	54	brown shale, some white																																																																																							
	54	55	soft white & green shale																																																																																							
	55	68	brown & white shale																																																																																							
	68	70	white shale																																																																																							
	70	91	brown & white shale																																																																																							
	91	108	white & brown shale																																																																																							
	108	118	soft brown & white shale	X																																																																																						
	118	120	white shale																																																																																							
	120	128	soft brown, white, green shale																																																																																							
	128	132	soft brown shale																																																																																							
	132	135	white shale																																																																																							
	135	157	brown & white shale																																																																																							
5. WELL CONSTRUCTION Casing schedule: ☒ Steel ☐ Concrete ☐ Other _____ <table border="1"><thead><tr><th>Thickness</th><th>Diameter</th><th>From</th><th>To</th></tr></thead><tbody><tr><td>250 inches</td><td>6 inches</td><td>2 feet</td><td>32 feet</td></tr><tr><td>160 inches</td><td>4 1/2 inches</td><td>27 feet</td><td>157 feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr><tr><td>_____ inches</td><td>_____ inches</td><td>_____ feet</td><td>_____ feet</td></tr></tbody></table> Was casing drive shoe used? ☒ Yes ☐ No Was a packer or seal used? ☐ Yes ☒ No Perforated? ☒ Yes ☐ No How perforated? ☐ Factory ☐ Knife ☐ Torch ☐ Gun Size of perforation <u>1/8</u> inches by <u>6</u> inches Saw Number _____ From _____ To _____ _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet _____ perforations _____ feet _____ feet Well screen installed? ☐ Yes ☒ No Manufacturer's name _____ Type _____ Model No. _____ Diameter _____ Slot size _____ Set from _____ feet to _____ feet Diameter _____ Slot size _____ Set from _____ feet to _____ feet Gravel packed? ☐ Yes ☒ No ☐ Size of gravel _____ Placed from _____ feet to _____ feet Surface seal depth <u>20</u> Material used in seal: ☐ Cement grout ☒ Bentonite ☐ Puddling clay ☐ _____ Sealing procedure used: ☐ Slurry pit ☐ Temp. surface casing ☒ Overbore to seal depth Method of joining casing: ☐ Threaded ☒ Welded ☐ Solvent Weld ☐ Cemented between strata Describe access port <u>Bonnie Allen weld cap</u>		Thickness	Diameter	From	To	250 inches	6 inches	2 feet	32 feet	160 inches	4 1/2 inches	27 feet	157 feet	_____ inches	_____ inches	_____ feet	_____ feet	_____ inches	_____ inches	_____ feet	_____ feet	RECEIVED JAN 19 1993 NORTHERN REGION IDWR RECEIVED AUG 09 1993																																																																				
Thickness	Diameter	From	To																																																																																							
250 inches	6 inches	2 feet	32 feet																																																																																							
160 inches	4 1/2 inches	27 feet	157 feet																																																																																							
_____ inches	_____ inches	_____ feet	_____ feet																																																																																							
_____ inches	_____ inches	_____ feet	_____ feet																																																																																							
6. LOCATION OF WELL Sketch map location <u>must</u> agree with written location. <table border="1"><tr><td>N</td><td></td><td></td></tr><tr><td>W</td><td></td><td>E</td></tr><tr><td></td><td></td><td></td></tr><tr><td>S</td><td></td><td></td></tr></table> County <u>Shoshone</u> <u>SE</u> 1/4 <u>NE</u> 1/4 Sec. <u>30</u> , T. <u>46</u> N ☒ S ☐ R. <u>3</u> W ☒ Subdivision Name _____ Lot No. _____ Block No. _____		N			W		E				S			10. Work started <u>8-18-92</u> finished <u>8-19-92</u>																																																																												
N																																																																																										
W		E																																																																																								
S																																																																																										
11. DRILLERS CERTIFICATION I/We certify that all minimum well construction standards were complied with at the time the rig was removed. Firm Name <u>Bronson Water Well</u> No. <u>360</u> Address <u>Spirit Lk, Id</u> Date <u>Aug 21, 1992</u> Signed by (Firm Official) <u>[Signature]</u> and (Operator) <u>Clint Bronson</u>																																																																																										





FIGURE 2



BIG CREEK CAMPGROUND

FACILITIES			
FACILITY	PLATE NO.	QUANTITY	COMMENTS
TOILET		2	
FIREPLACE		4	
TABLE		6	
BENCH		4	
FIRE RING, BRILLION		4	
FIREWOOD BIN		1	

SIGNS			
SIGN NO.	PLATE NO.	QUANTITY	COMMENTS
2		1	EXIT
3		1	ENTRANCE SIGN